

Unvalidated OMM 2022-Q2 Sampling

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total by method SW 6020 (µg/L)	Ethanol by method SW 8260B (µg/L)	Iron, dissolved by method SW 6010B (µg/L)	Manganese, dissolved by method SW 6020 (µg/L)	Total organic carbon by method SM 5310 C (mg/L)
BACKWASH POST-FILTER	BACKWASH POST-FILTER-041122	N	WATER	4/11/2022	420	420		< 20 U	71	
BACKWASH PRE-FILTER	BACKWASH PRE-FILTER-041122	N	WATER	4/11/2022	410	380		< 20 U	70	
CAB_MIXER_606	CAB_MIXER_606-050922	N	GW	5/9/2022			1,000,000			690
CAB_MIXER_607	CAB_MIXER_607-041322	N	GW	4/13/2022			1,400,000			3.6
CAB_MIXER_607	CAB_MIXER_607-050922	N	GW	5/9/2022			1,300,000			640

**Notes:**

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

N = Normal

SW = solid waste

U = analyte not detected

PCM 2022-04 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by method SW 6020 (µg/L)	Barium, dissolved by method SW 6020 (µg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total dissolved by method SW 6020 (µg/L)	Iron by method SW 6010B (µg/L)	Iron, dissolved by method SW 6010B (µg/L)	Manganese, dissolved by method SW 6020 (µg/L)
IRZ-09-100	IRZ-09-0422	N	tap		GW	4/12/2022			11		340	< 20 U	1.8
IRZ-13D-210	IRZ-13D-0422	N	tap		GW	4/12/2022			410		630	< 20 U	28
IRZ-13S-095	IRZ-13S-0422	N	tap		GW	4/12/2022			6.2		180	< 20 U	2.9
IRZ-15-055	IRZ-15-55-0422	N	tap		GW	4/12/2022	< 0.10 UJ	31	960	930		< 20 U	5.9
IRZ-15-200	IRZ-15-200-0422	N	tap		GW	4/12/2022	< 0.10 UJ	82	320	260		< 20 U	3.8
IRZ-21-065	IRZ-21-65-0422	N	tap		GW	4/12/2022	< 0.10 UJ	63	370	350		< 20 U	53
IRZ-21-157	IRZ-21-157-0422	N	tap		GW	4/12/2022	< 0.10 UJ	77	410	460		< 20 U	160
IRZ-23-143	IRZ-23-0422	N	tap		GW	4/12/2022			710		130	< 20 U	< 0.50 U
IRZ-25-166	IRZ-25-166-0422	N	tap		GW	4/12/2022	< 0.10 UJ	39	1400	1300		< 20 U	6.2
IRZ-25-67	IRZ-25-67-0422	N	tap		GW	4/12/2022	0.85 J	25	2600	2500		< 20 U	13
MW-20-070	MW-20-070-0422	N	LF		GW	4/14/2022	1.4	24	320			< 20 U	< 0.50 U
MW-20-100	MW-20-100-0422	N	LF		GW	4/14/2022	< 0.10 U	83	1300			< 20 U	< 0.50 U
MW-20-100	MW-916-Q222	FD		MW-20-100-0422	GW	4/14/2022	< 0.10 U	83	1300			< 20 U	< 0.50 U
MW-20-130	MW-20-130-0422	N	LF		GW	4/14/2022	< 0.10 U	29	3300			< 100 U	0.72
MW-21	MW-21-0422	N	LF		GW	4/12/2022	6 J	31	0.34			68	140
MW-26	MW-26-0422	N	LF		GW	4/13/2022	< 0.10 U	84	740			33	720
MW-31-060	MW-31-060-0422	N	LF		GW	4/12/2022	3.6 J	230	< 0.20 U			210	5400
MW-31-135	MW-31-135-0422	N	LF		GW	4/12/2022	< 0.10 UJ	55	26			< 20 U	0.76
MW-51	MW-51-0422	N	LF		GW	4/13/2022	< 0.10 U	37	1800			< 20 U	0.82
MW-71-035	MW-71-035-0422	N	LF		GW	4/12/2022	< 0.10 UJ	45	< 1.0 U			51	250
MW-71-035	MW-917-Q222	FD		MW-71-035-0422	GW	4/12/2022	< 0.10 UJ	45	< 1.0 U			74	300
MW-76-039	MW-76-039-0422	N	LF		GW	4/11/2022	< 0.10 UJ	61	33			34	5
MW-76-156	MW-76-156-0422	N	LF		GW	4/11/2022	< 0.10 UJ	55	15			< 20 U	110
MW-76-181	MW-76-181-0422	N	LF		GW	4/11/2022	< 0.10 UJ	58	2200			< 20 U	68
MW-76-218	MW-76-218-0422	N	LF		GW	4/11/2022	< 0.10 UJ	63	460			< 20 U	150
MW-78-070	MW-78-070-0422	N	LF		GW	4/13/2022	< 0.10 U	76	1900			< 20 U	180
MW-78-142	MW-78-142-0422	N	LF		GW	4/13/2022	< 0.10 U	27	4900			340	6.2
MW-79-058	MW-79-058-0422	N	LF		GW	4/13/2022	0.27	80	2800			< 20 U	< 0.50 U
MW-79-102	MW-79-102-0422	N	LF		GW	4/13/2022	0.9	33	2400			51	1.4
MW-80-057	MW-80-057-0422	N	LF		GW	4/12/2022	0.4 J	44	840			< 20 U	1.3
MW-80-082	MW-80-082-0422	N	LF		GW	4/12/2022	< 0.10 UJ	39	1700			< 20 U	1.8
MW-80-082	MW-935-Q222	FD		MW-80-082-0422	GW	4/12/2022	1.1 J	39	1700			< 20 U	1.4
TW-02D	TW-02D-0422	N	LF		GW	4/14/2022	< 0.10 U	43	710			24	120
TW-02S	TW-02S-0422	N	LF		GW	4/14/2022	1.1	48	130			< 20 U	< 0.50 U
TW-03D	TW-03D-0422	N	LF		GW	4/14/2022	< 0.10 U	45	780			< 20 U	140

**Notes:**

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

tap = extraction port

LF = low flow

PCM 2022-04 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Nitrate (as nitrogen) by method EPA 300.0 (mg/L)	Sulfate by method EPA 300.0 (mg/L)	Total organic carbon by method SM 5310 C (mg/L)
IRZ-09-100	IRZ-09-0422	N	tap		GW	4/12/2022			< 1.0 U
IRZ-13D-210	IRZ-13D-0422	N	tap		GW	4/12/2022			< 1.0 U
IRZ-13S-095	IRZ-13S-0422	N	tap		GW	4/12/2022			< 1.0 U
IRZ-15-055	IRZ-15-55-0422	N	tap		GW	4/12/2022	1.6	770	< 1.0 U
IRZ-15-200	IRZ-15-200-0422	N	tap		GW	4/12/2022	1.5	500	< 1.0 U
IRZ-21-065	IRZ-21-65-0422	N	tap		GW	4/12/2022	0.76	540	< 1.0 U
IRZ-21-157	IRZ-21-157-0422	N	tap		GW	4/12/2022	0.5	600	< 1.0 U
IRZ-23-143	IRZ-23-0422	N	tap		GW	4/12/2022			< 1.0 U
IRZ-25-166	IRZ-25-166-0422	N	tap		GW	4/12/2022	7.2	380	< 1.0 U
IRZ-25-67	IRZ-25-67-0422	N	tap		GW	4/12/2022	14	300	< 1.0 U
MW-20-070	MW-20-070-0422	N	LF		GW	4/14/2022	14	250	< 5.0 U
MW-20-100	MW-20-100-0422	N	LF		GW	4/14/2022	6.3	740	< 1.0 U
MW-20-100	MW-916-Q222	FD		MW-20-100-0422	GW	4/14/2022	6.5	740	< 1.0 U
MW-20-130	MW-20-130-0422	N	LF		GW	4/14/2022	7	1100	< 1.0 U
MW-21	MW-21-0422	N	LF		GW	4/12/2022	1	1500	< 1.0 U
MW-26	MW-26-0422	N	LF		GW	4/13/2022	3.1	480	< 1.0 U
MW-31-060	MW-31-060-0422	N	LF		GW	4/12/2022	< 0.50 U	540	< 20 U
MW-31-135	MW-31-135-0422	N	LF		GW	4/12/2022	1.9	740	< 1.0 U
MW-51	MW-51-0422	N	LF		GW	4/13/2022	4.7	630	< 1.0 U
MW-71-035	MW-71-035-0422	N	LF		GW	4/12/2022	< 0.50 U	1200	< 1.0 U
MW-71-035	MW-917-Q222	FD		MW-71-035-0422	GW	4/12/2022	< 0.50 U	1200	< 1.0 U
MW-76-039	MW-76-039-0422	N	LF		GW	4/11/2022	2.1	210	< 1.0 U
MW-76-156	MW-76-156-0422	N	LF		GW	4/11/2022	1.7	860	< 1.0 U
MW-76-181	MW-76-181-0422	N	LF		GW	4/11/2022	3	930	< 1.0 U
MW-76-218	MW-76-218-0422	N	LF		GW	4/11/2022	1.5	910	< 1.0 U
MW-78-070	MW-78-070-0422	N	LF		GW	4/13/2022	4.7	320	< 1.0 U
MW-78-142	MW-78-142-0422	N	LF		GW	4/13/2022	9.8	910	< 1.0 U
MW-79-058	MW-79-058-0422	N	LF		GW	4/13/2022	10	400	< 5.0 U
MW-79-102	MW-79-102-0422	N	LF		GW	4/13/2022	12	810	< 1.0 U
MW-80-057	MW-80-057-0422	N	LF		GW	4/12/2022	15	500	< 1.0 U
MW-80-082	MW-80-082-0422	N	LF		GW	4/12/2022	5.9	550	< 1.0 U
MW-80-082	MW-935-Q222	FD		MW-80-082-0422	GW	4/12/2022	6.2	550	< 1.0 U
TW-02D	TW-02D-0422	N	LF		GW	4/14/2022	1.8	950	< 1.0 U
TW-02S	TW-02S-0422	N	LF		GW	4/14/2022	3.6	190	< 1.0 U
TW-03D	TW-03D-0422	N	LF		GW	4/14/2022	1.7	880	< 1.0 U

**Notes:**

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

tap = extraction port

LF = low flow

Unvalidated Phase 2a Construction

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by method SW 6020 (µg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total dissolved by method SW 6020 (µg/L)
ER-6	ER-6-050922	N		GW	5/9/2022	< 0.10 U	1600	1400
ER-6	ER-6-SC-130-223	N		GW	5/11/2022	< 0.10 U	1600	1500
FW-02A	FW-02A-VAS-117-122	N		GW	4/22/2022	< 0.10 U	< 0.20 U	< 1.0 U
FW-02A	FW-02A-VAS-127-132	N		GW	4/23/2022	< 0.10 U	< 0.20 U	2
FW-02A	FW-02A-VAS-137-142	N		GW	4/23/2022	< 0.10 U	< 0.20 U	< 1.0 U
FW-02A	FW-02A-VAS-147-152	N		GW	4/24/2022	< 0.10 U	< 0.20 U	< 1.0 U
FW-02A	FW-02A-VAS-157-162	N		GW	4/25/2022	< 0.10 U	< 0.20 U	< 1.0 U
FW-02A	FW-02A-VAS-167-172	N		GW	4/25/2022	< 0.10 U	< 1.0 U	< 1.0 U
FW-02A	FW-02A-VAS-177-182	N		GW	4/26/2022	< 0.10 U	34	34
TCS-1	TCS-1-VAS-164-169	N		GW	4/3/2022	< 0.10 U	1100	1100
TCS-1	TCS-1-VAS-192-197	N		GW	4/4/2022	< 0.10 U	< 0.20 U	< 1.0 U
TCS-1	TCS-1-VAS-221-226	N		GW	4/5/2022	< 0.10 U	< 0.20 U	1.8
TCS-1	TCS-1-VAS-254-259	N		GW	4/7/2022	< 0.10 U	< 1.0 U	< 1.0 U
TCS-1	TCS-1-VAS-266-271	N		GW	4/13/2022	< 0.10 U	< 1.0 U	< 1.0 U
TCS-2	TCS-2-VAS-131-136	N		GW	4/19/2022	< 0.50 U	4300	4100
TCS-2	TCS-2-VAS-147-152	N		GW	4/20/2022	< 0.10 U	< 0.20 U	< 1.0 U
TCS-2	TCS-2-VAS-161.5-166.5	N		GW	4/21/2022	< 0.10 U	< 0.20 U	< 1.0 U
TCS-2	TCS-2-VAS-181-186	N		GW	4/21/2022	< 0.10 U	< 0.20 U	< 1.0 U
TCS-2	TCS-2-VAS-202-207	N		GW	4/22/2022	< 0.10 U	2300	2100
TCS-2	TCS-2-VAS-211.5-216.5	N		GW	4/23/2022	< 0.10 U	120	52
TCS-2	TCS-2-VAS-220-225	N		GW	4/23/2022	< 0.10 U	< 1.0 U	< 1.0 U
TCS-2	DUP-01-042022	FD	TCS-2-VAS-147-152	GW	4/20/2022	< 0.10 U	< 0.20 U	< 1.0 U
TWB-01	TWB-1-VAS-82-87	N		WATER	3/18/2022	0.65	870	1600
TWB-01	TWB-1-VAS-87-92	N		GW	3/20/2022	< 0.10 U	< 0.20 U	< 1.0 U
TWB-01	TWB-1-VAS-97-102	N		GW	3/20/2022	0.48	1200	1100
TWB-01	TWB-1-VAS-110-115	N		GW	3/21/2022	< 0.10 U	4300	4300
TWB-01	TWB-1-VAS-122-127	N		GW	3/21/2022	< 0.10 U	1700	1600
TWB-01	TWB-1-TEMP-042722	N		GW	4/27/2022	< 0.10 U	4600	5400
TWB-01	DUP-1-VAS-032022	FD	TWB-1-VAS-87-92	GW	3/20/2022	< 0.10 U	< 0.20 U	< 1.0 U
TWB-02	TWB-2-VAS-97-102	N		GW	3/29/2022		< 0.20 U	< 1.0 U
TWB-03	TWB-3-VAS-47-52	N		GW	5/6/2022	< 0.10 U	< 0.20 U	< 1.0 U
TWB-03	TWB-3-VAS-57-62	N		GW	5/6/2022	< 0.10 U	6.6	2.6
TWB-03	TWB-3-VAS-67-72	N		WATER	5/7/2022	< 0.10 U	< 0.20 U	< 1.0 U
TWB-03	TWB-3-VAS-76-81	N		WATER	5/8/2022	< 0.10 U	< 1.0 U	< 1.0 U

**Notes:**

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

FD = field duplicate

GW = groundwater

N = Normal

SW = solid waste

U = analyte not detected

Unvalidated RCM 2022-04 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Matrix	Sample Date	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total dissolved by method SW 6020 (µg/L)	Molybdenum, dissolved by method SW 6020 (µg/L)
MW-68-180	MW-68-180-0422	N	LF	GW	4/14/2022	6700	7700	36

**Notes:**

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

FD = field duplicate

GW = groundwater

mg/L = milligrams per liter

N = Normal

SW = solid waste

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Alkalinity, bicarb as CaCO3 by method SM 2320 B (mg/L)	Alkalinity, carb as CaCO3 by method SM 2320 B (mg/L)	Alkalinity, total as CaCO3 by method SM 2320 B (mg/L)	Aluminum by method SW 6010B (µg/L)	Aluminum, dissolved by method SW 6010B (µg/L)	Ammonia as nitrogen by method SM 4500-NH3 G (mg/L)	Antimony by method SW 6020 (µg/L)	Antimony, dissolved by method SW 6020 (µg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	52	< 5.0 U	52	< 50 U	86	< 0.20 U	< 0.50 U	< 0.50 U
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	48	< 5.0 U	48	< 50 U	< 50 U	< 0.22 U	< 0.50 U	< 0.50 U

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Arsenic by method SW 6020 (µg/L)	Arsenic, dissolved by method SW 6020 (µg/L)	Barium by method SW 6020 (µg/L)	Barium, dissolved by method SW 6020 (µg/L)	Beryllium by method SW 6020 (µg/L)	Beryllium, dissolved by method SW 6020 (µg/L)	Biological Oxygen Demand, 5-Day by method SM5210B (mg/L)	Boron by method SW 6010B (µg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	1.8 J	< 0.10 UJ	47	44 J	< 0.50 UJ	< 0.50 UJ	< 1.5 U	1400
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	< 0.10 UJ	< 0.10 UJ	82	76 J	< 0.50 UJ	< 0.50 UJ	< 1.5 U	1200

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Boron, dissolved by method SW 6010B (mg/L)	Bromide by method EPA 300.0 (mg/L)	Cadmium by method SW 6020 (µg/L)	Cadmium, dissolved by method SW 6020 (µg/L)	Calcium by method SW 6010B (µg/L)	Calcium, dissolved by method SW 6010B (mg/L)	Chloride by method EPA 300.0 (mg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	1.4	< 5.0 U	< 0.50 U	< 0.50 U	570000 J	450	6200	350
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	1.1	< 5.0 U	< 0.50 U	< 0.50 U	350000 J	430	2800	17

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected



Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Chromium, total by method SW 6020 (µg/L)	Chromium, total dissolved by method SW 6020 (µg/L)	Cobalt by method SW 6020 (µg/L)	Cobalt, dissolved by method SW 6020 (µg/L)	Copper by method SW 6020 (µg/L)	Copper, dissolved by method SW 6020 (µg/L)	Fluoride by method EPA 300.0 (mg/L)	Hardness, Calcium (As CaCO <sub>3</sub> ) by method SM 2340 B (mg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	310	340	< 0.50 UJ	< 0.50 U	< 1.0 U	< 1.0 U	3.7	1100
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	18	17	< 0.50 UJ	< 0.50 U	< 1.0 U	< 1.0 U	3.8	1100

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Hardness, Magnesium (As CaCO <sub>3</sub> ) by method SM 2340 B (µg/L)	Hardness, total as CaCO <sub>3</sub> by method SM 2340 B (mg/L)	Iron by method SW 6010B (µg/L)	Iron Related Bacteria by method BART (CFU/mL)	Iron, dissolved by method SW 6010B (µg/L)	Lead by method SW 6020 (µg/L)	Lead, dissolved by method SW 6020 (µg/L)	Magnesium by method SW 6010B (µg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022			< 20 U	9000	59 J	< 1.0 U	< 1.0 U	54000 J
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	150	1200	60	9000	< 20 UJ	< 1.0 U	< 1.0 U	29000 J

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Magnesium, dissolved by method SW 6010B (mg/L)	Manganese by method SW 6020 (µg/L)	Manganese, dissolved by method SW 6020 (µg/L)	Mercury by method EPA 7470A (µg/L)	Mercury, dissolved by method EPA 7470A (µg/L)	Modified Fouling Index by method MFI (s/L2)	Molybdenum by method SW 6020 (µg/L)	Molybdenum, dissolved by method SW 6020 (µg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	52 J	63	62	< 0.20 U	< 0.20 U	1.3	32	34
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	37 J	1.5	< 0.50 U	< 0.20 U	< 0.20 U	0.35	15	15

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Nickel by method SW 6020 (µg/L)	Nickel, dissolved by method SW 6020 (µg/L)	Nitrate (as nitrogen) by method EPA 300.0 (mg/L)	Nitrite as Nitrogen by method EPA 300.0 (mg/L)	Orthophosphate, dissolved by method EPA 300.0 (mg/L)	Potassium by method SW 6010B (µg/L)	Potassium, dissolved by method SW 6010B (mg/L)	Selenium by method SW 6020 (µg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	< 25 UJ	< 25 UJ	1.5	< 5.0 U	< 1.0 U	30000	29 J	1
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	< 1.0 UJ	< 1.0 UJ	1.6	< 5.0 U	< 1.0 U	17000	16 J	0.83

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Selenium, dissolved by method SW 6020 (µg/L)	Silver by method SW 6020 (µg/L)	Silver, dissolved by method SW 6020 (µg/L)	Slime Forming Bacteria by method BART (CFU/mL)	Sodium by method SW 6010B (µg/L)	Sodium, dissolved by method SW 6010B (mg/L)	Soluble silica, dissolved by method SW 6010B (mg/L)	Sulfate by method EPA 300.0 (mg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	0.96	< 0.50 U	< 0.50 U	20	4300000	4200	15 J	950
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	0.86	< 0.50 U	< 0.50 U	500	2100000	2000	17 J	460

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Sulfate Reducing Bacteria by method BART (CFU/mL)	Sulfide by method SM 4500 S D (mg/L)	Thallium by method SW 6020 (µg/L)	Thallium, dissolved by method SW 6020 (µg/L)	Total dissolved solids by method SM 2540 C (mg/L)	Total Kjeldahl Nitrogen by method EPA 351.2 (mg/L)	Total organic carbon by method SM 5310 C (mg/L)	Total phosphorus as P by method EPA 365.3 (mg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	0	< 0.10 U	< 0.50 U	< 0.50 U	12000	< 0.20 U	< 50 U	< 0.020 U
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	0	< 0.10 U	< 0.50 U	< 0.50 U	5600	< 0.20 U	< 1.0 U	< 0.020 U

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Vanadium by method SW 6020 (µg/L)	Vanadium, dissolved by method SW 6020 (µg/L)	Zinc by method SW 6020 (µg/L)	Zinc, dissolved by method SW 6020 (µg/L)
IRZ-13D-210	IRZ-13D-210-031022	N	WATER	3/10/2022	2.1	2.5	< 10 UJ	< 10 UJ
IRZ-13S-095	IRZ-13S-095-031022	N	WATER	3/10/2022	3.8	3.9	< 10 UJ	< 10 UJ

**Notes:**

All samples were sent to Asset for analyses with the exception of Ammonia, Biological Oxygen Demand, Sulfide and Total Kjeldahl Nitrogen, which were analyzed at BC Laboratories.

< = analyte not detected at the reporting limit shown

**Acronyms and Abbreviations:**

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected