

Hyd6 2022-01 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Aluminum, dissolved by method SW 6020A (µg/L)	Antimony, dissolved by method SW 6020A (µg/L)	Arsenic, dissolved by method SW 6020A (µg/L)	Barium, dissolved by method SW 6020A (µg/L)	Beryllium, dissolved by method SW 6020A (µg/L)	Boron, dissolved by method SW 6020A (mg/L)	Cadmium, dissolved by method SW 6020A (µg/L)
HNWR-01A-098	MW-924-Q122	FD		HNWR-01A-98-Q122	GW	2/16/2022	< 200 U	< 1.0 U	14.9	104	< 1.0 U	0.533	< 1.0 U
HNWR-01A-098	HNWR-01A-98-Q122	N			GW	2/16/2022	< 200 U	< 1.0 U	14.4	104	< 1.0 U	0.536	< 1.0 U
HNWR-01A-174	HNWR-01A-174-Q122	N	3V		GW	2/17/2022	< 200 U	< 1.0 U	14.6	100	< 1.0 U	0.548	< 1.0 U
MARINA-1	MW-925-Q122	FD		MARINA-1-Q122	GW	3/10/2022	< 2000 U	< 10 U	< 10 U	73.9	< 10 U	2.59	< 10 U
MARINA-1	MARINA-1-Q122	N	EP		GW	3/10/2022	< 2000 U	< 10 U	< 10 U	74.1	< 10 U	2.64	< 10 U
MTS-1	MTS-1-Q122	N	EP		GW	2/16/2022	< 200 U	< 1.0 U	20.7	65.8	< 1.0 U	0.667	< 1.0 U
MTS-2	MTS-2-Q122	N	EP		GW	2/16/2022	< 200 U	< 1.0 U	16.6	89.7	< 1.0 U	0.804	< 1.0 U
MW-94-030	MW-94-030-Q122	N	LF		GW	2/16/2022	< 200 U	< 1.0 U	4.08	58.5	< 1.0 U	0.585	< 1.0 U
MW-94-100	MW-94-100-Q122	N	LF		GW	2/16/2022	< 200 U	< 1.0 U	11.2	83.2	< 1.0 U	0.51	< 1.0 U
MW-94-175	MW-94-175-Q122	N	LF		GW	2/16/2022	< 200 U	< 1.0 U	11.2	97.8	< 1.0 U	0.432	< 1.0 U
MW-99-060	MW-99-060-Q122	N	LF		GW	2/15/2022	< 200 U	< 1.0 U	9.25	27.1	< 1.0 U	1.08	< 1.0 U
MW-99-140	MW-99-140-Q122	N	LF		GW	2/15/2022	< 200 U	1.03	4.32	52.2	< 1.0 U	0.645	< 1.0 U
PGE-09N	PGE-09N-Q122	N	3V		GW	2/15/2022	< 2000 U	< 10 U	38.4	64.7	< 10 U	2.15	< 10 U
PGE-09S	PGE-09S-Q122	N	3V		GW	2/15/2022	< 2000 U	< 10 U	< 10 U	45.9	< 10 U	2.09	< 10 U
Site B-165	SITE B-165-Q122	N	3V		GW	2/17/2022	< 200 U	< 1.0 U	16.1	116	< 1.0 U	0.347	< 1.0 U
Site B-220	SITE B-220-Q122	N	3V		GW	2/17/2022	< 200 U	< 1.0 U	16.8	117	< 1.0 U	0.34	< 1.0 U
Site B-285	SITE B-285-Q122	N	3V		GW	2/17/2022	< 200 U	< 1.0 U	17	118	< 1.0 U	0.336	< 1.0 U

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Hyd6 2022-01 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Calcium by method SW 6020A (µg/L)	Calcium, dissolved by method SW 6020A (mg/L)	Chloride by method EPA 300.0 (mg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total dissolved by method SW 6020A (µg/L)	Cobalt, dissolved by method SW 6020A (µg/L)	Copper, dissolved by method SW 6020A (µg/L)
HNWR-01A-098	MW-924-Q122	FD		HNWR-01A-98-Q122	GW	2/16/2022	30,900	30.6	591	13.6	18	< 1.0 U	< 2.0 U
HNWR-01A-098	HNWR-01A-98-Q122	N			GW	2/16/2022	30,400	30.8	658	13.7	17.6	< 1.0 U	< 2.0 U
HNWR-01A-174	HNWR-01A-174-Q122	N	3V		GW	2/17/2022	29,400	29.7	563	14.1	17.1	< 1.0 U	< 2.0 U
MARINA-1	MW-925-Q122	FD		MARINA-1-Q122	GW	3/10/2022	367,000	316	11700	1.99	< 10 U	< 10 U	< 20 U
MARINA-1	MARINA-1-Q122	N	EP		GW	3/10/2022	378,000	313	12400	2.08	< 10 U	< 10 U	< 20 U
MTS-1	MTS-1-Q122	N	EP		GW	2/16/2022	90,400	91	938	< 1.0 U	< 1.0 U	< 1.0 U	< 2.0 U
MTS-2	MTS-2-Q122	N	EP		GW	2/16/2022	96,600	91.9	612	5.54	8.37	< 1.0 U	7.23
MW-94-030	MW-94-030-Q122	N	LF		GW	2/16/2022	57,000	58.2	306	20.1	23.4	< 1.0 U	< 2.0 U
MW-94-100	MW-94-100-Q122	N	LF		GW	2/16/2022	41,500	40.9	336	9	10.6	< 1.0 U	< 2.0 U
MW-94-175	MW-94-175-Q122	N	LF		GW	2/16/2022	23,500	23.4	176	14.2	16.7	< 1.0 U	< 2.0 U
MW-99-060	MW-99-060-Q122	N	LF		GW	2/15/2022	51,100	50.6	451	< 0.20 U	1.04	< 1.0 U	< 2.0 U
MW-99-140	MW-99-140-Q122	N	LF		GW	2/15/2022	62,200	63.1	459	2.9	4.16	< 1.0 U	< 2.0 U
PGE-09N	PGE-09N-Q122	N	3V		GW	2/15/2022	201,000	192	3470	< 1.0 U	< 10 U	< 10 U	< 20 U
PGE-09S	PGE-09S-Q122	N	3V		GW	2/15/2022	175,000	176	3420	< 1.0 U	< 10 U	< 10 U	< 20 U
Site B-165	SITE B-165-Q122	N	3V		GW	2/17/2022	34,600	34.5	302	27.9	35.3	< 1.0 U	< 2.0 U
Site B-220	SITE B-220-Q122	N	3V		GW	2/17/2022	34,600	34.4	296	29	48	< 1.0 U	< 2.0 U
Site B-285	SITE B-285-Q122	N	3V		GW	2/17/2022	34,700	34.6	299	29.5	51.3	< 1.0 U	< 2.0 U

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Hyd6 2022-01 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Deuterium by method CFIRM (0/00)	Fluoride by method EPA 300.0 (mg/L)	Iron, dissolved by method SW 6020A (µg/L)	Lead, dissolved by method SW 6020A (µg/L)	Magnesium by method SW 6020A (µg/L)	Magnesium, dissolved by method SW 6020A (mg/L)	Manganese, dissolved by method SW 6020A (µg/L)
HNWR-01A-098	MW-924-Q122	FD		HNWR-01A-98-Q122	GW	2/16/2022	-74.4	4.65	< 100 U	< 1.0 U	2,350	2.27	< 10 U
HNWR-01A-098	HNWR-01A-98-Q122	N			GW	2/16/2022	-75	4.64	< 100 U	< 1.0 U	2,230	2.3	< 10 U
HNWR-01A-174	HNWR-01A-174-Q122	N	3V		GW	2/17/2022	-73.9	4.61	< 100 U	< 1.0 U	2,220	2.25	< 10 U
MARINA-1	MW-925-Q122	FD		MARINA-1-Q122	GW	3/10/2022		3.26	< 1000 U	< 10 U	9,760	8.92	< 100 U
MARINA-1	MARINA-1-Q122	N	EP		GW	3/10/2022		3.5	< 1000 U	< 10 U	9,570	8.92	< 100 U
MTS-1	MTS-1-Q122	N	EP		GW	2/16/2022	-74.9	5.08	< 100 U	< 1.0 U	3,000	2.84	< 10 U
MTS-2	MTS-2-Q122	N	EP		GW	2/16/2022	-75.7	5.48	178	< 1.0 U	3,150	3.17	21.8
MW-94-030	MW-94-030-Q122	N	LF		GW	2/16/2022	-71.4	3.86	< 100 U	< 1.0 U	12,400	12.5	< 10 U
MW-94-100	MW-94-100-Q122	N	LF		GW	2/16/2022	-73.9	3.5	< 100 U	< 1.0 U	6,140	6.07	< 10 U
MW-94-175	MW-94-175-Q122	N	LF		GW	2/16/2022	-72.7	4.06	< 100 U	< 1.0 U	1,540	1.55	< 10 U
MW-99-060	MW-99-060-Q122	N	LF		GW	2/15/2022	-71.9	3.12	138	< 1.0 U	18,600	18.7	123
MW-99-140	MW-99-140-Q122	N	LF		GW	2/15/2022	-73.5	3.85	< 100 U	< 1.0 U	9,940	9.88	12
PGE-09N	PGE-09N-Q122	N	3V		GW	2/15/2022	-75.9	3.72	6110	< 10 U	92,600	89.2	775
PGE-09S	PGE-09S-Q122	N	3V		GW	2/15/2022	-77.9	2.33	7430	< 10 U	107,000	107	510
Site B-165	SITE B-165-Q122	N	3V		GW	2/17/2022	-76.5	4.38	< 100 U	< 1.0 U	6,660	6.76	< 10 U
Site B-220	SITE B-220-Q122	N	3V		GW	2/17/2022	-75.5	4.44	< 100 U	< 1.0 U	6,780	6.72	< 10 U
Site B-285	SITE B-285-Q122	N	3V		GW	2/17/2022	-75.4	4.38	123	< 1.0 U	6,720	6.73	< 10 U

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Hyd6 2022-01 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Mercury, dissolved by method EPA 7470A (µg/L)	Molybdenum, dissolved by method SW 6020A (µg/L)	Nickel, dissolved by method SW 6020A (µg/L)	Nitrate by method EPA 300.0 (mg/L)	Oxygen 18 by method CFIRM (0/00)	Potassium by method SW 6020A (µg/L)	Potassium, dissolved by method SW 6020A (mg/L)
HNWR-01A-098	MW-924-Q122	FD		HNWR-01A-98-Q122	GW	2/16/2022	< 0.50 U	15.8	15.1	2.21	-10.05	6,930	7.14
HNWR-01A-098	HNWR-01A-98-Q122	N			GW	2/16/2022	< 0.50 U	15.7	14.6	2.28	-10.04	6,830	6.94
HNWR-01A-174	HNWR-01A-174-Q122	N	3V		GW	2/17/2022	< 0.50 U	15.7	14.7	2.22	-10.08	6,810	6.82
MARINA-1	MW-925-Q122	FD		MARINA-1-Q122	GW	3/10/2022	< 0.50 U	67.5	< 10 U	< 1.0 U		59,500	50.3
MARINA-1	MARINA-1-Q122	N	EP		GW	3/10/2022	< 0.50 U	66.7	< 10 U	< 1.0 U		61,500	49.6
MTS-1	MTS-1-Q122	N	EP		GW	2/16/2022	< 0.50 U	16.2	< 1.0 U	0.436	-10.1	8,400	8.49
MTS-2	MTS-2-Q122	N	EP		GW	2/16/2022	< 0.50 U	19.6	< 1.0 U	1.79	-10.01	7,540	7.6
MW-94-030	MW-94-030-Q122	N	LF		GW	2/16/2022	< 0.50 U	11.2	< 1.0 U	3.47	-9.58	6,220	6.24
MW-94-100	MW-94-100-Q122	N	LF		GW	2/16/2022	< 0.50 U	20.2	< 1.0 U	1.94	-9.75	6,410	6.43
MW-94-175	MW-94-175-Q122	N	LF		GW	2/16/2022	< 0.50 U	11	< 1.0 U	2.27	-10.01	5,220	5.26
MW-99-060	MW-99-060-Q122	N	LF		GW	2/15/2022	< 0.50 U	38.2	3.85	< 0.10 U	-9.58	12,000	12
MW-99-140	MW-99-140-Q122	N	LF		GW	2/15/2022	< 0.50 U	21.2	4.4	1.92	-9.83	8,750	8.82
PGE-09N	PGE-09N-Q122	N	3V		GW	2/15/2022	< 0.50 U	62.2	< 10 U	< 0.20 U	-9.76	14,100	13.4
PGE-09S	PGE-09S-Q122	N	3V		GW	2/15/2022	< 0.50 U	45.9	< 10 U	< 0.20 U	-9.92	16,100	16.3
Site B-165	SITE B-165-Q122	N	3V		GW	2/17/2022	< 0.50 U	14.7	40.5	2.61	-10.22	5,440	5.45
Site B-220	SITE B-220-Q122	N	3V		GW	2/17/2022	< 0.50 U	16.1	28.9	2.49	-10.22	5,420	5.41
Site B-285	SITE B-285-Q122	N	3V		GW	2/17/2022	< 0.50 U	13.7	26.5	2.47	-10.2	5,500	5.42

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Hyd6 2022-01 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Selenium, dissolved by method SW 6020A (µg/L)	Silver, dissolved by method SW 6020A (µg/L)	Sodium by method SW 6020A (µg/L)	Sodium, dissolved by method SW 6020A (mg/L)	Sulfate by method EPA 300.0 (mg/L)	Thallium, dissolved by method SW 6020A (µg/L)	Total dissolved solids by method SM 2540 C (mg/L)
HNWR-01A-098	MW-924-Q122	FD		HNWR-01A-98-Q122	GW	2/16/2022	< 1.0 U	< 1.0 U	448,000	438	91	< 1.0 U	1,170
HNWR-01A-098	HNWR-01A-98-Q122	N			GW	2/16/2022	< 1.0 U	< 1.0 U	450,000	441	83	< 1.0 U	1,230
HNWR-01A-174	HNWR-01A-174-Q122	N	3V		GW	2/17/2022	< 1.0 U	< 1.0 U	438,000	441	88.3	< 1.0 U	1,130
MARINA-1	MW-925-Q122	FD		MARINA-1-Q122	GW	3/10/2022	< 10 U	< 10 U	6,140,000	5,260	754	< 10 U	16,800
MARINA-1	MARINA-1-Q122	N	EP		GW	3/10/2022	< 10 U	< 10 U	6,570,000	5,280	864	< 10 U	14,600
MTS-1	MTS-1-Q122	N	EP		GW	2/16/2022	< 1.0 U	< 1.0 U	598,000	602	126	< 1.0 U	1,810
MTS-2	MTS-2-Q122	N	EP		GW	2/16/2022	< 1.0 U	< 1.0 U	416,000	393	132	< 1.0 U	1,260
MW-94-030	MW-94-030-Q122	N	LF		GW	2/16/2022	4.22	< 1.0 U	218,000	222	149	< 1.0 U	805
MW-94-100	MW-94-100-Q122	N	LF		GW	2/16/2022	< 1.0 U	< 1.0 U	263,000	261	90.6	< 1.0 U	839
MW-94-175	MW-94-175-Q122	N	LF		GW	2/16/2022	< 1.0 U	< 1.0 U	190,000	190	56	< 1.0 U	572
MW-99-060	MW-99-060-Q122	N	LF		GW	2/15/2022	< 1.0 U	< 1.0 U	451,000	451	165	< 1.0 U	1,040
MW-99-140	MW-99-140-Q122	N	LF		GW	2/15/2022	1.35	< 1.0 U	354,000	367	135	< 1.0 U	1,110
PGE-09N	PGE-09N-Q122	N	3V		GW	2/15/2022	< 10 U	< 10 U	2,450,000	2,410	976	< 10 U	5,670
PGE-09S	PGE-09S-Q122	N	3V		GW	2/15/2022	< 10 U	< 10 U	2,400,000	2,400	825	< 10 U	6,050
Site B-165	SITE B-165-Q122	N	3V		GW	2/17/2022	1.06	< 1.0 U	240,000	231	76.3	< 1.0 U	684
Site B-220	SITE B-220-Q122	N	3V		GW	2/17/2022	< 1.0 U	< 1.0 U	233,000	235	74.6	< 1.0 U	515
Site B-285	SITE B-285-Q122	N	3V		GW	2/17/2022	1.08	< 1.0 U	234,000	236	78.7	< 1.0 U	572

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Hyd6 2022-01 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Vanadium, dissolved by method SW 6020A (µg/L)	Zinc, dissolved by method SW 6020A (µg/L)
HNWR-01A-098	MW-924-Q122	FD		HNWR-01A-98-Q122	GW	2/16/2022	18.2	< 20 U
HNWR-01A-098	HNWR-01A-98-Q122	N			GW	2/16/2022	17.8	< 20 U
HNWR-01A-174	HNWR-01A-174-Q122	N	3V		GW	2/17/2022	18	< 20 U
MARINA-1	MW-925-Q122	FD		MARINA-1-Q122	GW	3/10/2022	< 10 U	< 200 U
MARINA-1	MARINA-1-Q122	N	EP		GW	3/10/2022	< 10 U	< 200 U
MTS-1	MTS-1-Q122	N	EP		GW	2/16/2022	3.69	< 20 U
MTS-2	MTS-2-Q122	N	EP		GW	2/16/2022	12.3	25.8
MW-94-030	MW-94-030-Q122	N	LF		GW	2/16/2022	14.6	< 20 U
MW-94-100	MW-94-100-Q122	N	LF		GW	2/16/2022	16.5	< 20 U
MW-94-175	MW-94-175-Q122	N	LF		GW	2/16/2022	18.2	< 20 U
MW-99-060	MW-99-060-Q122	N	LF		GW	2/15/2022	< 1.0 U	< 20 U
MW-99-140	MW-99-140-Q122	N	LF		GW	2/15/2022	6.12	< 20 U
PGE-09N	PGE-09N-Q122	N	3V		GW	2/15/2022	< 10 U	< 200 U
PGE-09S	PGE-09S-Q122	N	3V		GW	2/15/2022	< 10 U	< 200 U
Site B-165	SITE B-165-Q122	N	3V		GW	2/17/2022	16.4	< 20 U
Site B-220	SITE B-220-Q122	N	3V		GW	2/17/2022	17.1	< 20 U
Site B-285	SITE B-285-Q122	N	3V		GW	2/17/2022	17.6	< 20 U

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

OMM 2022-Q1 Sampling

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total by method SW 6020 (µg/L)	Iron, dissolved by method SW 6010B (µg/L)	Manganese, dissolved by method SW 6020 (µg/L)	Total organic carbon by method SM 5310 C (mg/L)
BACKWASH POST-FILTER	BACKWASH POST-FILTER-012522	N	WATER	1/25/2022	630	650	< 20 U	4.8	
BACKWASH POST-FILTER	BACKWASH POST-FILTER-020822	N	WATER	2/8/2022	710	710	160 J	35	
BACKWASH PRE-FILTER	BACKWASH PRE-FILTER-012522	N	WATER	1/25/2022	640	640	< 20 U	4.8	
BACKWASH PRE-FILTER	BACKWASH PRE-FILTER-020822	N	WATER	2/8/2022	680	660	< 20 UJ	33	
CAB_MIXER_606	CAB_MIXER_606-010622	N	GW	1/6/2022					5.9
CAB_MIXER_606	CAB_MIXER_606-012422	N	GW	1/24/2022					3
CAB_MIXER_606	CAB_MIXER_606-020722	N	GW	2/7/2022					< 5.0 U
CAB_MIXER_607	CAB_MIXER_607-010622	N	GW	1/6/2022					8
CAB_MIXER_607	CAB_MIXER_607-012422	N	GW	1/24/2022					3.7
IRZ-27	IRZ-27 BACKWASH-021722	N	WATER	2/17/2022	380	420 J	< 20 UJ	41 J	

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

PCM 2022-02 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by method SW 6020 (µg/L)	Barium, dissolved by method SW 6020 (µg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Iron by method SW 6010B (µg/L)	Iron, dissolved by method SW 6010B (µg/L)	Manganese, dissolved by method SW 6020 (µg/L)	Nitrate (as nitrogen) by method EPA 300.0 (mg/L)	Sulfate by method EPA 300.0 (mg/L)	Total organic carbon by method SM 5310 C (mg/L)
IRZ-23	IRZ-23-022122	N			GW	2/21/2022			880	< 20 U	< 20 U	< 0.50 U			< 20 U
MW-20-070	MW-20-070-0222	N	LF		GW	2/3/2022	2.1 J	32	520		< 20 UJ	4.6	21	330	< 1.0 U
MW-20-100	MW-20-100-0222	N	LF		GW	2/3/2022	1.6 J	31	1300		22 J	5.2	6	270	< 1.0 U
MW-20-130	MW-20-130-0222	N	LF		GW	2/3/2022	< 0.10 U	29	6000		< 20 UJ	5.3	9.3	870	< 1.0 U
MW-21	MW-21-0222	N	LF		GW	2/3/2022	6.4 J	32	6.7		770 J	40	4.8	1100	< 25 U
MW-26	MW-26-0222	N	LF		GW	2/2/2022	1.2 J	36	1800		37	6	12	400	< 5.0 U
MW-31-060	MW-31-060-0222	N	LF		GW	2/1/2022	6.9	480	< 1.0 U		31	7800 J	< 0.25 U	48	< 25 U
MW-31-135	MW-31-135-0222	N	LF		GW	2/1/2022	< 0.10 U	49	15		24	6.7 J	1.4	570	< 1.0 U
MW-51	MW-51-0222	N	LF		GW	2/2/2022	< 0.10 U	47	2600		150	5.3	6.8	660	< 1.0 U
MW-71-035	MW-71-035-0222	N	LF		GW	2/2/2022	< 0.10 U	47	< 1.0 U		120	5.7	< 0.50 U	1100	< 1.0 U
MW-76-039	MW-76-039-0222	N	LF		GW	1/31/2022	< 0.10 U	59	36		280	34	2.5	200	< 1.0 U
MW-76-156	MW-76-156-0222	N	LF		GW	1/31/2022	< 0.10 U	60	< 1.0 U		< 100 U	130	1.3	870	< 1.0 U
MW-76-181	MW-76-181-0222	N	LF		GW	1/31/2022	< 0.10 U	71	1500		< 20 U	64	2.1	850	< 1.0 U
MW-76-218	MW-76-218-0222	N	LF		GW	1/31/2022	< 0.10 U	74	370		< 100 U	350	1.3	870	< 1.0 U
MW-78-070	MW-914-Q122	FD		MW-78-070-0222	GW	2/1/2022	0.56	42	2700		< 20 U	3.2 J	7.2	300	< 1.0 U
MW-78-070	MW-78-070-0222	N	LF		GW	2/1/2022	0.54	42	2600		< 20 U	3 J	7.1	310	< 1.0 U
MW-78-142	MW-78-142-0222	N	LF		GW	2/1/2022	< 0.10 U	32	5800		72	6.4 J	8.6	890	< 1.0 U
MW-79-058	MW-79-058-0222	N	LF		GW	2/1/2022	0.7	96	2900		< 20 U	< 0.50 UJ	9.3	400	< 1.0 U
MW-79-102	MW-79-102-0222	N	LF		GW	2/1/2022	0.94	41	3500		390	3.1 J	16	890	< 1.0 U
MW-80-057	MW-80-057-0222	N	LF		GW	2/1/2022	1	54	780		< 20 U	2.8 J	16	510	< 1.0 U
MW-80-082	MW-915-Q122	FD		MW-80-082-0222	GW	2/1/2022	0.58	44	2000		< 20 U	0.71 J	10	550	< 1.0 U
MW-80-082	MW-80-082-0222	N	LF		GW	2/1/2022	0.54	44	2000		< 20 U	0.71 J	10	550	< 1.0 U

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

RCM 2022-02 SURFACEWAT Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by method SW 6020 (µg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Manganese, dissolved by method SW 6020 (µg/L)
C-BNS	C-BNS-Q122	N	R		SURFACEWAT	2/16/2022	1.9	< 0.20 U	< 0.50 UJ
C-CON-D	C-CON-D-Q122	N	R		SURFACEWAT	2/17/2022	2.2	< 0.20 U	0.71
C-CON-S	C-CON-S-Q122	N	R		SURFACEWAT	2/17/2022	2	< 0.20 U	< 0.50 U
C-I-3-D	C-I-3-D-Q122	N	R		SURFACEWAT	2/16/2022	2.1	< 0.20 U	< 0.50 UJ
C-I-3-S	C-I-3-S-Q122	N	R		SURFACEWAT	2/16/2022	1.9	< 0.20 U	< 0.50 UJ
C-MAR-D	C-MAR-D-Q122	N	R		SURFACEWAT	2/17/2022	1.8	< 0.20 U	5.4
C-MAR-S	C-MAR-S-Q122	N	R		SURFACEWAT	2/17/2022	2	< 0.20 U	7
C-NR1-D	MW-919-Q122	FD		C-NR1-D-Q122	SURFACEWAT	2/17/2022	1.9	< 0.20 U	1.7
C-NR1-D	C-NR1-D-Q122	N	R		SURFACEWAT	2/17/2022	2	< 0.20 U	< 0.50 U
C-NR1-S	C-NR1-S-Q122	N	R		SURFACEWAT	2/17/2022	2	< 0.20 U	< 0.50 U
C-NR3-D	C-NR3-D-Q122	N	R		SURFACEWAT	2/17/2022	1.9	< 0.20 U	< 0.50 U
C-NR3-S	C-NR3-S-Q122	N	R		SURFACEWAT	2/17/2022	2	< 0.20 U	< 0.50 U
C-NR4-D	C-NR4-D-Q122	N	R		SURFACEWAT	2/17/2022	2	< 0.20 U	< 0.50 U
C-NR4-S	C-NR4-S-Q122	N	R		SURFACEWAT	2/17/2022	1.9	< 0.20 U	< 0.50 U
C-R22A-D	C-R22A-D-Q122	N	R		SURFACEWAT	2/16/2022	2	< 0.20 U	< 0.50 UJ
C-R22A-S	MW-920-Q122	FD		C-R22A-S-Q122	SURFACEWAT	2/16/2022	2.1	< 0.20 U	< 0.50 UJ
C-R22A-S	C-R22A-S-Q122	N	R		SURFACEWAT	2/16/2022	2	< 0.20 U	< 0.50 UJ
C-R27-D	C-R27-D-Q122	N	R		SURFACEWAT	2/16/2022	2	< 0.20 U	< 0.50 UJ
C-R27-S	C-R27-S-Q122	N	R		SURFACEWAT	2/16/2022	1.9	< 0.20 U	< 0.50 UJ
C-TAZ-D	MW-921-Q122	FD		C-TAZ-D-Q122	SURFACEWAT	2/16/2022	2	< 0.20 U	< 0.50 UJ
C-TAZ-D	C-TAZ-D-Q122	N	R		SURFACEWAT	2/16/2022	1.9	< 0.20 U	< 0.50 UJ
C-TAZ-S	C-TAZ-S-Q122	N	R		SURFACEWAT	2/16/2022	1.9	< 0.20 U	< 0.50 UJ
R-19	R-19-Q122	N	R		SURFACEWAT	2/17/2022	2	< 0.20 U	< 0.50 U
R-28	R-28-Q122	N	R		SURFACEWAT	2/16/2022	2	< 0.20 U	< 0.50 UJ
R63	R63-Q122	N	R		SURFACEWAT	2/16/2022	2	< 0.20 U	0.7 J
RRB	RRB-Q122	N	R		SURFACEWAT	2/17/2022	1.5	< 0.20 U	14
SW1	SW1-Q122	N	R		SURFACEWAT	2/16/2022	1.4	< 0.20 U	21 J
SW2	SW2-Q122	N	R		SURFACEWAT	2/16/2022	1.7	< 0.20 U	15 J

Notes:

All samples were sent to Asset for analyses.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Alkalinity, bicarb as CaCO3 by method SM 2320 B (mg/L)	Alkalinity, carb as CaCO3 by method SM 2320 B (mg/L)	Alkalinity, total as CaCO3 by method SM 2320 B (mg/L)	Aluminum by method SW 6010B (µg/L)	Aluminum, dissolved by method SW 6010B (µg/L)	Ammonia as nitrogen by method A4500NH3G (mg/L)	Antimony by method SW 6020 (µg/L)	Antimony, dissolved by method SW 6020 (µg/L)	Arsenic by method SW 6020 (µg/L)	Arsenic, dissolved by method SW 6020 (µg/L)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	52	< 5.0 U	52	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	91	< 5.0 U	91	350	< 50 UJ		< 0.50 U	< 0.50 U	1	< 0.10 U
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	200	< 5.0 U	200	690	< 50 UJ		< 0.50 U	< 0.50 U	2.7	1
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	150	< 5.0 U	150	100	< 50 UJ		< 0.50 U	< 0.50 U	0.97	0.63
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	84	< 5.0 U	84	< 50 U	< 50 UJ		< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	120	< 5.0 U	120	170	< 50 UJ		< 0.50 U	< 0.50 U	1.7	1.2
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	78	< 5.0 U	78	60	< 50 UJ		< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	100	< 5.0 U	100	84	< 50 UJ		< 0.50 U	< 0.50 U	1.5	0.76
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	120	< 5.0 U	120	160	< 50 UJ		< 0.50 U	< 0.50 U	9.6	1.8
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	330	< 5.0 U	330	150	< 50 UJ		< 0.50 U	< 0.50 U	4.6	2

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Barium by method SW 6020 (µg/L)	Barium, dissolved by method SW 6020 (µg/L)	Beryllium by method SW 6020 (µg/L)	Beryllium, dissolved by method SW 6020 (µg/L)	Biological Oxygen Demand, 5-Day by method SM5210B (mg/L)	Boron by method SW 6010B (µg/L)	Boron, dissolved by method SW 6010B (mg/L)	Bromide by method EPA 300.0 (mg/L)	Cadmium by method SW 6020 (µg/L)	Cadmium, dissolved by method SW 6020 (µg/L)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	64	75	< 0.50 UJ	< 0.50 UJ	1.7	970	1	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	43	36	< 0.50 UJ	< 2.5 U		2000	2.1 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	50	78	< 0.50 UJ	< 0.50 U		2000	1 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	51	48	< 0.50 UJ	< 0.50 U		1000	0.96 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	48	41	< 0.50 UJ	< 2.5 U		1700	1.7 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	42	35	< 0.50 UJ	< 0.50 U		970	0.94 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	79	77	< 0.50 UJ	< 0.50 U		1700	1.6 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	57	50	< 0.50 UJ	< 0.50 U		920	0.93 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	65	57	< 0.50 UJ	< 0.50 U		950	0.93 J	< 5.0 U	< 0.50 U	< 0.50 U
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	39	32	< 0.50 UJ	< 0.50 U		1300	1.3 J	< 5.0 U	< 0.50 U	< 0.50 U

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Calcium by method SW 6010B (µg/L)	Calcium, dissolved by method SW 6010B (mg/L)	Chloride by method EPA 300.0 (mg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total by method SW 6020 (µg/L)	Chromium, total dissolved by method SW 6020 (µg/L)	Cobalt by method SW 6020 (µg/L)	Cobalt, dissolved by method SW 6020 (µg/L)	Copper by method SW 6020 (µg/L)	Copper, dissolved by method SW 6020 (µg/L)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	310000 J	330	3000	19	18	18	< 0.50 U	< 0.50 U	< 1.0 U	5.2 J
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	290000 J	300	3400	3400	3900	3600	1.2	0.63	5.4 J	1.5
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	290000 J	160	1000	3500	7900	1100	2	1.1	8.7 J	1
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	180000 J	180	680	1500	1700	1600	2.2	0.73	3 J	< 1.0 U
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	270000 J	270	3300	2700	3300	2800	6.8	7.1	7 J	1.9
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	130000 J	140	1000	2200	2500	2200	2.3	< 0.50 U	5.8 J	1
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	420000 J	370	3900	2100	2600	1800	3.1	0.56	6.8 J	1.3
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	160000 J	160	1700	860	1800	1100	9.3	3.1	9.7 J	2.1
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	260000 J	250	2100	1200	2800	1400	13	1.1	24 J	2.1
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	99000 J	100	540	18	2200	24	6.6	2.1	28 J	< 1.0 U

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Fluoride by method EPA 300.0 (mg/L)	Hardness, Calcium (As CaCO3) by method SM 2340 B (mg/L)	Hardness, Magnesium (As CaCO3) by method SM 2340 B (mg/L)	Hardness, total as CaCO3 by method SM 2340 B (mg/L)	Iron by method SW 6010B (µg/L)	Iron Related Bacteria by method BART (CFU/mL)	Iron, dissolved by method SW 6010B (µg/L)	Lead by method SW 6020 (µg/L)	Lead, dissolved by method SW 6020 (µg/L)	Magnesium by method SW 6010B (µg/L)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	3.2	830	110	940	< 20 U	9000	< 20 U	< 1.0 U	< 1.0 U	26000 J
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	2.8				910	35000	< 20 U	< 1.0 U	< 1.0 U	15000 J
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	1.3				2900	35000	< 20 U	1.2	< 1.0 U	15000 J
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	1.1				590	35000	< 20 U	< 1.0 U	< 1.0 U	39000 J
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	3.6				1600	35000	420	< 1.0 U	< 1.0 U	13000 J
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	2.3				960	35000	< 20 U	< 1.0 U	< 1.0 U	25000 J
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	2.9				1100	35000	< 20 U	< 1.0 U	< 1.0 U	23000 J
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	3.4				1800	35000	92	< 1.0 U	< 1.0 U	15000 J
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	2.1				5300	35000	< 20 U	< 1.0 U	< 1.0 U	21000 J
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	1.9				3200	35000	890	< 1.0 U	< 1.0 U	13000 J

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Magnesium, dissolved by method SW 6010B (mg/L)	Manganese by method SW 6020 (µg/L)	Manganese, dissolved by method SW 6020 (µg/L)	Mercury by method EPA 7470A (µg/L)	Mercury, dissolved by method EPA 7470A (µg/L)	Modified Fouling Index by method MFI (s/L2)	Molybdenum by method SW 6020 (µg/L)	Molybdenum, dissolved by method SW 6020 (µg/L)	Nickel by method SW 6020 (µg/L)	Nickel, dissolved by method SW 6020 (µg/L)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	27	2.6	2.7	< 0.20 U	< 0.20 U	3	13	13	< 25 UJ	< 25 UJ
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	15 J	32	23	< 0.20 U	< 0.20 U		59	31	< 5.0 UJ	< 5.0 UJ
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	29 J	36	120	< 0.20 U	< 0.20 U		180	22	< 1.0 UJ	16 J
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	38 J	15	6.5	< 0.20 U	< 0.20 U		33	24	100 J	66 J
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	13 J	68	79	< 0.20 U	< 0.20 U		66	37	280 J	300 J
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	26 J	14	< 0.50 U	< 0.20 U	< 0.20 U		120	91	78 J	8.7 J
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	22 J	35	12	< 0.20 U	< 0.20 U		84	56	80 J	< 1.0 UJ
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	15 J	76	35	< 0.20 U	< 0.20 U		120	73	320 J	130 J
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	20 J	110	26	< 0.20 U	< 0.20 U		140	54	110 J	16 J
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	12 J	370	370	< 0.20 U	< 0.20 U		280	140	290 J	83 J

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Nitrate (as nitrogen) by method EPA 300.0 (mg/L)	Nitrite as Nitrogen by method EPA 300.0 (mg/L)	Orthophosphate, dissolved by method EPA 300.0 (mg/L)	Potassium by method SW 6010B (µg/L)	Potassium, dissolved by method SW 6010B (mg/L)	Selenium by method SW 6020 (µg/L)	Selenium, dissolved by method SW 6020 (µg/L)	Silver by method SW 6020 (µg/L)	Silver, dissolved by method SW 6020 (µg/L)	Slime Forming Bacteria by method BART (CFU/mL)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	1.8	< 5.0 U	< 1.0 U	21000 J	19 J	0.92	0.83	< 0.50 U	< 0.50 U	0.1
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	8.2	< 5.0 U		29000	28 J	48 J	45	< 0.50 U	< 0.50 U	0.1
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	4.1	< 5.0 U		29000	11 J	47 J	4.5	< 0.50 U	< 0.50 U	0.1
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	9	< 5.0 U		13000	12 J	9.5 J	9.5	< 0.50 U	< 0.50 U	2500
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	9.2	< 5.0 U		28000	27 J	47 J	42	< 0.50 U	< 0.50 U	100
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	27	< 5.0 U		11000	11 J	69 J	62	< 0.50 U	< 0.50 U	500
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	6.7	< 5.0 U		35000	31 J	6.4 J	16	< 0.50 U	< 0.50 U	20
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	14	< 5.0 U		15000	15 J	36 J	37	< 0.50 U	< 0.50 U	13000
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	10	< 5.0 U		20000	18 J	11 J	12	< 0.50 U	< 0.50 U	67000
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	4.2	< 5.0 U		12000	12 J	4.2 J	4.3	< 0.50 U	< 0.50 U	13000

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Sodium by method SW 6010B (µg/L)	Sodium, dissolved by method SW 6010B (mg/L)	Soluble silica, dissolved by method SW 6010B (mg/L)	Sulfate by method EPA 300.0 (mg/L)	Sulfate Reducing Bacteria by method BART (CFU/mL)	Sulfide by method SM 4500-S D (mg/L)	Thallium by method SW 6020 (µg/L)	Thallium, dissolved by method SW 6020 (µg/L)	Total dissolved solids by method SM 2540 C (mg/L)	Total Kjeldahl Nitrogen by method EPA 351.2 (mg/L)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	2000000	1900 J	31 J	480	0.1	< 0.10 U	< 0.50 U	< 0.50 U	6800	0.22 J
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	2700000 J	2500		770	0.1		< 0.50 U	< 0.50 U	6400	
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	2700000 J	450		400	0.1		< 0.50 U	< 0.50 U	1900 J	
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	470000 J	460		400	6000		< 0.50 U	< 0.50 U	2000	
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	2600000 J	2600		740	0.1		< 0.50 U	< 0.50 U	6600	
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	990000 J	940		620	325		< 0.50 U	< 0.50 U	2900	
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	3900000 J	2700		690	0.1		< 0.50 U	< 0.50 U	8200	
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	1400000 J	1400		590	0.1		< 0.50 U	< 0.50 U	3700	
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	1300000 J	1200		480	75		< 0.50 U	< 0.50 U	4500	
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	640000 J	650		470	325		< 0.50 U	< 0.50 U	1800	

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Remediation Well Baseline Samp 2022-01

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Total organic carbon by method SM 5310 C (mg/L)	Total phosphorus as P by method EPA 365.3 (mg/L)	Vanadium by method SW 6020 (µg/L)	Vanadium, dissolved by method SW 6020 (µg/L)	Zinc by method SW 6020 (µg/L)	Zinc, dissolved by method SW 6020 (µg/L)
IRZ-09	IRZ-09-100-012522	N	GW	1/25/2022	< 1.0 U	< 0.020 U	2.9	3	< 10 U	< 10 U
IRZ-29	IRZ-29-077-010422	N	GW	1/4/2022	< 1.0 U		5.6	1.8	< 10 U	< 10 UJ
IRZ-29	IRZ-29-121-010422	N	GW	1/4/2022	< 1.0 U		17	3.9	< 10 U	< 10 UJ
IRZ-31	IRZ-31-077-010422	N	GW	1/4/2022	< 5.0 U		4.9	3.9	16	< 10 UJ
IRZ-31	IRZ-31-121-010422	N	GW	1/4/2022	< 1.0 U		3.7	< 1.0 U	< 10 U	< 10 UJ
IRZ-33	IRZ-33-077-010422	N	GW	1/4/2022	< 1.0 U		6.8	4.2	12	< 10 UJ
IRZ-33	IRZ-33-111-010422	N	GW	1/4/2022	< 1.0 U		4.2	1.5	< 10 U	< 10 UJ
IRZ-35	IRZ-35-088-010422	N	GW	1/4/2022	< 1.0 U		8.1	1.9	< 10 U	< 10 UJ
IRZ-37	IRZ-37-074-010422	N	GW	1/4/2022	< 1.0 U		15	< 1.0 U	330	< 10 UJ
IRZ-39	IRZ-39-039-010422	N	GW	1/4/2022	2		15	1.2	57	< 10 UJ

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

J = estimated result

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Alkalinity, bicarb as CaCO3 by method SM 2320 B (mg/L)	Alkalinity, carb as CaCO3 by method SM 2320 B (mg/L)	Alkalinity, total as CaCO3 by method SM 2320 B (mg/L)	Aluminum by method SW 6010B (µg/L)	Aluminum, dissolved by method SW 6010B (µg/L)	Antimony by method SW 6020 (µg/L)	Antimony, dissolved by method SW 6020 (µg/L)	Arsenic by method SW 6020 (µg/L)	Arsenic, dissolved by method SW 6020 (µg/L)	Barium by method SW 6020 (µg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022	52	< 5.0 U	52	< 50 U	86	< 0.50 U	< 0.50 U	1.8	< 0.10 U	47
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	48	< 5.0 U	48	< 50 U	< 50 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	82

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Barium, dissolved by method SW 6020 (µg/L)	Beryllium by method SW 6020 (µg/L)	Beryllium, dissolved by method SW 6020 (µg/L)	Boron by method SW 6010B (µg/L)	Boron, dissolved by method SW 6010B (mg/L)	Bromide by method EPA 300.0 (mg/L)	Cadmium by method SW 6020 (µg/L)	Cadmium, dissolved by method SW 6020 (µg/L)	Calcium by method SW 6010B (µg/L)	Calcium, dissolved by method SW 6010B (mg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022	44	< 0.50 U	< 0.50 U	1400	1.4	< 5.0 U	< 0.50 U	< 0.50 U	570000	450
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	76	< 0.50 U	< 0.50 U	1200	1.1	< 5.0 U	< 0.50 U	< 0.50 U	350000	430

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Chloride by method EPA 300.0 (mg/L)	Chromium, Hexavalent by method EPA 218.6 (µg/L)	Chromium, total by method SW 6020 (µg/L)	Chromium, total dissolved by method SW 6020 (µg/L)	Cobalt by method SW 6020 (µg/L)	Cobalt, dissolved by method SW 6020 (µg/L)	Copper by method SW 6020 (µg/L)	Copper, dissolved by method SW 6020 (µg/L)	Fluoride by method EPA 300.0 (mg/L)	Hardness, Calcium (As CaCO3) by method SM 2340 B (mg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022	6200	350	310	340	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	3.7	1100
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	2800	17	18	17	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	3.8	1100

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Hardness, Magnesium (As CaCO3) by method SM 2340 B (mg/L)	Hardness, total as CaCO3 by method SM 2340 B (mg/L)	Iron by method SW 6010B (µg/L)	Iron Related Bacteria by method BART (CFU/mL)	Iron, dissolved by method SW 6010B (µg/L)	Lead by method SW 6020 (µg/L)	Lead, dissolved by method SW 6020 (µg/L)	Magnesium by method SW 6010B (µg/L)	Magnesium, dissolved by method SW 6010B (mg/L)	Manganese by method SW 6020 (µg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022			< 20 U	9000	59	< 1.0 U	< 1.0 U	54000	52	63
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	150	1200	60	9000	< 20 U	< 1.0 U	< 1.0 U	29000	37	1.5

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Manganese, dissolved by method SW 6020 (µg/L)	Mercury by method EPA 7470A (µg/L)	Mercury, dissolved by method EPA 7470A (µg/L)	Molybdenum by method SW 6020 (µg/L)	Molybdenum, dissolved by method SW 6020 (µg/L)	Nickel by method SW 6020 (µg/L)	Nickel, dissolved by method SW 6020 (µg/L)	Nitrate (as nitrogen) by method EPA 300.0 (mg/L)	Nitrite as Nitrogen by method EPA 300.0 (mg/L)	Orthophosphate, dissolved by method EPA 300.0 (mg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022	62	< 0.20 U	< 0.20 U	32	34	< 25 U	< 25 U	1.5	< 5.0 U	< 1.0 U
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	< 0.50 U	< 0.20 U	< 0.20 U	15	15	< 1.0 U	< 1.0 U	1.6	< 5.0 U	< 1.0 U

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Potassium by method SW 6010B (µg/L)	Potassium, dissolved by method SW 6010B (mg/L)	Selenium by method SW 6020 (µg/L)	Selenium, dissolved by method SW 6020 (µg/L)	Silver by method SW 6020 (µg/L)	Silver, dissolved by method SW 6020 (µg/L)	Slime Forming Bacteria by method BART (CFU/mL)	Sodium by method SW 6010B (µg/L)	Sodium, dissolved by method SW 6010B (mg/L)	Soluble silica, dissolved by method SW 6010B (mg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022	30000	29	1	0.96	< 0.50 U	< 0.50 U	20	4300000	4200	15
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	17000	16	0.83	0.86	< 0.50 U	< 0.50 U	500	2100000	2000	17

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Sulfate by method EPA 300.0 (mg/L)	Sulfate Reducing Bacteria by method BART (CFU/mL)	Thallium by method SW 6020 (µg/L)	Thallium, dissolved by method SW 6020 (µg/L)	Total dissolved solids by method SM 2540 C (mg/L)	Total organic carbon by method SM 5310 C (mg/L)	Total phosphorus as P by method EPA 365.3 (mg/L)	Vanadium by method SW 6020 (µg/L)	Vanadium, dissolved by method SW 6020 (µg/L)	Zinc by method SW 6020 (µg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022	950	0	< 0.50 U	< 0.50 U	12000	< 50 U	< 0.020 U	2.1	2.5	< 10 U
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	460	0	< 0.50 U	< 0.50 U	5600	< 1.0 U	< 0.020 U	3.8	3.9	< 10 U

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected

Unvalidated Remediation Well Baseline Samp 2022-03

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Zinc, dissolved by method SW 6020 (µg/L)
IRZ-13D	IRZ-13D-210-031022	N	GW	3/10/2022	< 10 U
IRZ-13S	IRZ-13S-095-031022	N	GW	3/10/2022	< 10 U

Notes:

All samples were sent to Asset for analyses with the exception of Ammonia.

Ammonia was analyzed at PACE Analytical.

< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter

EPA = Environmental Protection Agency

GW = groundwater

mg/L = milligrams per liter

N = Normal

SM = standard method

SW = solid waste

U = analyte not detected