

From: Yue, Aaron@DTSC [mailto:Aaron.Yue@dtsc.ca.gov]
Sent: Thursday, November 29, 2012 4:11 PM
To: Piper, Jay/LAS; Pamela_Innis@ios.doi.gov; Guerre, Christopher@DTSC; YJM1@PGE.COM; GCR4@PGE.COM
Cc: Hong, Christina/LAC; Redmond, Andrew/BAO; Abbott, Aurora/PHX
Subject: RE: Request for Modification of Deadline/Format -- PG&E Topock IM3 Biennial Performance Assessment Report for the Injection Wellfield

DTSC is okay with the combined reporting.

Aaron

From: Jay.Piper@CH2M.com [mailto:Jay.Piper@CH2M.com]
Sent: Thursday, November 29, 2012 12:50 PM
To: Yue, Aaron@DTSC; Pamela_Innis@ios.doi.gov; Guerre, Christopher@DTSC; YJM1@PGE.COM; GCR4@PGE.COM
Cc: Christina.Hong@CH2M.com; Andrew.Redmond@CH2M.com; Aurora.Abbott@ch2m.com
Subject: RE: Request for Modification of Deadline/Format -- PG&E Topock IM3 Biennial Performance Assessment Report for the Injection Wellfield

Hi Aaron,

We know it's very busy now, so we are sending this reminder:

Please verify this approach used with previous IM3 PA and CMP reports for combined submittal is acceptable to use with future submittals.

Thank you,

Jay

From: Piper, Jay/LAS
Sent: Thursday, October 18, 2012 12:30 PM
To: Aaron Yue; 'Pamela_Innis@ios.doi.gov'; 'Guerre, Christopher@DTSC'; 'Meeks, Yvonne J'; 'Russell, Curt'
Cc: Hong, Christina/LAC; Redmond, Andrew/BAO; Abbott, Aurora/PHX
Subject: Request for Modification of Deadline/Format -- PG&E Topock IM3 Biennial Performance Assessment Report for the Injection Wellfield

Aaron,

Pacific Gas and Electric Company (PG&E) is required to submit a biennial Performance Assessment (PA) Report on injection well field operations, including an evaluation of influence of treated water on aquifer water quality, pursuant to Condition 18 of Department of Toxic Substances Control (DTSC) conditional authorization to begin operating Interim Measure No. 3 (IM3), dated July 15, 2005.

In 2008 and 2010 PG&E proposed, and DTSC concurred, that the 2007-2008 and the 2009-2010 IM3 Biennial PA Reports be combined with the annual report for the IM3 Injection Wellfield Compliance Monitoring Program (CMP) and submitted January 15, 2009 and January 15, 2011, respectively. The reasons were to allow the performance evaluation to be conducted based on 4 quarters of data instead of 3 quarters, and for related information to be presented in one document instead of two. The 2008 and 2010 requests and approvals are attached to this email for your reference.

For the same reasons, on the behalf of PG&E, we request DTSC's approval/concurrence to combine the 2011-2012 IM3 Biennial PA Report with the 2012 annual report for the Injection Area CMP report, for submittal by January 15, 2013.

We also request DTSC approval/concurrence that this approach and schedule for IM3 Biennial PA Report submittal applies for the 2013-2014 and 2015-2016 intervals.

Your timely approval/concurrence of this request is much appreciated as the due date for the 2011-2012 Biennial PA Report is at the end of November. Please let us know your thoughts by **Friday, November 2, 2012**. Feel free to email or call Yvonne at 805-234-2257 if you would like further information.

Thank you,
Jay Piper

Jay Piper
Project Manager, CEM

CH2M HILL
2485 Village View Drive, Suite 350
Henderson, NV 89074

jpiper1@ch2m.com

702/953-1202 office
702/525-1137 cell
702/953-6202 fax