



**Pacific Gas and
Electric
Company**

Yvonne Meeks
Senior
Environmental Geologist
Environmental Services

Mailing Address
4325 South Higuera Sreet
San Luis Obispo, CA 93401
Location
6588 Ontario Road
San Luis Obispo, CA 93405
Tel: (805) 546-5243
Email: yjm1@pge.com

September 15, 2006

Mr. Robert Perdue
Executive Officer
California Regional Water Quality Control Board
Colorado River Basin Region
73-720 Fred Waring Drive, Suite 100
Palm Desert, California 92260

**Subject: Board Order R7-2006-0008
PG&E Topock Compressor Station, Needles, California
Floodplain Reductive Zone In Situ Pilot Test
August 2006 Monitoring Report**

Dear Mr. Perdue:

Enclosed is the Board Order R7-2006-0008 August 2006 Monitoring Report for the Pacific Gas and Electric Company (PG&E) Topock Compressor Station, floodplain reductive zone in situ pilot test. This report is being submitted in compliance with the Waste Discharge Requirements (WDRs) issued by the Colorado River Basin Regional Water Quality Control Board (Water Board) under Board Order R7-2006-0008. WDRs under Board Order R7-2006-0008 apply to the floodplain reductive zone in situ pilot test only.

If you have any questions regarding this report, please call me at (805) 546-5243.

Sincerely,

Yvonne Meeks
Topock Project Manager

Enclosures:

Board Order R7-2006-0008 August 2006 Monitoring Report for the Floodplain
Reductive Zone In Situ Pilot Test.

cc: José Cortez, Water Board
Liann Chavez, Water Board
Tom Vandenberg, Water Board
Chris Guerre, DTSC (2 copies)


Pacific Gas and Electric Company

**August 2006 Monitoring Report for
the Floodplain Reductive Zone In-
Situ Pilot Test**


Waste Discharge Requirements
Order No. R7-2006-0008
PG&E Topock Compressor Station
San Bernardino County, California

15 September 2006

This report was prepared under the supervision of a California
licensed Professional Engineer (PE)



Jessica Ely
Staff Scientist



Neill Morgan-Butcher, PE
Principal Engineer



Alison Jones, PhD, PE
Senior Project Manager
Principal Engineer

**August 2006 Monitoring Report
for the Floodplain Reductive
Zone In-Situ Pilot Test**

Waste Discharge Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

Prepared for:
Pacific Gas and Electric Company

Prepared by:
ARCADIS G&M, Inc.
155 Montgomery Street
Suite 1500
San Francisco
California 94104
Tel 415 374 2744
Fax 415 374 2745

Our Ref.:
RC000689.0001.00007

Date:
15 September 2006

*This document is intended only for the use
of the individual or entity for which it was
prepared and may contain information that
is privileged, confidential, and exempt from
disclosure under applicable law.*

1.0 Introduction	1
2.0 In-Situ Pilot Test Sampling Locations	2
3.0 Description of Activities	3
4.0 Sampling and Analytical Procedures	5
5.0 Analytical Results	6
6.0 Conclusions	8
7.0 Certification	9

Tables

1	Boring and Well Construction Detail Summary
2	Summary of Field Parameters
3	Summary of Primary Analytical Parameters
4	Summary of Secondary Analytical Parameters
5	Summary of Monitoring Information
6	Summary of Operational and Maintenance Interruptions

Figures

1	Site Plan
2	Sample Location Map

Appendices

A	Calibration Logs for Field Monitoring Instruments
B	Groundwater Sampling Logs
C	Analytical Reports and Chain-of-Custody Documentation (on Compact Disc)

EMAX	EMAX Laboratories, Inc.
ISPT	In-Situ Pilot Test
MRP	Monitoring and Reporting Program
Ozark	Ozark Underground Laboratory
PG&E	Pacific Gas and Electric Company
RWQCB	California Regional Water Quality Control Board, Colorado River Basin Region
SAFPM	<i>Sampling, Analysis, and Field Procedures Manual, PG&E Topock Program, Revision 1</i>
TOC	Total Organic Carbon
Truesdail	Truesdail Laboratories
USEPA	United States Environmental Protection Agency
Work Plan	<i>In-Situ Hexavalent Chromium Reduction Plan, Floodplain Reductive Zone Enhancement (August 2005)</i>
Work Plan Addendum	<i>Final Addendum to the In-Situ Hexavalent Chromium Reduction Plan, Floodplain Reductive Zone Enhancement (December 5, 2005)</i>
Work Plan Addendum 2	<i>Addendum 2 to the In-Situ Hexavalent Chromium Reduction Plan, Floodplain Reductive Zone Enhancement (April 14, 2006)</i>

1.0 Introduction

Pacific Gas and Electric (PG&E) is implementing a floodplain reductive zone in-situ pilot test (ISPT) to address chromium concentrations in groundwater at the Topock Compressor Station near Needles, California. The purpose of the floodplain ISPT is to evaluate the efficacy of using a food-grade reagent mixture to reduce hexavalent chromium in groundwater to form stable, insoluble trivalent chromium. The floodplain ISPT consists of injecting the reagent mixture into a well cluster (PTI-1S/M/D) and monitoring the results in six three-level well nests (PT-1 through PT-6). Figure 1 provides a map of the PG&E Topock Compressor Station and ISPT area. (All figures are provided at the end of the report.)

California Regional Water Quality Control Board, Colorado River Basin Region (RWQCB) Order No. R7-2006-0008 authorizes PG&E to inject 6,000 gallons of blended groundwater and reagent mixture into each well of injection well cluster (PTI-1S/M/D) located in the Colorado River floodplain. Injection of the reagent mixture may occur one to four times during a 6-month period.

The Monitoring and Reporting Program (MRP) under Order No. R7-2006-0008 requires monthly monitoring reports to be submitted by the 15th day of the following month. This report describes monitoring activities related to the floodplain ISPT for August 2006.

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

2.0 In-Situ Pilot Test Sampling Locations

Table 1 summarizes the well construction details of the injection well cluster (PTI-1S/M/D) and monitoring well nests (PT-1 through PT-6). Figure 2 provides a map of the sampling locations, including extraction wells TW-2D, TW-3D, and PE-1. (All figures are provided at the end of the report.)

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

3.0 Description of Activities

The procedures and the refinements to the floodplain ISPT are outlined in the following documents: *In-Situ Hexavalent Chromium Reduction Plan, Floodplain Reductive Zone Enhancement* (Work Plan), dated August 2005, the *Final Addendum to the In-Situ Hexavalent Chromium Reduction Plan, Floodplain Reductive Zone Enhancement* (Work Plan Addendum), dated December 5, 2005, and the *Addendum 2 to the In-Situ Hexavalent Chromium Reduction Plan, Floodplain Reductive Zone Enhancement* (Work Plan Addendum 2), dated April 14, 2006. During August 2006, ARCADIS completed the third monthly post-injection sampling event of the floodplain ISPT. In addition, several sampling events were conducted following a second reagent injection, as described in the *Request for Approval of Second and Third Injection Events*, dated July 25, 2006, and amended by agreement with the California Department of Toxic Substances Control. Associated field activities were performed in accordance with these documents and the applicable procedures contained within the *Sampling, Analysis, and Field Procedures Manual, PG&E Topock Program, Revision 1* (SAFPM).

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

Month 3 post-injection sampling was performed from August 7 through August 9, 2006. The second injection event was performed on August 11, 2006, and the post second injection sampling events were performed on August 14 and 15, 17 and 18, 21 and 22, 24, and 29, 2006. Data from the August 29, 2006 post second injection sampling event is not included in this report and will be reported in the September monthly report.

The following sections discuss the second injection and the post-injection sampling.

3.1 Injection Activities

On August 11, 2006, ARCADIS began the second injection. The second injection was focused solely in well PTI-1D. The well was injected with 6,000 gallons of injection solution. The injection solution consisted of 100 pounds of lactate, 14 pounds of yeast extract and 0.33 pounds of fluorescein, the tracer compound. The injection was performed in accordance with the documents noted above.

The injection solution was sampled and analyzed for iodide (United States Environmental Protection Agency [USEPA] Method 300), total organic carbon (TOC) (USEPA Method 415.5), and total dissolved solids (TDS) (USEPA 160.1) by EMAX Laboratories, Inc. (EMAX) and fluorescein (in-house method) by Ozark Underground Laboratory (Ozark).

3.2 Sampling Activities

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

Month 3 post-injection sampling was performed from August 7 through August 9, 2006. Per the California Department of Toxic Substances Control, additional post second injection sampling was performed. Week 0.5 post second injection sampling was performed on August 14 and 15, 2006. Week 1 post second injection sampling was performed on August 17, 2006. Week 1.5 post second injection sampling was performed on August 21 and 22, 2006. Week 2 post second injection sampling was performed on August 24, 2006. Week 3 post second injection sampling was performed on August 28, 2006. The post second injection sampling groundwater sampling events were performed in accordance with the Work Plan and Work Plan Addenda 1 and 2.

Because Week 3 sampling occurred on one of the last days of the month, the data for Week 3 will be reported in the September Monthly Report. This reporting is consistent with RWQCB staff directives regarding reporting expectations of data received during the time period.

Samples were collected, labeled and packaged according to the SAFPM. Tables 3 and 4 present the groundwater analytical results. As required under the MRP, calibration logs for field-monitoring instruments are included in Appendix B. Groundwater sampling logs are included in Appendix C.

Groundwater samples for Month 3 were analyzed for hexavalent chromium (USEPA Method 7199) by Truesdail Laboratories (Truesdail); fluorescein (in-house method) by Ozark; chromium, dissolved and total iron, manganese, calcium, magnesium, arsenic, potassium, sodium (USEPA Method 6010B), nitrate, nitrite, sulfate, carbonate, bicarbonate alkalinity, chloride, bromide, phosphorous, iodide (USEPA Method 300), TOC (USEPA Method 415.5) and sulfide (USEPA Method 376.1) by EMAX.

The post second injection samples were analyzed for fluorescein (in-house method) by Ozark; iodide (USEPA Method 300), TOC (USEPA Method 415.5) by EMAX. Hexavalent chromium was analyzed in the field.

Samples were collected, labeled and packaged according to the SAFPM. Tables 2, 3 and 4 present the field parameters and the groundwater analytical results, respectively. As required under the MRP, calibration logs for field-monitoring instruments are included in Appendix A. Groundwater sampling logs are included in Appendix B.

4.0 Sampling and Analytical Procedures

Groundwater sampling and associated tasks were performed in accordance with the applicable procedures contained in the SAFPM.

Prior to groundwater sampling, the depth to water was recorded for each well. These data were used to evaluate the volume of standing water in the well. The monitoring wells were purged using an Enviro-Tech ES-60 Whaler pump or a WaTerra® purge pump with dedicated polyethylene tubing. Purging continued until three casing volumes had been removed. The field parameters, such as pH, specific conductance, temperature, color, odor, and depth to water, were recorded (Table 2). After completion of purging, the groundwater samples were collected into the appropriate containers. Extraction well (PE-1, TW-2D, TW-3D) samples were collected from a dedicated sampling port. Water was purged from the sample port prior to sampling the extraction well, to remove any stagnant water from the port.

The samples were stored in coolers at 4 degrees Celsius and transported to Truesdail, EMAX, and Ozark via a courier service under chain-of-custody documentation. Truesdail and EMAX are certified by the California Department of Health Services (Certification #1247, #02116CA, and #2496, respectively) under the State of California's Environmental Laboratory Accreditation Program.

Analyses were performed in accordance with the latest edition of the "Guidelines Establishing Test Procedures for Analysis of Pollutants" (40 CFR Part 136), or equivalent methods promulgated by the USEPA.

Post-injection sampling was conducted in accordance with the sampling frequency required by the MRP. Sample results are summarized in Tables 3 and 4. As required by the MRP, calibration logs for field-monitoring instruments are presented in Appendix A. Sampling logs are presented in Appendix B. Copies of laboratory analytical results are presented on compact disc in Appendix C.

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

5.0 Analytical Results

Laboratory reports prepared by the certified analytical laboratories are presented on compact disc in Appendix C. Summaries of tracer test parameters, primary baseline parameters, and secondary baseline parameters are presented in Tables 2, 3, and 4, respectively.

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

The analytical results of post-injection sampling indicate that the injected tracers and TOC arrived at the PT-1 and PT-3 monitoring well nests within the first 3 days following the initial injections on May 3 through 6 (Table 3). Data to date from the second injection on August 11 do not indicate any changes in groundwater flow relative to the initial injections. Indications of reducing conditions and the start of hexavalent chromium reduction have been noted at wells PTI-1D, PT-1D, and PT-2D. Indications of reducing conditions include a decrease in nitrate concentrations, an increase in iron concentrations, and slight localized increases in manganese concentrations (Tables 3 and 4). Hexavalent chromium concentrations at wells PTI-1D and PT-1D rebounded slightly in Month 3, but have subsequently continued to decrease following the second injection event on August 11 (Table 2). The data suggest that only partial reduction of hexavalent chromium had occurred, and therefore, additional injections were appropriate to demonstrate more clearly the effectiveness of the technology to create and sustain chromium-reducing conditions.

Table 5 identifies the laboratory that performed each analysis and lists the following required monitoring information:

- Sample Location
- Sample identification
- Sampler name
- Sample date
- Sample time
- Laboratory performing the analysis
- Analysis method

- Analysis date
- Laboratory technician

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

Four samples collected for hexavalent chromium analysis at an off-site laboratory were analyzed outside the USEPA-recommended 24-hour holding time (Table 6); however, because the sample holding time exceedances are minor, no significant loss of target analyte is expected and the results are considered usable for assessing groundwater concentrations for the purposes of the pilot test. ARCADIS and Truesdail have taken measures to lessen the chances of hold time exceedances. Table 6 presents operational and maintenance issues and interruptions to remedial systems during the reporting period.

6.0 Conclusions

This report summarizes the results of the month of August 2006. Indications of reducing conditions and hexavalent chromium reduction have been noted at PTI-1D, PT-2D, and PT-1D; however Month 3 data indicated that only partial reduction of hexavalent chromium had occurred in select wells. Additional injections were implemented at the site to enhance the chromium-reducing conditions that were initiated with the first injection. Data trends will continue to be evaluated as more data become available.

There were no incidents of non-compliance with respect to Order No. R7-2006-0008. Four field variances occurred during this period (Section 5). These variances are not expected to affect the interpretation of the ISPT data.

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

7.0 Certification


PG&E submitted a signature delegation letter to the RWQCB on July 5, 2006. The letter delegated PG&E's signature authority to Mr. Curt Russell and Ms. Yvonne Meeks.

Waste Discharge
Requirements
Order No. R7-2006-0008
PG&E Topock Compressor
Station
San Bernardino County,
California

Certification Statement:

I declare under the penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.

Signature:



Name: Yvonne Meeks

Company: PG&E

Title: Project Manager

Date: September 15, 2006

Table 1
Boring and Well Construction Detail Summary

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Well or Boring Designation	Date Completed	Aquifer Zone	Ground Elevation* (feet msl)	TOC Elevation** (feet msl)	Total Depth of Boring (feet bgs)	Casing Diameter (inches)	Boring Diameter (inches)	Well Completion Depth (feet bgs)	Well Completion Elevation (feet msl)	Screen Depth Interval (feet bgs)	Screen Elevation Interval (feet msl)	Sand Pack Depth Interval (feet bgs)	Sand Pack Elevation Interval (feet msl)	Bentonite Depth Interval (feet bgs)	Bentonite Elevation Interval (feet msl)	Well Permit Number	Distance From PTI-1 (feet)	Latitude	Longitude
PT-1S	31-Jan-06	S	472.239	474.644	125	2	10	45	430	35-45	440-430	32-47	443-428	28-32	447-443	2006010013	20	34° 43' 10.3"	114° 29' 25.8"
PT-1M	31-Jan-06	M	472.239	474.622	125	2	10	70	405	60-70	415-405	57-72	428-403	46-57	429-418	2006010013	23	34° 43' 10.3"	114° 29' 25.8"
PT-1D	31-Jan-06	D	472.239	474.627	125	2	10	105	370	95-105	380-370	92-125	383-350	72-92	403-383	2006010013	24	34° 43' 10.3"	114° 29' 25.8"
PT-2S	8-Feb-06	S	471.627	473.487	127	2	10	45	428	35-45	438-428	32-47	441-426	28-32	445-441	2006010012	45	34° 43' 10.3"	114° 29' 26.1"
PT-2M	8-Feb-06	M	471.627	473.587	127	2	10	70	404	60-70	414-404	57-72	423-402	46-57	428-417	2006010012	47	34° 43' 10.3 "	114° 29' 26.1"
PT-2D	8-Feb-06	D	471.627	473.522	127	2	10	105	369	95-105	379-369	92-127	382-347	72-92	402-382	2006010012	49	34° 43' 10.3"	114° 29' 26.1"
PT-3S	14-Feb-06	S	471.698	473.584	129	2	10	45	429	35-45	439-429	32-47	442-427	28-32	446-442	2006010011	12	34° 43' 10.2"	114° 29' 25.6"
PT-3M	14-Feb-06	M	471.698	473.520	129	2	10	70	404	60-70	414-404	57-72	427-402	46-57	428-417	2006010011	15	34° 43' 10.2"	114° 29' 25.6"
PT-3D	14-Feb-06	D	471.698	473.525	129	2	10	105	369	95-105	379-369	92-127	382-347	72-92	402-382	2006010011	13	34° 43' 10.2"	114° 29' 25.6"
PT-4S	12-Feb-06	S	471.79	474.430	127	2	10	45	429	35-45	439-429	32-47	442-427	28-32	446-442	2006010010	27	34° 43' 10.1"	114° 29' 25.4"
PT-4M	12-Feb-06	M	471.79	474.331	127	2	10	70	404	60-70	414-404	57-72	423-403	46-57	428-417	2006010010	29	34° 43' 10.1"	114° 29' 25.4"
PT-4D	12-Feb-06	D	471.79	474.299	127	2	10	105	369	95-105	379-369	92-127	382-347	72-92	402-382	2006010010	24	34° 43' 10.1"	114° 29' 25.4"
PT-5S	10-Feb-06	S	471.262	473.611	127	2	10	45	429	35-45	439-429	32-47	442-427	28-32	446-442	2006010009	54	34° 43' 10.1"	114° 29' 25.0"
PT-5M	10-Feb-06	M	471.262	473.630	127	2	10	70	404	60-70	414-404	57-72	427-402	46-57	428-417	2006010009	53	34° 43' 10.2"	114° 29' 25.0"
PT-5D	10-Feb-06	D	471.262	473.625	127	2	10	105	369	95-105	379-369	92-127	382-347	72-92	402-382	2006010009	49	34° 43' 10.2"	114° 29' 25.0"
PT-6S	28-Jan-06	S	474.441	475.981	137	2	10	45	431	35-45	441-431	32-47	444-429	28-32	448-444	2006010008	27	34° 43' 10.6"	114° 29' 25.4"
PT-6M	28-Jan-06	M	474.441	476.025	137	2	10	70	406	60-70	416-406	57-72	425-404	46-57	430-419	2006010008	23	34° 43' 10.6"	114° 29' 25.4"
PT-6D	28-Jan-06	D	474.441	476.013	137	2	10	105	371	95-105	381-381	92-137	384-339	72-92	444-384	2006010008	25	34° 43' 10.6"	114° 29' 25.4"
PTI-1S	28-Jan-06	S	472.751	475.035	47	4	10	45	430	35-45	440-430	32-47	443-428	28-32	447-443	2006010006	0	34° 43' 10.4"	114° 29' 25.5"
PTI-1M	26-Jan-06	M	472.938	475.087	77	4	10	70	405	60-70	415-405	57-72	428-403	46-57	429-418	2006010007	0	34° 43' 10.4"	114° 29' 25.6"
PTI-1D	26-Jan-06	D	472.573	474.762	137	4	10	105	370	95-105	380-370	92-137	383-338	72-92	403-383	2006010005	0	34° 43' 10.4"	114° 29' 25.6"
TW-2D	1-Apr-04	D	496.932	496.932	180	6	12	153	344	113-148	384-349	108-153	389-344	153-180, 101-108	344-317, 396-394	-	205	34° 43' 10.3"	114° 29' 28.0"
TW-3D	24-Oct-05	D	497.415	497.415	157	6	10	153	344	111-156	386-341	105-157	392-340	50-105	447-392	-	217	34° 43' 10.2"	114° 29' 28.1"
PE-1	2-Mar-05	D	466.879	496.549	105	6	10	110	387	79-89	418-408	76-99	421-398	99-105, 72-76	398-425, 392-421	2005101057	296	34° 43' 9.3"	114° 29' 22.2"

Notes:

- feet bgsFeet below ground surface
- feet mslFeet mean sea level
- PTI-Pilot test injection well
- PT-Pilot test monitoring well
- SShallow
- MMiddle
- DDeep
- TOCTop of casing
- *Elevations are in feet, North American Vertical Datum of 1988 (NAVD 88), NGS data sheet EU0763.
- **Reference elevation
- Not available

Table 2
Summary of Field Parameters
 PG&E Topock
 Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PT-1S	17-Mar-06	N	35-45	-150.7	7.05	6,565	26.62	<10
	06-Apr-06	N		-173	7.06	6,892	26.92	<10
	04-May-06	N		-100.6	8.06	8,889	25.64	<10
	05-May-06	N		-107.2	7.55	7,457	26.82	<10
	06-May-06	N		-88.4	7.09	7,318	26.45	<10
	07-May-06	N		-98.6	7.31	7,097	26.59	10
	08-May-06	N		-82.7	7.35	6,976	26.65	<10
	09-May-06	N		-30.7	7.12	7,550	26.63	<10
	10-May-06	N		-102.2	7.15	6,735	26.72	<10
	11-May-06	N		-97.7	7.22	6,369	26.72	<10
	12-May-06	N		-73	7.08	6,594	26.72	<10
	13-May-06	N		-47.2	7.18	5,961	26.61	---
	23-May-06	N		14.1	7.34	5,830	27.01	<10
	01-Jun-06	N		567.9	7.03	3,636	26.54	<10
	06-Jun-06	N		-173.5	7.39	6,546	26.88	<10
	18-Jul-06	N		-133.4	7.25	6,461	26.6	<10
	08-Aug-06	N		-139.1	6.96	7,412	26.43	10
PT-1M	17-Mar-06	N	60-70	-211	7.46	7,000	26.21	<10
	06-Apr-06	N		-211.1	9	7,506	26.54	<10
	04-May-06	N		-88.7	8.45	6,824	25.1	<10
	06-May-06	N		-93.1	7.48	7,221	25.8	---
	07-May-06	N		-98.2	7.62	7,202	26.1	38
	08-May-06	N		-77.6	7.07	4,593	26.16	42
	09-May-06	N		-19.6	7.62	7,273	26.23	<10
	10-May-06	N		-118.8	7.69	6,657	26.55	15
	11-May-06	N		-92.1	7.61	6,539	26.29	11
	12-May-06	N		-77.3	7.54	6,877	26.3	<10
	13-May-06	N		-39.2	7.47	5,933	26.26	---
	24-May-06	N		-16.2	7.67	5,837	26.24	<10
	31-May-06	N		-59.6	7.36	4,549	27.59	<10
	06-Jun-06	N		-176.9	7.62	7,071	26.27	<10
	18-Jul-06	N		-139.6	7.51	6,927	26.3	<10
	08-Aug-06	N		-183.5	7.21	6,826	25.66	<10

Table 2
Summary of Field Parameters
 PG&E Topock
 Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PT-1D	17-Mar-06	N	95-105	-129.5	7.36	13,149	26.06	1,900
	06-Apr-06	N		112	6.66	14,027	26	3,040
	05-May-06	N		47.6	7.86	12,918	26.03	---
	06-May-06	N		69.3	7.36	14,048	26.18	4,660
	07-May-06	N		79.3	7.62	13,536	26.07	3,680
	08-May-06	N		85.6	7.71	12,334	26.14	4,980
	09-May-06	N		-145.2	7.59	12,058	26.18	2,960
	10-May-06	N		5.7	7.54	11,794	26.19	2,840
	11-May-06	N		-7.1	7.71	10,586	26.1	1,740
	12-May-06	N		-6	7.56	10,653	26.5	2,260
	13-May-06	N		41.9	7.6	9,215	25.9	---
	24-May-06	N		90.2	6.6	10,570	26.25	1,420
	31-May-06	N		358.1	5.89	5,935	29.21	980
	05-Jun-06	N		403.4	8.41	10,776	27.13	840
	17-Jul-06	N		201.6	7.39	11,498	26.29	840
	08-Aug-06	N		-163.8	7.17	11,662	25.83	1,240
	14-Aug-06	N		-22.9	8.1	9,762	27.52	820
	17-Aug-06	N		-154.6	8.16	10,189	26.46	580
	22-Aug-06	N		-109.3	8.31	9,846	26.68	540
	24-Aug-06	N		-2.1	8.03	9,779	26.62	580
PT-2S	17-Mar-06	N	35-45	-204	7.27	6,273	26.87	<10
	06-Apr-06	N		-175.9	6.14	6,867	26.79	<10
	24-May-06	N		-6.5	7.57	5,405	27.13	10
	01-Jun-06	N		-88.7	7.25	6,678	26.74	10
	07-Jun-06	N		-168.6	7.57	6,268	26.37	<10
	18-Jul-06	N		-203.8	7.28	6,492	27.51	<10
	08-Aug-06	N		-74.6	7.54	6,892	26.96	19
PT-2M	17-Mar-06	N	60-70	-170.9	7.29	7,304	26.3	<10
	06-Apr-06	N		-173.8	8.01	7,752	26.9	<10
	24-May-06	N		44.3	7.61	5,902	2,647	<10
	31-May-06	N		-65	7.14	7,271	25.94	<10
	07-Jun-06	N		-99.7	7.62	6,825	26.71	<10
	18-Jul-06	N		-173.1	7.16	6,849	27.25	<10
	08-Aug-06	N		-27.6	7.44	6,797	26.39	<10

Table 2
Summary of Field Parameters
PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PT-2D	17-Mar-06	N	95-105	-100.5	7.21	12,626	26.17	1,600
	06-Apr-06	N		-71.3	7.04	13,924	26.03	2,300
	24-May-06	N		180.9	7.39	9,229	26.45	1,640
	31-May-06	N		-51.2	7.39	11,157	25.95	1,160
	07-Jun-06	N		403.3	7.61	10,386	26.21	840
	17-Jul-06	N		426.4	7.46	11,231	26.63	500
	07-Aug-06	N		-134.6	7.43	11,647	26.8	660
	14-Aug-06	N		3.5	7.95	11,541	26.64	620
	17-Aug-06	N		-157.2	7.93	11,608	26.61	560
	21-Aug-06	N		-177.7	8.26	11,140	26.52	500
	24-Aug-06	N		-73.9	8.01	10,924	26.45	580
PT-3S	16-Mar-06	N	35-45	-218.9	7.14	6,353	26.67	<10
	03-Apr-06	N		-238.1	7.38	6,846	26.68	<10
	04-May-06	N		-119.3	8.1	6,380	27.1	<10
	05-May-06	N		-130.6	7.44	6,690	26.46	<10
	06-May-06	N		-130.7	7.1	6,363	26.6	<10
	07-May-06	N		-115.2	7.25	6,846	26.56	<10
	09-May-06	N		-43.9	7.27	6,976	26.55	<10
	10-May-06	N		-135.7	7.35	6,419	26.81	11
	11-May-06	N		-20.1	7.39	6,218	26.77	<10
	12-May-06	N		-92.7	7.14	6,169	26.69	<10
	13-May-06	N		-90.5	7.28	6,358	26.7	---
	23-May-06	N		1.37	7.13	5,944	26.82	<10
	30-May-06	N		-162.7	12.28	5,971	27.5	13
	06-Jun-06	N		-177.7	7.57	5,295	26.72	12
	19-Jul-06	N		-166.3	7.27	5,771	26.64	<10
	08-Aug-06	N		-120.1	7.04	6,105	27.83	<10

Table 2
Summary of Field Parameters
PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PT-3M	18-Mar-06	N	60-70	-249.1	7.96	7,232	26.19	<10
	07-Apr-06	N		-218.3	7.33	8,041	26.06	---
	04-May-06	N		-101.8	8.68	7,193	24.31	---
	05-May-06	N		-106	7.99	7,665	26.05	<10
	06-May-06	N		-96.6	7.53	7,613	25.83	<10
	07-May-06	N		-82	7.64	7,681	26.23	<10
	09-May-06	N		-8.4	7.58	7,718	25.98	<10
	10-May-06	N		-103	7.61	7,176	26.41	14
	11-May-06	N		-86.4	7.7	6,879	26.32	<10
	12-May-06	N		-71.8	7.54	6,927	26.27	13
	13-May-06	N		6.9	7.49	7,130	26.12	---
	23-May-06	N		42.8	7.38	7,475	26.13	<10
	30-May-06	N		-70.3	12.31	7,977	26.69	16
	06-Jun-06	N		-112.8	7.68	7,026	25.75	<10
	19-Jul-06	N		-156.3	7.33	6,911	25.7	<10
	08-Aug-06	N		-92.5	7.52	7,048	26.72	10
PT-3D	18-Mar-06	N	95-105	-54.4	7.38	13,782	25.98	4,620
	05-Apr-06	N		51.8	7.51	14,347	26.71	7,760
	05-May-06	N		66.7	7.87	13,263	25.96	3,140
	06-May-06	N		71.7	7.54	11,437	26.03	3,440
	07-May-06	N		76.8	7.81	9,027	26.14	4,200
	09-May-06	N		168.5	7.62	12,715	26.08	3,960
	10-May-06	N		2.6	6.66	10,771	26.33	3,960
	11-May-06	N		-11.9	7.86	11,767	26.28	3,780
	12-May-06	N		-6.1	7.65	12,290	26.18	3,720
	13-May-06	N		144.5	7.72	12,139	26.33	---
	23-May-06	N		129.1	7.31	13,111	27.37	3,900
	30-May-06	N		30.7	12.4	13,907	27.29	3,800
	06-Jun-06	N		12.6	7.71	12,310	25.82	3,380
	17-Jul-06	N		-246.7	7.51	12,277	26.17	1,920
	08-Aug-06	N		-66.9	8.62	13,045	29.12	4,100
	14-Aug-06	N		-24.3	8.46	10,984	26.95	3,140
	17-Aug-06	N		-176.1	8.34	11,853	26.29	3,600
	21-Aug-06	N		-163.9	8.54	12,168	26.73	3,860
	24-Aug-06	N		-95.2	8.31	12,213	26.3	3,520

Table 2
Summary of Field Parameters
 PG&E Topock
 Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PT-4S	15-Mar-06	N	35-45	-257	7.32	7,072	26.16	<10
	06-Apr-06	N		-159.9	7.8	7,783	26.11	<10
	04-May-06	N		-117	8.33	6,585	25.39	<10
	05-May-06	N		-126.6	7.7	7,325	25.82	<10
	09-May-06	N		-93.5	7.21	7,752	25.75	<10
	10-May-06	N		-119.8	7.41	4,939	26.33	<10
	11-May-06	N		6.2	7.62	7,180	27.26	<10
	12-May-06	N		-71.2	7.35	6,997	26.08	14
	13-May-06	N		-68.7	7.6	7,305	26.09	---
	23-May-06	N		20.4	7.53	6,411	27.13	<10
	30-May-06	N		-121.7	7.1	7,504	25.93	<10
	06-Jun-06	N		-230.2	7.78	7,377	27.56	<10
	19-Jul-06	N		-137.8	7.33	7,106	26.16	11
	08-Aug-06	N		-151.6	7.2	7,174	26.05	11
PT-4M	15-Mar-06	N	60-70	-246.1	7.9	6,784	25.99	<10
	07-Apr-06	N		-210.5	7.48	7,566	26.28	---
	04-May-06	N		-119.6	8.74	7,031	24.95	<10
	08-May-06	N		-113.4	7.97	7,384	26.14	11
	09-May-06	N		-58.9	7.74	7,588	25.84	<10
	10-May-06	N		-134	7.73	7,022	26.24	<10
	11-May-06	N		-115.2	7.92	6,991	26.21	<10
	12-May-06	N		-95.1	7.73	7,084	25.79	<10
	13-May-06	N		-68.6	7.85	6,265	25.93	---
	23-May-06	N		25.9	7.81	6,267	26.82	<10
	30-May-06	N		-113.1	7.48	7,467	25.61	11
	06-Jun-06	N		-211.3	7.89	7,258	26.68	<10
	19-Jul-06	N		-146.4	7.44	6,939	26.19	<10
	08-Aug-06	N		-160.5	7.29	6,976	25.76	10

Table 2
Summary of Field Parameters
 PG&E Topock
 Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PT-4D	15-Mar-06	N	95-105	-98.4	7.4	15,180	26.02	5,800
	05-Apr-06	N		-30	7.58	162,310	26.61	5,840
	08-May-06	N		62.7	7.93	14,947	26.1	5,920
	09-May-06	N		48.3	7.45	14,719	25.92	6,520
	10-May-06	N		42.1	7.68	14,351	26.14	6,160
	11-May-06	N		-10.2	7.84	13,923	26.15	5,920
	12-May-06	N		-4.5	7.72	14,580	25.97	7,480
	13-May-06	N		28.1	7.69	12,744	26	---
	23-May-06	N		50	7.91	13,640	31.2	4,840
	30-May-06	N		-81.3	7.43	15,116	25.97	5,800
	06-Jun-06	N		-174.3	7.81	15,010	26.65	4,780
	19-Jul-06	N		-76.3	7.49	14,389	25.97	5,960
	08-Aug-06	N		-135.9	7.32	14,160	25.09	6,220
PT-5S	16-Mar-06	N	35-45	-204.9	7.33	7,714	25.81	<10
	07-Apr-06	N		-177.3	7	8,640	25.75	---
	01-Jun-06	N		-88.9	7.17	8,682	25.46	<10
	19-Jul-06	N		-134.5	7.23	8,660	25.53	<10
	09-Aug-06	N		-172.2	7.37	8,902	25.2	<10
PT-5M	16-Mar-06	N	60-70	-184.6	7.29	6,989	25.48	<10
	07-Apr-06	N		-183.5	6.97	8,609	25.8	---
	01-Jun-06	N		-49.9	7.05	6,191	24.82	<10
	19-Jul-06	N		-113.4	7.26	5,091	25.32	<10
	09-Aug-06	N		-171.5	7.46	4,740	24.81	<10
PT-5D	16-Mar-06	N	95-105	-191.1	7.71	8,304	25.85	6,200
	07-Apr-06	N		-181.1	7.05	8,561	25.78	---
	12-May-06	N		-1.2	7.7	13,620	26.62	5,240
	01-Jun-06	N		-45.5	7.47	14,037	25.5	3,660
	17-Jul-06	N		-208.6	7.55	13,286	25.97	3,940
	09-Aug-06	N		-128.2	7.41	13,646	25.65	4,380
PT-6S	18-Mar-06	N	35-45	-91.7	6.99	10,053	25.49	<10
	04-Apr-06	N		-187.9	7.22	10,379	26.56	<10
	13-May-06	N		-48.4	7.31	7,353	26.62	---
	22-May-06	N		-14	7.21	7,476	26.59	<10
	01-Jun-06	N		556.8	6.52	4,423	27.56	<10
	06-Jun-06	N		-164.1	7.65	8,564	26.25	14
	19-Jul-06	N		-161.6	6.97	8,271	22.57	12
	09-Aug-06	N		-107.7	6.88	9,196	26.87	52

Table 2
Summary of Field Parameters
 PG&E Topock
 Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PT-6M	16-Mar-06	N	60-70	-120.1	7.25	7,221	26.13	<10
	04-Apr-06	N		-114.1	7.45	7,761	26.18	<10
	13-May-06	N		22.6	7.46	6,212	26.22	---
	23-May-06	N		85.6	7.57	5,988	26.51	<10
	01-Jun-06	N		675.3	6.84	3,952	27.04	<10
	06-Jun-06	N		-197.1	7.98	6,832	2,610	<10
	19-Jul-06	N		-168.5	7.28	6,528	26.7	<10
	09-Aug-06	N		-38.9	7.2	6,396	26.43	<10
PT-6D	16-Mar-06	N	95-105	-118.9	7.73	13,489	25.9	3,380
	04-Apr-06	N		-91.1	7.72	12,784	26.95	2,580
	13-May-06	N		28.7	7.77	9,829	25.87	---
	22-May-06	N		79.4	7.9	9,631	26.37	2,040
	01-Jun-06	N		692.8	7.08	6,017	26.42	1,360
	06-Jun-06	N		-170.6	8	10,470	25.84	1,000
	17-Jul-06	N		-681.6	7.62	10,365	26.49	920
	09-Aug-06	N		-43.8	7.5	10,793	26.84	1,600

Table 2
Summary of Field Parameters
PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PTI-1S	15-Mar-06	N	35-45	-203.1	7.1	6,390	26.83	<10
	05-Apr-06	N		-184	7.28	6,964	27.06	<10
	06-May-06	N		---	---	---	---	620
	07-May-06	N		-137.8	6.73	4,936	33.59	600
	09-May-06	N		-54.8	6.57	5,627	32.39	---
	10-May-06	N		-155.1	6.29	5,313	25.6	290
	11-May-06	N		-156.5	6.27	5,326	28.93	20
	12-May-06	N		-71.9	6.8	4,457	28.07	70
	13-May-06	N		-132.8	6.58	4,582	28.42	---
	23-May-06	N		-21.3	6.66	4,262	27.04	<10
	31-May-06	N		-146	6.93	4,313	28.09	28
	05-Jun-06	N		-240.5	7.88	4,144	27.51	<10
	18-Jul-06	N		-164.1	7.28	6,399	26.77	80
	07-Aug-06	N		-124.1	7.22	6,771	26.43	<10
PTI-1M	15-Mar-06	N	60-70	-220.1	7.38	7,338	26.17	14
	04-Apr-06	N		-173.8	7.71	7,919	27.06	10
	06-May-06	N		-6.8	6.82	6,623	29.31	74
	07-May-06	N		-17.2	7.08	6,244	28.96	55
	09-May-06	N		-2.3	7.22	7,559	28.03	430
	10-May-06	N		57	7.26	6,179	29.4	28
	11-May-06	N		-149.5	7.02	7,325	27.56	27
	12-May-06	N		-72.4	7.52	6,066	27.05	29
	13-May-06	N		-229	7.45	6,745	27.13	---
	23-May-06	N		-231.7	6.66	6,204	27.57	11
	31-May-06	N		-120.2	7.2	6,824	26.76	57
	05-Jun-06	N		-254	8.13	7,092	26.94	<10
	18-Jul-06	N		-180.1	7.56	6,990	26.62	<10
	07-Aug-06	N		-150.3	7.45	6,940	27.24	<10

Table 2
Summary of Field Parameters
PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
PTI-1D	15-Mar-06	N	95-105	-89.9	7.37	13,018	26.04	1,780
	03-Apr-06	N		-87	7.68	13,811	26.07	3,520
	07-May-06	N		43.5	6.99	6,659	27.75	61
	09-May-06	N		124.5	7.25	6,880	29.05	870
	10-May-06	N		181	7.68	13,066	29.78	3,320
	11-May-06	N		159.9	8.13	11,442	27.48	1,140
	12-May-06	N		47.8	6.43	4,888	28.17	122
	13-May-06	N		-6.4	7.35	6,626	26.74	---
	22-May-06	N		154.7	8.08	15,136	27.57	980
	31-May-06	N		-198.3	7.92	12,156	26.32	1,160
	05-Jun-06	N		-210.4	8.51	11,989	28.74	920
	18-Jul-06	N		-138.6	7.94	11,582	26.93	1,700
	07-Aug-06	N		-157.4	7.75	11,815	27.14	1,720
	15-Aug-06	N		-52.8	8.35	7,441	29.07	100
	17-Aug-06	N		-204.8	8.53	8,988	29.38	140
	22-Aug-06	N		-66	8.61	10,398	28.19	160
	24-Aug-06	N		-20.2	8.38	10,670	28.31	220
PE-01	17-Mar-06	N	79-89	---	---	---	---	115
	05-Apr-06	N		---	---	---	---	144
	01-Jun-06	N		---	---	---	---	116
	17-Jul-06	N		---	---	---	---	59
	07-Aug-06	N		-29.4	6.53	9401	22.9	99
TW-2D	17-Mar-06	N	113-148	---	---	---	---	1,620
	05-Apr-06	N		---	---	---	---	1,620
	19-Jul-06	N		---	---	---	---	940
	07-Aug-06	N		-35.5	7.18	7991	28.1	900
	14-Aug-06	N		54.8	7.45	7793	30.1	880
	17-Aug-06	N		-202.6	7.72	7053	30.28	1,480
	22-Aug-06	N		63.1	7.2	7364	30.14	1,040
	24-Aug-06	N		95.2	7.73	6605	32.22	1,580

Table 2
Summary of Field Parameters
 PG&E Topock
 Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	pH	Specific Conductance (µS/cm)	Temperature (C°)	Hexavalent Chromium Field (µg/L)
TW-3D	17-Mar-06	N	111-156	---	---	---	---	3,660
	05-Apr-06	N		---	---	---	---	3,460
	19-Jul-06	N		---	---	---	---	2,760
	07-Aug-06	N		-45.9	7.45	9325	28.1	2,300
	14-Aug-06	N		52.1	7.82	9071	30.04	2,880
	17-Aug-06	N		-195.4	7.69	9016	30.2	2,740
	22-Aug-06	N		32.9	8.03	8856	31.02	2,760
	24-Aug-06	N		101.8	7.8	8663	30.83	2,840
INJ_SOLUTION_01	05-May-06	N	NA	---	---	---	---	<10
INJ_SOLUTION_03	06-May-06	N	NA	---	---	---	---	174

Notes:

Most recent data indicated in **BOLD**

ft bgs Feet below ground surface

mV Millivolts

µS/cm Microsiemens per centimeter

C° Degrees Celsius

µg/L Micrograms per liter

ORP Oxidation Reduction Potential

< Symbol indicates not detected at or above the estimated reporting limit as noted.

N Normal

--- Not available/Not analyzed

NA Not applicable

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-1S	17-Mar-06	N	35-45	<1	1.3	<1	<.5	ND	<.5	<.1	3,050	1,930	1,320	198	2.98
	06-Apr-06	N		<0.2	<1	<1	<.5	ND	<.5	<.5	1,910	1,860	779	181	3.04
	04-May-06	N		<1	---	<1	<1	ND	---	---	---	---	---	---	---
	05-May-06	N		<1	---	<1	<1	ND	---	---	---	---	---	---	---
	06-May-06	N		<0.2	<1	<1	<.5	ND	<.5	<.1	5,560	2,960	947	90.1	6.66
	07-May-06	N		<1	---	<1	<1	ND	---	---	---	---	---	---	---
	08-May-06	N		<0.2	---	<1	<1	ND	---	---	---	---	---	---	---
	09-May-06	N		<1	<1	<1	0.846	ND	<.5	<.1	2,360	4,770	1,070	144	4.16
	10-May-06	N		<1	---	<1	<2.5	ND	---	---	---	---	---	---	---
	11-May-06	N		<1	---	<1	<2.5	ND	---	---	---	---	---	---	---
	12-May-06	N		<1 J/HD	---	<1	<1	ND	---	---	---	---	---	---	---
	13-May-06	N		<1 J/HD	4.48	<1	<1	ND	<.1	<.2	3,900	3,220	800	122	4.58
	23-May-06	N		<1	<1	<1	<.5	ND	<.5	<.5	117,000	826	790	157	4.53
	01-Jun-06	N		<1	<1	<1	<.5	ND	<.5	<.1	89,600	2,570	911	126	5.11
	06-Jun-06	N		<1	<1	<1	<.5	ND	<.5	<.5	43,400	3,020	857	125	5.77
	18-Jul-06	N		<0.2	<1	<1	1.96	ND	<.5	<.1	28,400	4,610	679	114	6.98
	08-Aug-06	N		<0.2	<1	<.5	2.26	ND	<.5	<.1	42,300	5,870	1,140	79.7	9.38
PT-1M	17-Mar-06	N	60-70	<1	<1	<1	<.5	ND	<.5	<.1	<500	<500	1,330	411	1.14
	06-Apr-06	N		<1	1	<1	<.5	ND	<.5	<.5	591	557	1,350	446	1.1
	04-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	06-May-06	N		<1	<1	<1	258	0.452	<.5	<.1	554	535	1,230	397	27.9
	07-May-06	N		<1	---	<1	390	0.466	---	---	---	---	---	---	---
	08-May-06	N		<1	---	<1	377	0.429	---	---	---	---	---	---	---
	09-May-06	N		<1	<1	<1	341	0.232	<.5	<.1	543	550	2,430	391	25.4
	10-May-06	N		<1	---	<1	296	0.458	---	---	---	---	---	---	---
	11-May-06	N		<1	---	<1	273	0.433	---	---	---	---	---	---	---
	12-May-06	N		<1 J/HD	---	<1	245	0.423	---	---	---	---	---	---	---
	13-May-06	N		<1 J/HD	3.69	<1	216	0.354	<.5	<.1	696	668	4,390	451	5.39
	24-May-06	N		<1	10.8	<1	96	0.160	<.5	<.5	673	6,900	3,560	425	2.02
	31-May-06	N		<1	3.29	<1	48.9	0.101	<.5	<.5	7,360	577	3,950	430	2.4
	06-Jun-06	N		<1	<1	<1	36.7	0.083	<.5	<.5	5,230	637	3,450	501	1.82
	18-Jul-06	N		<0.2	<1	<1	13.4	0.039	<.5	<.1	3,430	871	2,810	405	2.47
	08-Aug-06	N		<0.2	<1	<.5	5.36	ND	<.5	<.1	5,280	744	2,330	452	3.92

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-1D	17-Mar-06	N	95-105	2,470	2,270	<1	0.581	ND	1.84	<.5	<500	<500	88.2	943	1.07
	17-Mar-06	FD		2,460	2,230	<1	<.5	ND	1.84	<.5	<500	<500	85.7	941	1.18
	06-Apr-06	N		3,080	2,770	5.45	<.5	ND	2.27	<.5	<500	<500	51	978	1.09
	06-Apr-06	FD		2,960	2,690	6.15	<.5	ND	2.26	<.5	<500	<500	54.8	963	1.1
	06-May-06	N		4,140	4,350	<1	<.5	ND	2.64	<.1	<500	<500	26.7	930	1.24
	07-May-06	N		3,560	---	50.9	<1	ND	---	---	---	---	---	---	---
	08-May-06	N		3,190	---	252	1.26	ND	---	---	---	---	---	---	---
	09-May-06	N		2,870	2,780	441	2.63	0.023	1.18	<.2	<500	<500	48.9	846	37.5
	10-May-06	N		2,670	---	464	2.92	0.029	---	---	---	---	---	---	---
	11-May-06	N		2,660	---	528	2.87	0.016	---	---	---	---	---	---	---
	12-May-06	N		2,520	---	578	3.01	0.022	---	---	---	---	---	---	---
	13-May-06	N		2,380 J/HD	2,390	613	3	0.016	<.1	<.2	<500	<500	60.1	529	58.4
	24-May-06	N		1,320	1,330	488	2.61	0.164	<.5	<.5	<500	<500	507	653	30.7
	31-May-06	N		970	896	373	1.86	ND	<.5	<.5	<500	<500	992	665	16
	05-Jun-06	N		931	859	371	1.71	ND	<.5	<.5	<500	<500	1,270	730	10.1
	17-Jul-06	N		998	1,000	30.4	1.37	ND	0.939	0.869	<500	<500	1,160	731	3.68
	08-Aug-06	N		1,100	1,120	9.79	0.597	ND	1.15	<.1	<500	<500	1,030	748	3.21
	14-Aug-06	N		---	---	16.7	---	703	---	---	---	---	---	---	52.7
	17-Aug-06	N		---	---	<2.5	---	1,180	---	---	---	---	---	---	50
	21-Aug-06	N		---	---	5.79	---	1,420	---	---	---	---	---	---	36.2
	21-Aug-06	FD		---	---	14.5	---	1,440	---	---	---	---	---	---	36.3
	24-Aug-06	N		---	---	11.3	---	1,360	---	---	---	---	---	---	31.8
	24-Aug-06	FD		---	---	13.3	---	1,450	---	---	---	---	---	---	32.6
PT-2S	17-Mar-06	N	35-45	<1	<1	<1	0.563	ND	<.5	<.1	34,300	976	1,170	11.7	7.42
	06-Apr-06	N		<0.2	<1	<1	<.5	ND	<.5	<.5	30,200	1,850	1,240	8.91	8.57
	24-May-06	N		<1	<1	<1	<.5	ND	<.5	<.5	164,000	<500	1,160	3.02	11
	01-Jun-06	N		<1	<1	<1	<.5	ND	<.5	<.1	91,900	934	1,300	3.06	9.65
	07-Jun-06	N		<1	<1	<1	<.5	ND	<.5	<.5	42,300	950	1,280	2.77	10.8
	18-Jul-06	N		<0.2	<1	<1	1.47	ND	<.5	<.1	38,300	2,690	1,330	6.83	12.1
	08-Aug-06	N		<0.2	1.14	<.5	1.63	ND	<.5	<.1	61,300	1,400	1,430	54.1	10.7

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-2M	17-Mar-06	N	60-70	<1	8.19	<1	<.5	ND	<.5	<.5	<500	<500	547	474	<1
	06-Apr-06	N		<0.2	7.58	<1	<.5	ND	<.5	<.1	<500	<500	380	471	<1
	24-May-06	N		<1	<1	<1	40	0.114	<.5	<.5	20,000	<500	431	423	1.76
	31-May-06	N		<1	<1	<1	12.1	0.033	<.5	<.5	3,430	<500	363	438	2.21
	31-May-06	FD		<1	<1	<1	12	0.038	<.5	<.5	4,150	<500	371	429	2.28
	07-Jun-06	N		<1	<1	<1	5.29	0.024	<.5	<.5	1,220	<500	353	487	1.85
	18-Jul-06	N		<0.2	1.06	<1	0.988	5.65	<.5	<.1	1,990	<500	228	377	3.1
	08-Aug-06	N		<0.2	<1	<.5	0.638	ND	<.5	<.1	1,040	<500	233	412	9.06
PT-2D	17-Mar-06	N	95-105	1,660	1,580	<1	<.5	ND	1.23	<.5	<500	<500	154	931	1.09
	17-Mar-06	FD		1,670	1,570	<1	<.5	ND	1.26	<.5	<500	<500	161	924	1.24
	06-Apr-06	N		2,310	2,160	4.44	<.5	ND	1.68	<.5	<500	<500	79.7	924	1.02
	06-Apr-06	FD		2,290	2,170	4.1	<.5	ND	1.84	<.5	<500	<500	78.3	946	<1
	24-May-06	N		1,800	1,760	374	2.11	ND	<.5	<.5	507	<500	173	691	26.9
	31-May-06	N		1,180	1,170	388	1.85	ND	<.5	<.5	1,400	<500	320	689	17.6
	07-Jun-06	N		951	930	390	1.99	ND	<.5	<.5	<500	<500	423	724	14.4
	17-Jul-06	N		466	438	110	1.76	ND	<.5	0.885	<500	<500	622	745	3.98
	07-Aug-06	N		568	495	34	0.687	ND	0.607	<.1	4,350	<500	597	953	7.94
	14-Aug-06	N		---	---	27.1	---	ND	---	---	---	---	---	---	7.23
	14-Aug-06	FD		---	---	28.9	---	ND	---	---	---	---	---	---	4.80
	17-Aug-06	N		---	---	24.3	---	47	---	---	---	---	---	---	5.10
	17-Aug-06	FD		---	---	23.6	---	49.5	---	---	---	---	---	---	4.34
	21-Aug-06	N		---	---	17.3	---	405	---	---	---	---	---	---	16.2
	24-Aug-06	N		---	---	16.8	---	636	---	---	---	---	---	---	21.8

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-3S	16-Mar-06	N	35-45	<1	40.3	<1	<.5	ND	<.5	<.1	6,370	4,860	1,160	217	4.27
	03-Apr-06	N		<1	1.48	<1	<.5	ND	<.5	<.5	5,510	4,990	988	221	4.66
	04-May-06	N		<0.2	---	<1	<1	ND	---	---	---	---	---	---	---
	05-May-06	N		<0.2	---	<1	<1	ND	---	---	---	---	---	---	---
	06-May-06	N		<1	1.46	<1	<.5	ND	<.5	<.1	7,370	5,660	968	80.2	5.05
	06-May-06	FD		<1	1.01	<1	<.5	ND	<.5	<.1	6,500	5,820	950	80.4	5.26
	07-May-06	N		<0.2	---	<1	<1	ND	---	---	---	---	---	---	---
	09-May-06	N		<0.2 J/HD	1.54	<1	<1	9.61	<1	<.2	7,850	6,280	973	112	5.83
	10-May-06	N		<1	---	<1	19	34.4	---	---	---	---	---	---	---
	11-May-06	N		<1	---	<1	1.07	5.49	---	---	---	---	---	---	---
	12-May-06	N		<0.2	---	<1	64.6	42.3	---	---	---	---	---	---	---
	13-May-06	N		<1 J/HD	2.38	<1	93.7	56.0	<1	<.2	6,710	5,890	872	112	14.6
	23-May-06	N		<1	<1	<1	68.1	1,060	<1	<.5	130,000	1,750	830	30.5	49.9
	30-May-06	N		<1	1.36	<1	470	1,510	<2.5	<.5	27,600	695	762	24.4	93.5
	06-Jun-06	N		<1	<1	<1	749	1,220	<2.5	<.5	21,900	3,220	750	23.2	119
	19-Jul-06	N		<0.2	<1	<1	212	751	<.5	<.5	23,400	4,680	652	12.9	16.4
	08-Aug-06	N		<0.2	<1	<.5	75.6	578	<.5	<.1	38,500	3,000	749	16.3	6.28
PT-3M	18-Mar-06	N	60-70	<1	<1	<1	<.5	ND	<.5	<.5	<500	<500	1,670	571	1.33
	07-Apr-06	N		<1	<1	<1	<.5	ND	<.5	<.5	<500	<500	2,020	672	1.01
	04-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	05-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	06-May-06	N		<1 J/HD	<1	<1	<.5	ND	<.5	<.1	508	<500	1,720	597	1.11
	07-May-06	N		<1	---	<1	2.32	0.025	---	---	---	---	---	---	---
	09-May-06	N		<0.2 J/HD	<1	<1	28.8	0.075	<.5	<.1	518	<500	1,350	559	2.94
	10-May-06	N		<1	---	<1	60.2	0.148	---	---	---	---	---	---	---
	11-May-06	N		<1	---	<1	75.8	0.2	---	---	---	---	---	---	---
	12-May-06	N		<1 J/HD	---	<1	87.1	0.223	---	---	---	---	---	---	---
	13-May-06	N		<1 J/HD	2.46	<1	72.9	0.135	<.5	<.1	620	597	1,250	530	3.22
	13-May-06	FD		<0.2	9.68	<1	73.3	0.180	<.5	<.1	620	589	1,270	517	3.89
	23-May-06	N		<1	<1	<1	27.4	0.104	<.5	<.5	12,000	<500	1,550	573	1.59
	30-May-06	N		<1	3.09	<1	9.74	0.043	<.5	<.5	33,100	<500	1,260	533	1.94
	06-Jun-06	N		<1	<1	<1	4.86	0.031	<.5	<.5	5,140	<500	1,100	583	1.77
	06-Jun-06	FD		<1	1.61	<1	4.5	0.034	<.5	<.5	24,400	<500	1,130	575	2.41
	19-Jul-06	N		<1 J	<1	<1	1.21	ND	<.5	<.5	14,500	588	936	544	4.05
	08-Aug-06	N		<0.2	<1	<.5	<.5	ND	<.5	<.1	11,800	<500	888	514	2.39

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-3D	18-Mar-06	N	95-105	4,390	4,370	<1	<.5	ND	3.33	<.5	<500	<500	16.7	984	<1
	05-Apr-06	N		4,440	4,680	8.87	<.5	ND	3.28	<.5	<500	<500	10.2	966	<1
	05-May-06	N		3,980	---	<1	<1	ND	---	---	---	---	---	---	---
	06-May-06	N		3,090 J/FD	3,420	666	2.93	0.031	1.73	<.1	<500	<500	28.4	699	80.3
	07-May-06	N		4,140	---	515	3.15	0.023	---	---	---	---	---	---	---
	09-May-06	N		3,900 J/HD	3,920	268	2.1	0.020	2.02	<.2	<500	<500	42	853	36
	10-May-06	N		3,680	---	199	<2.5	0.013	---	---	---	---	---	---	---
	11-May-06	N		3,700	---	159	---	ND	---	---	---	---	---	---	---
	12-May-06	N		1,940	---	127	<2.5	ND	---	---	---	---	---	---	---
	13-May-06	N		3,550 J/HD	3,630	96.8	3.07	0.151	2.1	<.2	<500	<500	309	909	9.41
	23-May-06	N		4,380	3,940	21.7	<.5	ND	2.73	<.5	671	<500	113	854	2.39
	30-May-06	N		3,880	4,030	<1	<1	ND	2.82	<.5	<500	<500	83.8	843	2.23
	06-Jun-06	N		3,730	3,770	2.92	<.5	ND	2.82	<.5	1,630	<500	67.5	985	1.31
	17-Jul-06	N		3,830	3,920	1.15	0.893	ND	2.92	0.722	<500	<500	22.4	690	3.31
	17-Jul-06	FD		3,730	3,820	<1	1.13	ND	2.93	0.723	<500	<500	22.2	885	3.14
	08-Aug-06	N		3,260	4,180	8.34	0.861	0.123	3.28	<.1	6,760	<500	27.7	875	2.99
	14-Aug-06	N		---	---	8.97	---	1,190	---	---	---	---	---	---	58
	17-Aug-06	N		---	---	9.65	---	387	---	---	---	---	---	---	10.5
	21-Aug-06	N		---	---	8.24	---	209	---	---	---	---	---	---	3.86
	24-Aug-06	N		---	---	7.09	---	181	---	---	---	---	---	---	8.53
PT-4S	15-Mar-06	N	35-45	<1	3.83	0.714 J	<.5	ND	<.5	<.1	4,060	713	919	474	1.69
	06-Apr-06	N		<1	5.84	<1	<.5	ND	<.5	<.5	2,510	1,350	707	450	1.69
	04-May-06	N		<1	---	<1	<1	ND	---	---	---	---	---	---	---
	05-May-06	N		<1	---	<1	<1	ND	---	---	---	---	---	---	---
	09-May-06	N		<0.2 J/HD	<1	<1	<.5	ND	<.5	<.1	10,800	1,490	657	472	2.4
	10-May-06	N		<1	---	<1	<2.5	ND	---	---	---	---	---	---	---
	11-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	12-May-06	N		<1	---	<1	<1	ND	---	---	---	---	---	---	---
	13-May-06	N		<1 J/HD	3.18	<1	<1	ND	<1	<.2	2,320	1,940	673	415	2.02
	23-May-06	N		<1	<1	<1	<.5	ND	<.5	<.5	18,600	<500	683	436	2.29
	30-May-06	N		<1	1.15	<1	<.5	ND	<.5	<.5	20,000	<500	650	426	2.72
	06-Jun-06	N		<1	<1	<1	<.5	0.073	<.5	<.5	8,530	1,340	610	492	2.56
	19-Jul-06	N		<0.2	<1	<1	<.5	ND	<.5	<.5	4,710	1,670	545	445	4.86
	08-Aug-06	N		<0.2	<1	<.5	<.5	0.165	<.5	<.1	4,270	1,710	617	431	4.21

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-4M	15-Mar-06	N	60-70	<1	<1	0.75 J	<.5	ND	<.5	<.1	<500	<500	966	609	<1
	07-Apr-06	N		<1	1.63	<1	<.5	ND	<.5	<.5	<500	<500	766	722	1.05
	04-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	08-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	09-May-06	N		<0.21 J/HD	<1	<1	<.5	ND	<.5	<.1	723	700	686	504	1.12
	10-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	11-May-06	N		<1 J/HD	---	<1	<.5	ND	---	---	---	---	---	---	---
	12-May-06	N		<1	---	<1	<.5	ND	---	---	---	---	---	---	---
	13-May-06	N		<1 J/HD	2.05	<1	<.5	ND	<.5	<.1	988	899	612	529	1.22
	23-May-06	N		<1	<1	<1	<.5	ND	<.5	<.5	3,700	<500	613	565	1.58
	30-May-06	N		<1	229	<1	<.5	ND	<.5	<.5	929	<500	492	534	2.05
	06-Jun-06	N		<1	2.24	<1	<.5	ND	<.5	<.5	1,330	<500	523	570	1.31
	19-Jul-06	N		<0.2	<1	<1	<.5	ND	<.5	<.5	1,270	892	492	518	5.5
	08-Aug-06	N		<0.2	<1	<.5	<.5	ND	<.5	<.1	1,960	724	535	528	3.22
PT-4D	15-Mar-06	N	95-105	5,670	5,510	<1	1.32	ND	4.28	<.5	<500	<500	8.27	1,080	<1
	05-Apr-06	N		5,960	5,480	12.9	<.5	ND	4.7	<.5	<500	<500	<5	1,110	1.05
	08-May-06	N		5,870	---	<1	<1	ND	---	---	---	---	---	---	---
	09-May-06	N		5,900 J/HD	5,900	<1	<2.5	ND	4.6	<.5	<500	<500	<5	1,110	1.16
	10-May-06	N		5,830	---	<1	<2.5	ND	---	---	---	---	---	---	---
	11-May-06	N		5,790	---	<1	<1	ND	---	---	---	---	---	---	---
	12-May-06	N		5,810	---	<1	<1	ND	---	---	---	---	---	---	---
	13-May-06	N		5,710 J/HD	5,900	<1	<1	ND	4.36	<.2	<500	<500	<5	1,050	1.21
	23-May-06	N		5,750	5,880	<1	<.5	ND	4.91	<.5	<500	<500	<5	1,010	1.6
	30-May-06	FD		---	5,970	<1	<.5	ND	4.89	<.5	<500	<500	<5	1,010	1.87
	06-Jun-06	N		5,730	5,740	<1	<1	ND	4.75	<.5	2,390	<500	21	989	2.32
	19-Jul-06	N		5,800	5,560	<1	<.5	0.078	4.7	<.5	<500	<500	<5	1,130	1.44
	08-Aug-06	N		5,360	5,830	<1	0.989	ND	4.5	<.5	<500	<500	<5	957	7.78
	08-Aug-06	N		5,080	5,800	10.1	0.914	0.024	4.31	<.1	<500	<500	13.2	989	2.99
PT-5S	16-Mar-06	N	35-45	<1	2.71	<1	<.5	ND	<.5	<.1	949	971	2,440	401	3.2
	07-Apr-06	N		<1	<1	<1	<.5	ND	<.5	<.5	995	1,030	1,850	490	2.76
	01-Jun-06	N		<1	<1	<1	<.5	ND	<.5	<.1	4,250	1,870	1,530	372	4.14
	19-Jul-06	N		<1	<1	<1	<.5	ND	<.5	<.5	3,530	2,470	1,400	351	12.7
	09-Aug-06	N		<200	<1	<.5	2.26	ND	<.5	<.1	3,220	2,410	1,350	375	8.3

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-5M	16-Mar-06	N	60-70	<1	<1	<1	<.5	ND	<.5	<.1	<500	<500	707	463	1.04
	07-Apr-06	N		<1	<1	<1	<.5	ND	<.5	<.5	1,850	1,820	1,770	443	3.31
	01-Jun-06	N		<1 J/HD	<1	<1	<.5	ND	<.5	<.1	4,570	<500	168	437	1.62
	19-Jul-06	N		<0.2	<1	<1	<.5	ND	<.5	<.5	2,240	<500	109	404	6.53
	09-Aug-06	N		<200 J	<1	<.5	<.5	ND	<.5	<.1	3,770	<500	83.5	372	3.75
PT-5D	16-Mar-06	N	95-105	6,150	5,650	<1	<.5	ND	4.86	0.258	<500	<500	355	1,080	<1
	07-Apr-06	N		<0.2	<1	<1	<.5	ND	<.5	<.5	2,280	2,200	1,700	403	3.49
	12-May-06	N		4,250	4,680	<1	1.17	0.02	3.58	<1	<500	<500	209	1,020	1.34
	01-Jun-06	N		3,900	3,930	<1	<.5	ND	3.18	<1	3,550	<500	132	919	1.27
	17-Jul-06	N		3,640	3,890	<1	1.01	ND	2.98	0.613	<500	<500	90.8	882	3.73
	09-Aug-06	N		<20000 J	3,880	6.85	<1	ND	3.12	<.2	<500	<500	55.8	933	1.74
PT-6S	16-Mar-06	N	35-45	<1	---	---	---	---	---	---	---	---	---	---	---
	18-Mar-06	N		---	4.6	<1	1.18	ND	<.5	<1	4,560	3,530	9,260	60	13.4
	04-Apr-06	N		<1	<1	<1	1.3	ND	<.5	<.5	11,600	6,310	7,650	57.8	14.2
	13-May-06	N		<1 J/HD	2.83	<1	<1	ND	<1	<.2	33,000	13,400	4,400	3.03	13
	22-May-06	N		<1 J/HD	26	<1	<.5	ND	<.5	<.5	22,600	1,180	3,710	5.91	13.9
	01-Jun-06	N		<1 J/HD	1.38	<1	<.5	ND	<.5	<.1	17,000	12,600	3,710	6.96	13.4
	06-Jun-06	N		<1	1.44	<1	<2.5	ND	<2.5	<.5	19,000	17,100	3,250	4.57	14.8
	19-Jul-06	N		1.1	17.2	<1	2.72	ND	<.5	<.5	19,900	17,200	2,970	2.56	16.9
	09-Aug-06	N		<200	1.41	<.5	2.9	ND	<.5	<.1	23,700	16,500	3,170	76.2	16.1
PT-6M	16-Mar-06	N	60-70	<1	<1	<1	<.5	ND	<.5	<.1	<500	<500	56.1	486	<1
	04-Apr-06	N		<1	<1	<1	<.5	ND	<.5	<.5	<500	<500	55.2	498	1.22
	13-May-06	N		<1 J/HD	4.53	<1	<.5	ND	<.5	<.1	<500	<500	71.2	509	1.7
	23-May-06	N		<1	<1	<1	<.5	ND	<.5	<.5	1,690	<500	71.2	476	1.11
	01-Jun-06	N		<1	1.24	<1	<.5	ND	<.5	<.1	1,150	<500	77.6	479	1.4
	06-Jun-06	N		<1	1.66	<1	<.5	ND	<.5	<.5	1,650	<500	76.4	528	3.14
	19-Jul-06	N		<0.2	2.53	<1	<.5	ND	<.5	<.5	641	<500	89.2	471	4.28
	09-Aug-06	N		<200 J	<1	<.5	<.5	ND	<.5	<.1	<500	<500	94.1	465	5.44

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PT-6D	16-Mar-06	N	95-105	3,310	3,140	<1	<.5	ND	2.5	0.218	<500	<500	361	844	<1
	04-Apr-06	N		2,270	2,180	4.23	<.5	ND	1.73	<.5	<500	<500	258	750	<1
	13-May-06	N		1,760 J/HD	1,720	<1	<1	ND	1.49	<.2	1,320	<500	169	810	1.16
	22-May-06	N		1,610 J/HD	1,970	<1	<.5	ND	1.42	<.5	2,520	<500	168	719	1.96
	01-Jun-06	N		1,440	1,420	<1	<.5	ND	1.2	<.1	764	<500	152	711	1.08
	06-Jun-06	N		1,340	1,290	<1	1.85	0.105	1.38	<.5	1,130	<500	134	750	2.45
	17-Jul-06	N		1,220	1,120	<1	<.5	ND	0.994	0.917	<500	<500	112	670	3.54
	09-Aug-06	N		<10000 J	1,440	3.34	0.94	ND	1.27	<.1	<500	<500	77.2	684	2.67
PTI-1S	15-Mar-06	N	35-45	<1	19.8	0.708 J	<.5	ND	<.5	<.1	7,360	8,350	717	122	4.55
	05-Apr-06	N		<1	<1	<1	<.5	ND	<.5	<.5	7,730	3,320	606	120	4.84
	06-May-06	N		<1 J/FD	4.15	<1	1,130	1,950	<2.5	<.5	21,500	19,900	980	15	588
	07-May-06	N		<1 J/FD	---	<1	449	3,820	---	---	---	---	---	---	452
	09-May-06	N		<1	---	<1	360	3,820	---	---	---	---	---	---	474
	09-May-06	FD		<0.2	---	<1	360	3,770	---	---	---	---	---	---	467
	10-May-06	N		<1	---	<1	362	3,560	---	---	---	---	---	---	506
	11-May-06	N		<1	---	<1	316	3,760	---	---	---	---	---	---	543
	12-May-06	N		<1	---	<1	284	3,710	---	---	---	---	---	---	558
	13-May-06	N		---	---	<1	288	3,730	---	---	---	---	---	---	525
	23-May-06	N		---	---	<1	213	3,810	---	---	---	---	---	---	214
	31-May-06	N		---	---	<1	56.4	4,090	---	---	---	---	---	---	188
	05-Jun-06	N		---	---	<1	28.7	3,750	---	---	---	---	---	---	136
	18-Jul-06	N		<0.2	---	<1	3.05	647	---	---	---	---	---	---	9.33
	07-Aug-06	N		<0.2	---	<.5	<.5	196	---	---	---	---	---	---	11.4

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PTI-1M	15-Mar-06	N	60-70	3.9	8.2	0.718 J	<.5	ND	<.5	<.1	<500	<500	141	510	<1
	04-Apr-06	N		3.3	11.1	<1	<.5	ND	<.5	<.5	<500	<500	99.5	529	<1
	06-May-06	N		<1 J/FD	<1	<1	1,430	0.853	<.5	<.1	<500	<500	1,770	18.7	210
	07-May-06	N		<1 J/FD	---	<1	1,510	0.728	---	---	---	---	---	---	215
	09-May-06	N		<1	---	---	621	0.272	---	---	---	---	---	---	83.4
	10-May-06	N		<1	---	<1	1,080	0.746	---	---	---	---	---	---	111
	11-May-06	N		<1	---	<1	1,130	0.79	---	---	---	---	---	---	101
	12-May-06	N		<1	---	<1	1,090	0.934	---	---	---	---	---	---	77.6
	13-May-06	N		---	---	<1	1,060	1.04	---	---	---	---	---	---	67.6
	23-May-06	N		---	---	<1	1,490	1.58	---	---	---	---	---	---	77.8
	31-May-06	N		---	---	<1	169	0.298	---	---	---	---	---	---	3.56
	05-Jun-06	N		---	---	<1	125	0.281	---	---	---	---	---	---	2.18
	18-Jul-06	N		<1	---	<1	28.4	0.100	---	---	---	---	---	---	3.12
	07-Aug-06	N		<0.2	---	<.5	18.1	1.57	---	---	---	---	---	---	6.07
PTI-1D	15-Mar-06	N	95-105	1,620	1,580	<1	2.63	ND	<.5	<.5	<500	<500	1,070	907	1.3
	03-Apr-06	N		3,350	3,370	6.42	<.5	ND	2.59	<.5	<500	<500	140	912	<1
	07-May-06	N		<1 J/FD	---	1,640	8.27	0.153	---	---	---	---	---	---	195
	09-May-06	N		<1	---	1,950	19.2	0.794	---	---	---	---	---	---	204
	10-May-06	N		937	---	672	4.56	0.087	---	---	---	---	---	---	46.4
	11-May-06	N		1,050	---	613	3.76	0.059	---	---	---	---	---	---	31.9
	12-May-06	N		<1 J/HD	---	2,400	12.6	0.603	---	---	---	---	---	---	215
	13-May-06	N		---	---	1,760	8.24	0.145	---	---	---	---	---	---	206
	22-May-06	N		---	---	57.9	0.942	ND	---	---	---	---	---	---	2.34
	31-May-06	N		---	---	<1	<.5	ND	---	---	---	---	---	---	3.26
	05-Jun-06	N		---	---	20	<.5	ND	---	---	---	---	---	---	2.45
	18-Jul-06	N		1,360	---	1.65	0.512	ND	---	---	---	---	---	---	3.42
	07-Aug-06	N		1,820	---	4.65	<.5	ND	---	---	---	---	---	---	7.28
	15-Aug-06	N		---	---	<5	---	2,850	---	---	---	---	---	---	117
	17-Aug-06	N		---	---	14.3	---	1,830	---	---	---	---	---	---	53.7
	22-Aug-06	N		---	---	1.50	---	849	---	---	---	---	---	---	13.1
	24-Aug-06	N		---	---	<1	---	629	---	---	---	---	---	---	6.76

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
PE-1	17-Mar-06	N		148	138	<1	<.5	ND	<.5	<.5	<500	<500	12.7	900	2.14
	05-Apr-06	N		140	136	<1	<.5	ND	<.5	<.5	<500	<500	12.3	939	1.99
	01-Jun-06	N		114	111	<1	<.5	ND	<.5	<.1	<500	<500	12.5	773	2.34
	17-Jul-06	N		97	96.2	<1	1.11	ND	<.5	1.11	<500	<500	10.7	772	4.16
	07-Aug-06	N		100	98.6	<.5	<.5	ND	<.5	<.1	<500	<500	10.5	699	8.83
	07-Aug-06	FD		104	100	<.5	0.868	ND	<.5	<.1	<500	<500	10.7	692	4.58
TW-2D	17-Mar-06	N		1,430	1,530	<1	<.5	ND	1.67	<.5	<500	<500	<5	501	<1
	05-Apr-06	N		1,350	1,240	2.55	<.5	ND	1.51	<.5	<500	<500	<5	509	<1
	19-Jul-06	N		802	785	7.09	0.55	ND	1.34	<.5	<500	<500	<5	483	2.88
	07-Aug-06	N		943	797	2.51	0.791	ND	1.79	<.1	<500	<500	<5	433	6.62
	14-Aug-06	N		---	---	5.29	---	ND	---	---	---	---	---	---	6.29
	17-Aug-06	N		---	---	3.90	---	ND	---	---	---	---	---	---	1.27
	22-Aug-06	N		---	---	4.56	---	ND	---	---	---	---	---	---	1.20
	24-Aug-05	N		---	---	3.88	---	ND	---	---	---	---	---	---	8.17
TW-3D	17-Mar-06	N		3,350	3,070	<1	<.5	ND	4.87	<.2	<500	<500	<5	613	1.04
	05-Apr-06	N		3,140	2,980	6.12	<.5	ND	4.61	<.5	<500	<500	<5	645	<1
	19-Jul-06	N		2,440	2,360	<1	1	ND	3.89	<.5	<500	<500	<5	637	3
	07-Aug-06	N		2,600	2,580	5.86	0.849	ND	4.08	<.1	<500	<500	<5	599	5.26
	14-Aug-06	N		---	---	6.23	---	ND	---	---	---	---	---	---	3.31
	17-Aug-06	N		---	---	6.31	---	ND	---	---	---	---	---	---	1.41
	22-Aug-06	N		---	---	6.43	---	ND	---	---	---	---	---	---	1.40
	24-Aug-05	N		---	---	6.21	---	0.288	---	---	---	---	---	---	8.22
INJ_SOLUTION_01	04-May-06	N		---	---	---	---	5,620	---	---	---	---	---	---	265
	05-May-06	N		---	---	---	<5	---	---	---	---	---	---	---	---
INJ_SOLUTION_02	05-May-06	N		---	---	---	1,790	---	---	---	---	---	---	---	276
INJ_SOLUTION_03	06-May-06	N		---	---	1,960	---	---	---	---	---	---	---	---	258
	11-Aug-06	N		---	---	<5	---	5,140	---	---	---	---	---	---	459
Make_Up_Water	05-May-06	N		---	---	<1	<.5	---	---	---	---	---	---	---	---

Table 3
Summary of Primary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
Field Blank	17-Mar-06	FB		<0.21	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	04-Apr-06	FB		<0.2	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	09-May-06	EB		<0.2 J/HD	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	13-May-06	FB		<0.2	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	24-May-06	FB		0.25	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	2.45	1.53
	01-Jun-06	FB		<0.2	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	21.4
	05-Jun-06	FB		<0.2	<1	<1	<.5	0.027	<.5	<.1	<500	<500	<5	<.5	<1
	17-Jul-06	FB		<0.21	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	2.51
	07-Aug-06	FB		<0.2	<1	<.5	<.5	ND	<.5	<.1	<500	<500	<5	<.5	5.16
	14-Aug-06	FB		---	---	<.5	---	ND	---	---	---	---	---	---	4.04
	21-Aug-06	FB		---	---	<.5	---	0.033	---	---	---	---	---	---	1.08
Equipment Blank	17-Mar-06	EB		<0.21	2.91	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	07-Apr-06	EB		<0.2	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	09-May-06	FB		<0.2 J/HD	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	13-May-06	EB		<0.2	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	1.33
	24-May-06	EB		0.23	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	2.47	1.17
	01-Jun-06	EB		<0.2	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	<1
	05-Jun-06	EB		<0.2	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	1.03
	17-Jul-06	EB		<0.21	<1	<1	<.5	ND	<.5	<.1	<500	<500	<5	<.5	2.95
	07-Aug-06	EB		<0.2	<1	<.5	<.5	ND	<.5	<.1	<500	<500	<5	0.539	3.84
	14-Aug-06	EB		---	---	<.5	---	ND	---	---	---	---	---	---	4.45
	21-Aug-06	EB		---	---	<.5	---	ND	---	---	---	---	---	---	1.11

Notes appear on the following page.

Table 3
Summary of Primary Analytical Parameters

PG&E Topock

Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Hexavalent Chromium (µg/L)	Dissolved Chromium (µg/L)	Iodide (mg/L)	Bromide (mg/L)	Fluorescein (ppb)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)
---------------	-------------	-------------	--------------------------	----------------------------	---------------------------	---------------	----------------	-------------------	------------------	------------------	-------------------	-----------------------	----------------------------	----------------	-----------------------------

Notes:

Most recent data indicated in **BOLD**

ft bgs	Feet below ground surface
mg/L	Milligrams per liter
µg/L	Micrograms per liter
ppb	Parts per billion
<	Symbol indicates not detected at or above laboratory detection limit as noted
N	Normal
EB	Equipment blank
FB	Field blank
FD	Field duplicate
J	Reported value is estimated
J/HD	Sample analyzed beyond USEPA-recommended holding time. Results may still be used for their intended purpose.
NA	Not applicable
ND	Not detected
Nitrate-N	Nitrate as Nitrogen
Nitrite-N	Nitrite as Nitrogen
---	Not analyzed/Not available
USEPA	United States Environmental Protection Agency
Dissolved	Samples were field filtered with a 0.45 micron filter

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PT-1S	17-Mar-06	N	35-45	262,000	74,700	<5	15,400	1,040,000	367	<5	1,710	<.5	<2	---
	06-Apr-06	N		267,000	70,500	<5	14,400	1,090,000	368	<5	1,740	<.5	<2	3,860
	06-May-06	N		287,000	83,200	<5	14,800	1,110,000	437	<5	2,180	<.5	<2	4,680
	09-May-06	N		298,000	89,100	<5	14,500	1,110,000	405	<5	1,910	<.5	<2	---
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	4,340
	13-May-06	N		260,000	79,100	<5	13,900	1,080,000	423	<5	2,140	<1	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		278,000	83,600	10.4	14,600	1,060,000	461	<5	1,960	<.5	<2	---
	18-Jul-06	N		277,000	76,700	7.51	14,000	1,080,000	424	<5	1,570	<.5	<2	4,000
	08-Aug-06	N		328,000	107,000	9.3	16,300	1,190,000	464	<5	2,170	<.5	<2	4,430
PT-1M	17-Mar-06	N	60-70	229,000	40,100	<5	15,700	1,230,000	145	<5	1,790	<.5	<2	---
	06-Apr-06	N		242,000	40,600	<5	15,000	1,290,000	144	<5	1,840	<.5	<2	4,250
	06-May-06	N		233,000	36,600	<5	13,200	1,370,000	168	<5	1,820	<.5	<2	4,340
	09-May-06	N		214,000	34,700	6.56	12,800	1,280,000	125	<5	1,790	<.5	<2	---
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	3,470
	13-May-06	N		207,000	35,800	9.84	12,500	1,380,000	192	<5	1,880	<.5	<2	---
	24-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	31-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		221,000	38,900	7.14	12,700	1,290,000	191	<5	2,140	<.5	<2	---
	18-Jul-06	N		235,000	38,700	5.53	12,600	1,350,000	197	<5	1,730	<.5	<2	4,130
	08-Aug-06	N		218,000	379,000	5.49	12,100	1,230,000	209	<5	1,870	<.5	<2	4,120

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PT-1D	17-Mar-06	N	95-105	321,000	24,900	<5	24,600	2,540,000	107	<5	3,650	<.5	<2	---
	17-Mar-06	FD		316,000	24,900	<5	24,800	2,550,000	110	<5	3,610	<.5	<2	---
	06-Apr-06	N		332,000	24,000	<5	25,300	2,680,000	101	<5	3,780	<.5	<2	8,070
	06-Apr-06	FD		334,000	23,600	<5	25,100	2,700,000	98.1	<5	3,700	<.5	<2	8,260
	06-May-06	N		357,000	24,300	<5	25,300	2,930,000	85.2	<5	4,230	<.5	<2	8,260
	09-May-06	N		260,000	17,700	<5	20,800	2,360,000	130	<5	3,170	<1	<2	6,960
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	7,070
	13-May-06	N		223,000	16,600	<5	20,700	2,340,000	160	<5	2,170	<1	<2	---
	24-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	31-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	05-Jun-06	N		220,000	17,400	5.38	26,300	2,160,000	127	<5	3,210	<.5	<2	---
	17-Jul-06	N		287,000	21,500	<5	36,200	2,500,000	109	<5	3,160	<.5	<2	7,010
	08-Aug-09	N		264,000	21,000	<5	36,700	2,410,000	110	<5	3,350	<.5	<2	6,860
PT-2S	17-Mar-06	N	35-45	273,000	92,700	<5	12,500	929,000	613	<5	1,630	<.5	<2	---
	06-Apr-06	N		300,000	99,800	<5	12,100	1,030,000	635	<5	1,670	<.5	<2	3,810
	24-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	07-Jun-06	N		324,000	105,000	5.77	11,600	1,000,000	691	<5	1,900	<.5	<2	---
	18-Jul-06	N		336,000	103,000	6.66	10,500	1,040,000	646	<5	1,740	<.5	<2	4,230
	08-Aug-06	N		353,000	110,000	8.48	10,900	1,040,000	574	<5	1,960	<.5	<2	4,170

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PT-2M	17-Mar-06	N	60-70	227,000	35,600	<5	14,700	1,340,000	264	<5	1,880	<.5	<2	---
	06-Apr-06	N		232,000	35,600	<5	13,400	1,400,000	204	<5	1,920	<.5	<2	4,430
	24-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	31-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	31-May-06	FD		---	---	---	---	---	---	---	---	---	<2	---
	07-Jun-06	N		220,000	36,500	<5	12,600	1,360,000	212	<5	2,020	<.5	<2	---
	18-Jul-06	N		221,000	35,900	<5	11,900	1,040,000	237	<5	1,870	<.5	<2	4,050
	08-Aug-06	N		218,000	36,200	<5	11,900	1,280,000	228	<5	1,810	<.5	<2	3,920
PT-2D	17-Mar-06	N	95-105	314,000	25,700	<5	24,900	2,530,000	125	<5	3,530	<.5	<2	---
	17-Mar-06	FD		315,000	26,300	<5	25,200	2,560,000	112	<5	3,560	<.5	<2	---
	06-Apr-06	N		338,000	25,600	<5	25,100	2,640,000	109	<5	3,550	<.5	<2	8,120
	06-Apr-06	FD		338,000	25,800	<5	25,300	2,650,000	109	<5	3,660	<.5	<2	8,040
	24-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	31-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	07-Jun-06	N		231,000	18,100	5.36	21,700	2,310,000	154	<5	3,120	<.5	<2	---
	17-Jul-06	N		261,000	20,300	<5	22,800	2,320,000	102	<5	3,300	<.5	<2	7,090
	07-Aug-06	N		266,000	21,600	<5	23,600	2,460,000	99.2	<5	3,550	<.5	<2	7,190

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PT-3S	16-Mar-06	N	35-45	244,000	85,600	<5	10,000	942,000	334	<5	1,740	<.5	<2	---
	03-Apr-06	N		236,000	80,600	5.08	10,300	930,000	369	<5	1,800	<.5	<2	4,080
	06-May-06	N		270,000	86,300	6.06	10,100	1,080,000	378	<5	1,900	<.5	<2	3,770
	06-May-06	FD		265,000	85,100	5.96	10,100	1,060,000	367	<5	1,860	<.5	<2	3,610
	09-May-06	N		281,000	93,100	6.28	11,100	1,150,000	367	<5	1,850	<1	<2	4,030
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	3,950
	13-May-06	N		238,000	79,500	6.32	9,840	1,050,000	365	<5	1,820	<1	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	30-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		189,000	63,000	8.17	9,260	9,170,000	505	<5	1,250	<2.5	<2	---
	19-Jul-06	N		181,000	59,300	8.6	12,100	1,010,000	507	<5	1,530	<.5	<2	3,470
	08-Aug-06	N		203,000	64,100	8.97	14,100	1,040,000	477	<5	1,620	<.5	<2	3,560
PT-3M	18-Mar-06	N	60-70	162,000	32,600	<5	19,900	1,360,000	112	<5	1,830	<.5	<2	---
	07-Apr-06	N		184,000	30,500	<5	18,300	1,510,000	131	<5	1,910	<.5	<2	4,420
	06-May-06	N		194,000	28,900	<5	15,100	1,490,000	157	<5	2,050	<.5	<2	4,120
	09-May-06	N		186,000	28,800	<5	14,100	1,440,000	170	<5	2,020	<.5	<2	4,410
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	4,370
	13-May-06	N		193,000	28,300	<5	13,800	1,500,000	176	<5	2,040	<.5	<2	---
	13-May-06	FD		193,000	28,300	<5	13,700	1,490,000	184	<5	1,970	<.5	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	30-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		184,000	27,100	<5	12,900	1,360,000	172	<5	2,170	<.5	<2	---
	06-Jun-06	FD		189,000	27,900	<5	13,400	1,410,000	196	<5	2,160	<.5	<2	---
	19-Jul-06	N		177,000	26,400	<5	12,600	1,370,000	180	<5	1,930	<.5	<2	4,230
	08-Aug-06	N		182,000	26,400	<5	13,100	1,430,000	193	<5	1,770	<.5	<2	4,190

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PT-3D	18-Mar-06	N	95-105	273,000	19,200	<5	22,900	2,570,000	104	<5	3,920	<.5	<2	---
	05-Apr-06	N		277,000	18,200	<5	22,200	2,720,000	87.2	<5	3,760	<.5	<2	8,130
	06-May-06	N		218,000	13,400	<5	19,500	2,300,000	117	<5	3,080	<.5	<2	6,950
	09-May-06	N		243,000	16,000	<5	21,200	2,620,000	114	<5	3,330	<1	<2	7,500
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	7,070
	13-May-06	N		234,000	16,700	5.06	20,700	2,590,000	112	<5	3,660	<1	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	30-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		249,000	17,100	<5	22,000	2,670,000	98.1	<5	3,990	<.5	<2	---
	17-Jul-06	N		258,000	16,500	5.03	22,200	2,740,000	99.3	<5	2,550	<.5	<2	7,550
	17-Jul-06	FD		256,000	16,200	<5	22,000	2,690,000	99.3	<5	3,480	<.5	<2	7,400
	08-Aug-06	N		241,000	16,200	<5	21,500	2,700,000	93.8	<5	3,510	<.5	<2	7,240
PT-4S	15-Mar-06	N	35-45	261,000	64,300	6.22	14,100	1,180,000	184	<5	1,800	1.35	<2	---
	06-Apr-06	N		282,000	61,800	6.56	13,400	1,300,000	188	<5	2,020	<.5	<2	4,470
	09-May-06	N		276,000	61,500	7.84	12,100	1,270,000	197	<5	2,110	<.5	<2	4,580
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	4,510
	13-May-06	N		267,000	61,100	7.59	12,300	1,300,000	181	<5	2,210	<1	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	30-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		263,000	60,200	8.38	12,000	1,200,000	211	<5	2,270	<.5	<2	---
	19-Jul-06	N		260,000	59,100	8.44	12,300	1,250,000	208	<5	1,970	<.5	<2	4,600
	08-Aug-06	N		264,000	60,800	9.45	11,900	1,260,000	201	<5	1,960	<.5	<2	4,240

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PT-4M	15-Mar-06	N	60-70	148,000	25,700	<5	18,700	1,370,000	144	<5	1,800	<.5	<2	---
	07-Apr-06	N		155,000	28,900	<5	20,400	1,480,000	117	<5	1,800	<.5	<2	4,190
	09-May-06	N		176,000	27,200	<5	15,400	1,490,000	168	<5	2,020	<.5	<2	4,250
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	3,870
	13-May-06	N		174,000	25,700	<5	14,000	1,460,000	178	<5	2,010	<.5	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	30-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		176,000	25,900	<5	13,400	1,380,000	184	<5	2,170	<.5	<2	---
	19-Jul-06	N		170,000	26,700	<5	13,300	1,370,000	188	<5	1,870	<.5	<2	4,290
	08-Aug-06	N		166,000	25,000	<5	13,200	1,390,000	188	<5	1,830	<.5	<2	4,100
PT-4D	15-Mar-06	N	95-105	334,000	20,700	5.13	24,800	3,150,000	79.4	<5	4,350	<.5	<2	---
	05-Apr-06	N		339,000	21,100	<5	24,000	3,060,000	68.1	<5	4,450	<.5	<2	9,150
	09-May-06	N		339,000	21,100	5.36	24,300	3,200,000	69.2	<5	4,500	<2.5	<2	9,040
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	9,290
	13-May-06	N		339,000	21,000	5.19	24,500	3,200,000	69.2	<5	4,380	<1	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	23-May-06	FD		---	---	---	---	---	---	---	---	---	<2	---
	30-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		325,000	20,200	5.27	24,200	2,970,000	66.2	<5	4,850	<.5	<2	---
	19-Jul-06	N		341,000	20,800	5.44	25,800	3,230,000	71	<5	4,000	<.5	<2	8,770
	08-Aug-06	N		340,000	20,500	5.07	24,000	3,560,000	67	<5	4,230	<.5	<2	9,060
PT-5S	16-Mar-06	N	35-45	315,000	72,300	8.86	14,200	1,320,000	279	<5	2,050	<.5	<2	---
	07-Apr-06	N		323,000	65,700	9.36	13,800	1,460,000	237	<5	2,170	<.5	<2	5,080
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	19-Jul-06	N		386,000	84,300	12.7	13,800	1,450,000	375	<5	2,580	<.5	<2	5,460
	09-Aug-06	N		87,500	84,300	13.4	14,100	1,470,000	393		2,670	<.5	<2	5,490

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PT-5M	16-Mar-06	N	60-70	196,000	33,000	<5	11,000	1,220,000	237	<5	1,740	<.5	<2	---
	07-Apr-06	N		332,000	72,200	11.1	14,500	1,420,000	270	<5	2,210	<.5	<2	5,050
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	19-Jul-06	N		132,000	21,900	<5	9,330	1,030,000	276	<5	1,290	<.5	<2	2,940
	09-Aug-06	N		109,000	18,800	<5	8,700	1,470,000	266	<5	1,150	<.5	<2	2,830
PT-5D	16-Mar-06	N	95-105	317,000	21,000	<5	24,500	3,150,000	62.3	<5	4,460	<.5	<2	---
	07-Apr-06	N		337,000	73,200	11.5	14,500	1,400,000	289	<5	2,190	<.5	<2	5,030
	12-May-06	N		298,000	20,900	<5	24,400	3,300,000	93.2	<5	4,160	<.5	<2	---
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	17-Jul-06	N		283,000	17,900	<5	23,100	905,000	96.7	<5	4,030	<.5	<2	8,150
	09-Aug-06	N		249,000	17,600	<5	22,100	2,690,000	82.7	<5	3,880	<1	<2	8,230
PT-6S	18-Mar-06	N	35-45	269,000	157,000	12.6	21,400	1,490,000	501	<5	2,870	<.5	<2	---
	04-Apr-06	N		296,000	153,000	15.2	20,300	1,540,000	451	<5	2,900	<.5	<2	5,940
	13-May-06	N		297,000	147,000	25.5	16,600	1,500,000	538	<5	2,740	<1	<2	---
	22-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		310,400	148,000	29.9	16,400	1,360,000	505	<5	2,820	<2.5	<2	---
	19-Jul-06	N		311,000	148,000	30.9	16,700	1,380,000	507	<5	2,520	<.5	<2	5,480
	09-Aug-06	N		318,000	165,000	27.6	17,400	1,440,000	474	<5	2,680	<.5	<2	5,500
PT-6M	16-Mar-06	N	60-70	230,000	39,700	<5	11,800	1,300,000	227	<5	1,840	<.5	<2	---
	04-Apr-06	N		238,000	43,400	<5	12,800	1,392,000	227	<5	1,980	<.5	<2	4,340
	13-May-06	N		224,000	39,100	<5	12,300	1,390,000	210	<5	2,030	<.5	<2	---
	23-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		228,000	38,700	<5	12,400	1,300,000	226	<5	2,080	<.5	<2	---
	19-Jul-06	N		212,000	36,800	<5	12,300	1,290,000	241	<5	1,730	<.5	<2	4,020
	09-Aug-06	N		188,000	35,300	<5	11,800	1,190,000	237	<5	1,660	<.5	<2	3,940

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PTI-6D	16-Mar-06	N	95-105	245,000	16,200	<5	19,900	2,600,000	102	<5	3,630	<5	<2	---
	04-Apr-06	N		239,000	17,500	<5	19,800	2,620,000	97.3	<5	3,420	<5	<2	7,140
	13-May-06	N		216,000	14,900	<5	19,100	2,590,000	104	<5	3,310	<1	<2	---
	22-May-06	N		---	---	---	---	---	---	---	---	---	<2	---
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	06-Jun-06	N		187,000	13,200	<5	17,300	2,210,000	118	<5	3,380	<5	<2	---
	17-Jul-06	N		188,000	12,100	<5	17,000	2,220,000	120	<5	2,790	<5	<2	6,210
	09-Aug-06	N		184,000	13,300	<5	18,200	2,240,000	116	<5	3,050	<5	<2	6,480
PTI-1S	15-Mar-06	N	35-45	266,000	88,200	13.2	11,600	980,000	375	<5	1,730	<5	<2	---
	05-Apr-06	N		266,000	88,200	7.18	11,200	996,000	357	<5	1,760	<5	<2	3,810
	06-May-06	N		155,000	14,100	<5	30,900	992,000	602	<5	798	<2.5	<2	3,930
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	3,040
	18-Jul-06	N		---	---	---	---	---	---	---	---	---	---	3,770
	07-Aug-06	N		---	---	---	---	---	---	---	---	---	---	4,080
PTI-1M	15-Mar-06	N	60-70	223,000	33,200	<5	12,200	1,360,000	179	<5	1,910	<5	<2	---
	04-Apr-06	N		226,000	37,700	<5	12,800	1,480,000	180	<5	2,050	<5	<2	4,450
	06-May-06	N		130,000	17,700	26.5	20,400	1,320,000	383	<5	1,080	<5	<2	4,450
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	4,480
	18-Jul-06	N		---	---	---	---	---	---	---	---	---	---	4,160
	07-Aug-06	N		---	---	---	---	---	---	---	---	---	---	4,190
PTI-1D	15-Mar-06	N	95-105	289,000	21,500	<5	23,600	2,470,000	134	<5	3,420	<5	<2	---
	03-Apr-06	N		267,000	18,000	<5	21,700	2,600,000	99.7	<5	3,620	<5	<2	8,080
	10-May-06	N		---	---	---	---	---	---	---	---	---	---	7,530
	18-Jul-06	N		---	---	---	---	---	---	---	---	---	---	6,730
	07-Aug-06	N		---	---	---	---	---	---	---	---	---	---	7,300

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
PE-1	17-Mar-06	N	79-89	261,000	37,400	<5	19,700	2,200,000	277	<5	2,990	<.5	<2	---
	05-Apr-06	N		263,000	36,400	<5	19,600	2,090,000	256	<5	3,110	<.5	<2	6,580
	01-Jun-06	N		---	---	---	---	---	---	---	---	---	<2	---
	17-Jul-06	N		252,000	35,200	<5	18,300	2,020,000	267	<5	2,710	<.5	<2	5,910
	07-Aug-06	N		230,000	34,800	<5	18,100	1,970,000	255	<5	2,570	<.5	<2	5,910
	07-Aug-06	FD		235,000	35,600	<5	17,900	2,000,000	274	<5	2,550	<.5	<2	5,960
TW-2D	17-Mar-06	N	113-148	207,000	23,600	<5	13,200	1,240,000	110	<5	1,920	<.5	<2	---
	05-Apr-06	N		231,000	25,800	<5	14,700	1,400,000	112	<5	2,070	<.5	<2	4,390
	19-Jul-06	N		241,000	29,900	<5	15,000	1,460,000	119	<5	1,980	<.5	<2	4,580
	07-Aug-06	N		242,000	29,700	<5	14,600	1,450,000	102	<5	1,690	<.5	<2	3,900
TW-3D	17-Mar-06	N	111-156	254,000	27,700	<5	15,900	1,540,000	97.3	<5	2,190	<.5	<2	---
	05-Apr-06	N		283,000	28,800	<5	17,900	1,740,000	89.9	<5	2,580	<.5	<2	5,580
	19-Jul-06	N		265,000	29,100	<5	17,200	1,720,000	98.9	<5	2,610	<.5	<2	5,410
	07-Aug-06	N		272,000	28,800	<5	16,900	1,790,000	96.5	<5	2,480	<.5	<2	5,490
INJ_SOLUTION_01	04-May-06	N	NA	---	---	---	---	---	---	---	---	---	---	2,240
INJ_SOLUTION_02	05-May-06	N	NA	---	---	---	---	---	---	---	---	---	---	4,650
INJ_SOLUTION_03	06-May-06	N	NA	---	---	---	---	---	---	---	---	---	---	4,460
	11-Aug-06	N	NA	---	---	---	---	---	---	---	---	---	---	<10

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
Field Blank	17-Mar-06	FB	NA	<1,000	<1,000	<5	<1,000	2,040	<5	<5	<.5	<.5	<2	---
	04-Apr-06	FB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	<10
	09-May-06	EB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	---
	13-May-06	FB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	---
	24-May-06	FB		---	---	---	---	---	---	---	---	---	<2	---
	01-Jun-06	FB		---	---	---	---	---	---	---	---	---	<2	---
	05-Jun-06	FB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	---
	17-Jul-06	FB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	10
	07-Aug-06	FB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	25
Equipment Blank	17-Mar-06	EB	NA	<1,000	<1,000	<5	<1,000	5,360	<5	<5	<.5	<.5	<2	---
	07-Apr-06	EB		<1,000	<1,000	<5	<1,000	1,500	<5	<5	<.5	<.5	<2	<10
	09-May-06	FB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	---
	13-May-06	EB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	---
	24-May-06	EB		---	---	---	---	---	---	---	---	---	<2	---
	01-Jun-06	EB		---	---	---	---	---	---	---	---	---	<2	---
	05-Jun-06	EB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	---
	17-Jul-06	EB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	15
	07-Aug-06	EB		<1,000	<1,000	<5	<1,000	<1,000	<5	<5	<.5	<.5	<2	20

Notes on following page.

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock
Needles, California

August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	Dissolved Calcium (µg/L)	Dissolved Magnesium (µg/L)	Dissolved Arsenic (µg/L)	Dissolved Potassium (µg/L)	Dissolved Sodium (µg/L)	Alkalinity bicarbonate (mg/L)	Alkalinity carbonate (mg/L)	Chloride-cl (mg/L)	Orthophosphate-p (mg/L)	Sulfide (mg/L)	Total Dissolved Solids (mg/L)
---------------	-------------	-------------	--------------------------	--------------------------	----------------------------	--------------------------	----------------------------	-------------------------	-------------------------------	-----------------------------	--------------------	-------------------------	----------------	-------------------------------

Notes:

Most recent data indicated in **BOLD**

ft bgs	Feet below ground
mg/L	Milligrams per liter
µg/L	Micrograms per liter
<	Symbol indicates not detected at or above laboratory detection limit as noted.
EB	Equipment blank
FB	Field blank
FD	Field duplicate
N	Normal
NA	Not applicable
Dissolved	Samples were field filtered with a 0.45 micron filter.
---	Not analyzed/not sampled

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-01S	PT-01S-20060808	David Webb	8/8/2006	10:20 AM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/9/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/9/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/9/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/9/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-01M	PT-01M-20060808	David Webb	8/8/2006	09:45 AM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/9/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/9/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/9/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/9/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-01D	PT-01D-20060808	David Webb	8/8/2006	09:10 AM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/9/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/9/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/9/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/9/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh
PT-01D	PT-01D-20060814	David Webb	8/14/2006	01:30 PM	EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/17/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
PT-01D	PT-01D-20060817	David Webb	8/17/2006	11:30 AM	Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
PT-01D	PT-01D-20060821	David Webb	8/21/2006	11:55 AM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/23/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/26/2006	Cherry Dam
PT-01D	PT-01D-20060822	David Webb	8/22/2006		EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
PT-01D	PT-01D-20060824	David Webb	8/24/2006	10:05 AM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					EMAX	E300.0	Iodide	8/27/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/27/2006	Jay Kim
PT-01D	PT-01D-20060821D	David Webb	8/21/2006	11:55 AM	Ozark	OHM In-House Method	Fluorescein	8/30/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/26/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-01D	PT-01D-20060824D	David Webb	8/24/2006	10:05 AM	EMAX	E300.0	Iodide	8/27/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/27/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/30/2006	Margaret Ridinger
PT-02S	PT-02S-20060808	David Webb	8/8/2006	09:20 AM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-02M	PT-02M-20060808	David Webb	8/8/2006	10:10 AM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-02D	PT-02D-20060807	David Webb	8/7/2006	12:00 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/12/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/8/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/12/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/10/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh
PT-02D	PT-02D-20060814	David Webb	8/14/2006	02:55 PM	EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/17/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
PT-02D	PT-02D-20060817	David Webb	8/17/2006	12:05 PM	Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
PT-02D	PT-02D-20060821	David Webb	8/21/2006	12:45 PM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/23/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/26/2006	Cherry Dam
PT-02D	PT-02D-20060824	David Webb	8/24/2006	10:40 AM	EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger
PT-02D	PT-02D-20060814D	David Webb	8/14/2006	02:55 PM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					EMAX	E300.0	Iodide	8/27/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/27/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/30/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/22/2006	Cherry Dam
PT-02D					EMAX	E415.1	Total Organic Carbon	8/18/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-02D	PT-02D-20060817D	David Webb	8/17/2006	12:05 PM	EMAX	E300.0	Iodide	8/22/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/23/2006	Margaret Ridinger
PT-03S	PT-03S-20060808	David Webb	8/8/2006	02:55 PM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/13/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/12/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-03M	PT-03M-20060808	David Webb	8/8/2006	01:55 PM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-03D	PT-03D-20060808	David Webb	8/8/2006	11:45 AM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh
PT-03D	PT-03D-20060814	David Webb	8/14/2006	02:10 PM	EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/17/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
PT-03D	PT-03D-20060817	David Webb	8/17/2006	12:40 PM	Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
PT-03D	PT-03D-20060821	David Webb	8/21/2006	02:40 PM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/23/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/26/2006	Cherry Dam
PT-03D	PT-03D-20060824	David Webb	8/24/2006	11:10 AM	EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					EMAX	E300.0	Iodide	8/27/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/27/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/30/2006	Margaret Ridinger

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-04S	PT-04S-20060808	David Webb	8/8/2006	02:40 PM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-04M	PT-04M-20060808	David Webb	8/8/2006	02:05 PM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-04D	PT-04D-20060808	David Webb	8/8/2006	11:25 AM	EMAX	E160.1	Total Dissolved Solids	8/15/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/15/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/11/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-05S	PT-05S-20060809	David Webb	8/9/2006	10:10 AM	EMAX	E160.1	Total Dissolved Solids	8/14/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/14/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/15/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/16/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/15/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/14/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/14/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/14/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/14/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-05M	PT-05M-20060809	David Webb	8/9/2006	09:40 AM	EMAX	E160.1	Total Dissolved Solids	8/14/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/14/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/15/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/16/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/15/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/14/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/14/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/14/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/14/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/10/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-05D	PT-05D-20060809	David Webb	8/9/2006	08:48 AM	EMAX	E160.1	Total Dissolved Solids	8/14/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/14/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/15/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/16/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/15/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/14/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/14/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/14/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/14/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/10/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-06S	PT-06S-20060809	David Webb	8/9/2006	10:20 AM	EMAX	E160.1	Total Dissolved Solids	8/14/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/14/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/15/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/16/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/15/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/15/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/14/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/15/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/15/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/14/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/9/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-06M	PT-06M-20060809	David Webb	8/9/2006	09:45 AM	EMAX	E160.1	Total Dissolved Solids	8/14/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/14/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/15/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/16/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/15/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/15/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/15/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/15/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/14/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/10/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PT-06D	PT-06D-20060809	David Webb	8/9/2006	08:45 AM	EMAX	E160.1	Total Dissolved Solids	8/14/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/10/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/13/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/13/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/10/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/10/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/13/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/14/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/14/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/15/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/10/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/16/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/15/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/15/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/15/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/15/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/15/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/14/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/10/2006	Stanley Hsieh
PTI-01S	PTI-01S-20060807	David Webb	8/7/2006	03:05 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/11/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PTI-01M	PTI-01M-20060807	David Webb	8/7/2006	02:25 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
PTI-01D	PTI-01D-20060807	David Webb	8/7/2006	01:35 PM	Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh
					EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
PTI-01D	PTI-01D-20060815	David Webb	8/15/2006	08:30 AM	EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
PTI-01D	PTI-01D-20060817	David Webb	8/17/2006	02:35 PM	EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
PTI-01D	PTI-01D-20060822	David Webb	8/22/2006	09:55 AM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/23/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/29/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
PTI-01D	PTI-01D-20060824	David Webb	8/24/2006	2:20 PM	Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					EMAX	E300.0	Iodide	8/27/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/27/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/30/2006	Margaret Ridinger

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PE-01	PE-01-20060807	Gary Cliff	8/7/2006	01:58 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/12/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/8/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/12/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/10/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
PE-01	PE-01-20060807D	Gary Cliff	8/7/2006	01:58 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/12/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/8/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/12/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/10/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
TW-02D	TW-02D-20060807	Gary Cliff	8/7/2006	12:09 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/12/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/8/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/12/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/10/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh
TW-02D	TW-02D-20060814	Gary Cliff	8/14/2006	12:15 PM	EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/17/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
TW-02D	TW-02D-20060817	Gary Cliff	8/17/2006	03:10 PM	Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
TW-02D	TW-02D-20060822	Gary Cliff	8/22/2006	10:45 AM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/23/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/26/2006	Cherry Dam
TW-02D	TW-02D-20060824	Gary Cliff	8/24/2006	9:45 AM	EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					EMAX	E300.0	Iodide	8/27/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/27/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/30/2006	Margaret Ridinger

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
TW-03D	TW-03D-20060807	Gary Cliff	8/7/2006	11:33 AM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/12/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/8/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/12/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/11/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/11/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/11/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/11/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/10/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh
TW-03D	TW-03D-20060814	Gary Cliff	8/14/2006	12:30 PM	EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/17/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
TW-03D	TW-03D-20060817	Gary Cliff	8/17/2006	03:00 PM	Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
TW-03D	TW-03D-20060822	Gary Cliff	8/22/2006	10:20 AM	FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/23/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/31/2006	Cherry Dam
TW-03D	TW-03D-20060824	Gary Cliff	8/24/2006	9:30 AM	EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger
					FieldAnalysis	IM-3	Chromium, hexavalent-Field		
					EMAX	E300.0	Iodide	8/27/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/27/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/30/2006	Margaret Ridinger

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
INJ_SOLUTION_03	INJ_SOLUTION_03-20060811	Gary Cliff	8/11/2006	09:30 AM	EMAX	E160.1	Total Dissolved Solids	8/17/2006	Karen Hikarawa
					EMAX	E300.0	Iodide	8/16/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/21/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/16/2006	Margaret Ridinger
Field Blank	FB-20060807	David Webb	8/7/2006	12:41 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/8/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/8/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/8/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/10/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/10/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/10/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/10/2006	Jon Elliott
Field Blank	FB-20060814	David Webb	8/14/2006	02:20 PM	Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh
					EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/17/2006	Jay Kim
Field Blank	FB-20060821	David Webb	8/21/2006	12:00 PM	Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/26/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger

Table 5
Summary of Monitoring Information
PG&E Topock
Needles, California

August 2006 Monitoring Reports for the Floodplain Reductive Zone In Situ Pilot Test

Location	Sample ID	Sampler Name	Sample Date	Sample Time	Lab	Analysis Method	Parameter	Analysis Date	Lab Technician
Equipment Blank	EB-20060807	David Webb	8/7/2006	01:04 PM	EMAX	E160.1	Total Dissolved Solids	8/11/2006	Karen Hikarawa
					EMAX	E300.0	Bromide	8/8/2006	Cherry Dam
					EMAX	E300.0	Chloride-cl	8/8/2006	Cherry Dam
					EMAX	E300.0	Iodide	8/12/2006	Cherry Dam
					EMAX	E300.0	Nitrate-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Nitrite-n	8/8/2006	Cherry Dam
					EMAX	E300.0	Orthophosphate-p	8/8/2006	Cherry Dam
					EMAX	E300.0	Sulfate	8/8/2006	Cherry Dam
					EMAX	E310.1	Alkalinity	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity bicarbonate	8/11/2006	Supakit Deesopha
					EMAX	E310.1	Alkalinity carbonate	8/11/2006	Supakit Deesopha
					EMAX	E376.1	Sulfide	8/10/2006	Kam Ng
					EMAX	E415.1	Total Organic Carbon	8/8/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/14/2006	Margaret Ridinger
					EMAX	SW6010B	Iron-Total	8/11/2006	Chris Capulong
					EMAX	SW6020A	Arsenic	8/10/2006	Jon Elliott
					EMAX	SW6020A	Calcium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Chromium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Iron-Dissolved	8/10/2006	Jon Elliott
					EMAX	SW6020A	Magnesium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Manganese	8/10/2006	Jon Elliott
					EMAX	SW6020A	Potassium	8/10/2006	Jon Elliott
					EMAX	SW6020A	Sodium	8/10/2006	Jon Elliott
					Truesdail	SW7199	Chromium, hexavalent	8/7/2006	Stanley Hsieh
Equipment Blank	EB-20060814	David Webb	8/14/2006	01:40 PM	EMAX	E300.0	Iodide	8/20/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/17/2006	Jay Kim
Equipment Blank	EB-20060821	David Webb	8/21/2006	12:10 PM	Ozark	OHM In-House Method	Fluorescein	8/21/2006	Margaret Ridinger
					EMAX	E300.0	Iodide	8/26/2006	Cherry Dam
					EMAX	E415.1	Total Organic Carbon	8/25/2006	Jay Kim
					Ozark	OHM In-House Method	Fluorescein	8/25/2006	Margaret Ridinger

Notes:

N	Normal
EB	Equipment Blank
FB	Field Blank
FD	Field Duplicate
EMAX	EMAX Laboratories, Inc
Severn Trent	Severn Trent Laboratories, Inc.
Ozark	Ozark Underground Laboratory
Truesdail	Truesdail Laboratory

Table 6
Summary of Operational and Maintenance Interruptions
PG&E Topock
Needles, California
August 2006 Monitoring Report for the Floodplain Reductive Zone In-Situ Pilot Test

Location Designation	Date(s) of Interruption	Type of Interruption	Explanation
PT-5M	9-Aug-06	OP	Hexavalent Chromium analyzed outside USEPA-recommended 24-hour holding time. Results may still be used for their intended purpose.
PT-5D	9-Aug-06	OP	Hexavalent Chromium analyzed outside USEPA-recommended 24-hour holding time. Results may still be used for their intended purpose.
PT-6M	9-Aug-06	OP	Hexavalent Chromium analyzed outside USEPA-recommended 24-hour holding time. Results may still be used for their intended purpose.
PT-6D	9-Aug-06	OP	Hexavalent Chromium analyzed outside USEPA-recommended 24-hour holding time. Results may still be used for their intended purpose.


Notes:

PT- Pilot test monitoring well
OP Operational Interruption
USEPA United States Environmental Protection Agency




Legend

- Monitoring Well Locations
- Extraction Well Locations
- Injection Well Locations



SITE PLAN

NEEDLES, CALIFORNIA



Source: MWH Draft In-Situ Hexavalent Chromium Reduction Pilot Test Work Plan, Upland Plume Treatment, 2006.

Legend

- Monitoring Well Locations
- Extraction Well Locations
- Injection Well Locations



0 FEET 100
SCALE

Project Director N. MORGAN-BUTCHER	Area Manager J. PETERS	 ARCADIS G&M, Inc. 1050 Marina Way South Richmond, CA 94804 Tel: 510-233-3200 Fax: 510-233-3204 www.arcadis-us.com	SAMPLE LOCATION MAP PG&E TOPOCK FACILITY NEEDLES, CALIFORNIA	Project Number RC000689.0001
Task Manager H. VOSCOTT	Technical Review			Figure 2
Drawing Date 05 APR 06	Drawn By M. CHIU			

Appendix A

Calibration Logs for Field Monitoring
Instruments

Appendix B

Groundwater Sampling Logs

Appendix C

Analytical Reports and Chain-of-
Custody Documentation
(on Compact Disc)