

Yvonne Meeks Manager

Environmental Remediation

Mailing Address 4325 South Higuera Sreet San Luis Obispo, CA 93401 Tel: (805) 234-2257

Email: yjm1@pge.com

October 11, 2013

Mr. Robert Perdue
Executive Officer
California Regional Water Quality Control Board
Colorado River Basin Region
73-720 Fred Waring Drive, Suite 100
Palm Desert, California 92260

Subject: PG&E Topock Compressor Station, Needles, California

Upland In-Situ Pilot Test

2013 Annual Monitoring Report

(Rescinded Board Order R7-2007-0015)

Dear Mr. Perdue:

Enclosed is the 2013 Annual Monitoring Report for the Pacific Gas and Electric Company (PG&E) Topock Compressor Station, Upland reductive zone in situ pilot test. Although the Waste Discharge Requirement (WDR) issued by the Colorado River Basin Regional Water Quality Control Board (Water Board) under Board Order R7-2007-0015 was rescinded in May 2009, PG&E is continuing to monitor the test area and is providing this report for your information.

If you have any questions regarding this report, please call me at (805) 234-2257.

Sincerely,

Yvonne Meeks

Topock Project Manager

Enclosures:

2013 Annual Monitoring Report for the Upland Reductive Zone In Situ Pilot Test.

cc: Jose Cortez, Water Board

Aaron Yue, DTSC (2 copies)

Yronne Meeke

Pacific Gas and Electric Company

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

PG&E Topock Compressor Station San Bernardino County, California

October 11, 2013

Document ID: PGE20131011A

This report was prepared under the supervision of a California licensed Professional Geologist (PG)

Janis Lutrick Senior Scientist

Margaret Gentile, PhD
Principal Environmental Engineer

Lin R. Kellogg

Margaret Skottele

Jais Satuh

Lisa Kellogg, PG, CEM Principal Geologist Certified Project Manager

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

PG&E Topock Compressor Station San Bernardino County, California

Document ID: PGE20131011A

Prepared for:

Pacific Gas and Electric Company

Prepared by: ARCADIS 630 Plaza Drive Suite 100 Highlands Ranch Colorado 80129 Tel 303 471 3500 Fax 303 471 3535

Our Ref.:

RC000753.0011.00004

Date

October 11, 2013

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential, and exempt from disclosure under applicable law.

ARCADIS Table of Contents

1.0	Introd	uction	1
2.0	In-Situ	u Pilot Test Sampling Locations	2
3.0	Descr	iption of Activities	3
4.0	Groun	ndwater Sampling and Analytical Procedures	4
5.0	Groun	ndwater Analytical Results	5
6.0	Refere	ences	7
7.0	Certifi	ication	8
Tak	oles		
	1	Boring and Well Construction Detail Summary	
	2	Summary of Field Parameters	
	3	Summary of Primary Analytical Parameters	
	4	Summary of Secondary Analytical Parameters	
	5	Summary of Supplemental Metals	
Fig	ures		
	1	Site Plan	
	2	Upland ISPT Area	
	3	Upland ISPT Cross Section	
Αp	pendic	es	
	Α	Communications	
	В	Calibration Logs for Field Monitoring Instruments	
	С	Groundwater Sampling Logs	
	D	Analytical Reports and Chain-of-Custody Documentation (on Compact Disc)	

ARCADIS Acronyms and Abbreviations

Calscience Environmental Laboratories, Inc.

gpm Gallons per minute

ISPT In-Situ Pilot Test

μg/L Micrograms per liter

mg/L Milligrams per liter

MRP Monitoring and Reporting Program

OZARK Ozark Underground Laboratories, Inc.

PG&E Pacific Gas and Electric Company

SAFPM Sampling, Analysis, and Field Procedures Manual, PG&E

Topock Program, Revision 1

S/M/D Shallow/Middle/Deep

TOC Total Organic Carbon

Truesdail Laboratories

USEPA United States Environmental Protection Agency

Water Board California Regional Water Quality Control Board,

Colorado River Basin Region

Work Plan In-Situ Hexavalent Chromium Reduction Pilot Test Plan –

Upland Plume Treatment (September 2006)

2013 Annual
Monitoring Report for
the Upland Reductive
Zone In-Situ Pilot Test

1.0 Introduction

Pacific Gas and Electric Company (PG&E) implemented an Upland reductive zone insitu pilot test (ISPT) to address chromium concentrations in groundwater at the Topock Compressor Station (the Site) near Needles, California. The purpose of the Upland ISPT was to evaluate the efficacy of using a reagent mixture to remove hexavalent chromium from groundwater using chemical reduction to form stable, insoluble trivalent chromium. The Upland ISPT consisted of the recirculation of the reagent mixture between the two recirculation wells (PTR-1 and PTR-2) from March 6, 2008 through November 1, 2008; results were monitored in surrounding groundwater monitoring wells (PT-7 Shallow/Middle/Deep [S/M/D] through PT-9S/M/D, MW-11, MW-24A/B, and MW-38S/D). Figure 1 provides a map of the PG&E Topock Compressor Station and ISPT area (all figures are provided at the end of the report).

California Regional Water Quality Control Board, Colorado River Basin Region (Water Board), Order No. R7-2007-0015 authorized PG&E to inject a total of approximately 38,000 gallons of reagent through the duration of the test. An automated reagent dosing system metered the reagent injections at regular intervals during each day of the pilot test. The pilot test concluded activities on December 3, 2008, at the end of the nine month period allowed in Order No. R7-2007-0015.

The Monitoring and Reporting Program (MRP) under Order No. R7-2008-0015 required a final report to be submitted within 90 days of the completion of the ISPT. The *Upland Reductive Zone In-Situ Pilot Test, Final Completion Report* (ARCADIS 2009a) was submitted on March 3, 2009 and summarizes the activities and results related to the Upland ISPT from March 2008 through December 3, 2008.

The Monitoring and Reporting Program (MRP) under Order No. R7-2007-0015 required monthly monitoring reports to be submitted by the 15th day of the following month. A letter requesting the Order be rescinded was submitted to the Water Board on March 20, 2009 (Appendix A). The rescission was approved on May 21, 2009. While active injection and operation of the in situ pilot test has ceased, ARCADIS has continued to take monitoring samples from the Upland ISPT area in order to document ongoing conditions at the site. This report describes monitoring activities and results related to the Upland ISPT for the last year, spanning from the fourth quarter of 2012 through the third quarter 2013; reports will continue to be submitted annually.

PG&E Topock Compressor Station San Bernardino County, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

2.0 In-Situ Pilot Test Sampling Locations

Table 1 summarizes the well construction details for the recirculation wells (PTR-1 and PTR-2) and monitoring wells (PT-7S/M/D through PT-9S/M/D, MW-11, MW-24A/B, and MW-38S/D). Figure 2 provides a map of the sampling locations. Figure 3 presents the well construction and cross section information for the monitoring wells sampled in the Upland ISPT. The sampling list includes the following wells: PT-7S/M/D through PT-9S/M/D, MW-11, and MW-24A/B.

PG&E Topock Compressor Station San Bernardino County, California

.

2013 Annual
Monitoring Report for
the Upland Reductive
Zone In-Situ Pilot Test

3.0 Description of Activities

During the past year, ARCADIS completed two sampling rounds associated with the Upland ISPT. Associated field activities were performed in accordance with the applicable procedures contained within the *Sampling, Analysis, and Field Procedures Manual, PG&E Topock Program, Revision 1 ("SAFPM")* (CH2M Hill, 2005).

The two sampling events were conducted in January 2013 and July 2013. Data from three events (the November 2011 data is also included as it has not been previously reported) are included in this report.

Samples were collected, labeled, and packaged according to the SAFPM, as summarized in Section 4.0. Table 2 presents the field parameter results. Tables 3 and 4 present the groundwater analytical results, including historical data from July 2007 to present. Calibration logs for field-monitoring instruments are included in Appendix B. Groundwater sampling logs are included in Appendix C.

With the rescission of the Waste Discharge Requirements for the pilot test, the groundwater analytical suite was reduced to the following parameters: total dissolved chromium, hexavalent chromium, fluorescein, rhodamine, nitrate, sulfate, dissolved iron, dissolved manganese, dissolved arsenic, dissolved molybdenum, dissolved selenium, total organic carbon, and bicarbonate alkalinity. Barium analysis was added to the sampling program in the first quarter of 2010 after baseline samples collected in the third quarter of 2009 indicated barium concentrations had increased.

PG&E Topock Compressor Station San Bernardino County, California

2013 Annual
Monitoring Report for
the Upland Reductive
Zone In-Situ Pilot Test

4.0 Groundwater Sampling and Analytical Procedures

PG&E Topock Compressor Station San Bernardino County, California

Groundwater sampling and associated tasks were performed in accordance with the applicable procedures contained in the SAFPM (CH2M Hill, 2005) and are summarized below.

Monitoring wells were purged and sampled. Prior to groundwater sampling, the depth to water was recorded for each well. These data were used to evaluate the volume of standing water in the well. The monitoring wells were purged using a WaTerra® purge pump with dedicated polyethylene tubing. Purging continued until three casing volumes had been removed. The field parameters, such as pH, specific conductance, and temperature were recorded (Table 2). After completion of purging, the groundwater samples were collected in the appropriate containers.

The samples were stored in coolers at approximately 4 degrees Celsius and transported to Truesdail, Calscience, and Ozark via a courier service under chain-of-custody documentation. Truesdail and Calscience are certified by the California Department of Health Services (Certification #1237 and #1230, respectively) under the State of California's Environmental Laboratory Accreditation Program.

Analyses were performed in accordance with the latest edition of the "Guidelines Establishing Test Procedures for Analysis of Pollutants" (40 CFR Part 136), or equivalent methods promulgated by the USEPA.

Sample results are summarized in Tables 3, 4, and 5. Calibration logs for field-monitoring instruments are presented in Appendix B. Sampling logs are presented in Appendix C. Copies of laboratory analytical results are presented on compact disc in Appendix D.

Table 6 identifies the laboratory that performed each analysis and lists the following required monitoring information:

- Sample Location
- Sample identification
- Sampler name

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

- Sample date
- Sample time
- Laboratory performing the analysis
- Analysis method
- Analysis date
- Laboratory technician

Higher doses of carbon in the vicinity of PT-7M and PT-7D resulted in the temporary generation of carbon dioxide gas beyond the ability of the aquifer to diffuse the gas naturally. There were issues in the past regarding use of the down-well pump because it could not be primed due to the amount of gas present in the purge water from the well. However, the down-well pump has been used to collect samples from PT-7D and PT-7M since the July 2011 event.

Groundwater samples from the sampling events were analyzed for hexavalent chromium (United States Environmental Protection Agency [USEPA] Method 218.6 SM 2500-Cr) and total dissolved chromium (USEPA Method SW 6020) by Truesdail Laboratories (Truesdail); dissolved arsenic, dissolved barium, dissolved manganese, dissolved molybdenum, dissolved selenium, and dissolved iron (USEPA 200.8), sulfate and nitrate (USEPA 300), alkalinity bicarbonate (USEPA Method 2320B), and total organic carbon (TOC) (USEPA Method 5310B), by Calscience Environmental Laboratories, Inc. (Calscience); and for fluorescein and Rhodamine WT by Ozark Underground Laboratories, Inc. (fluorescence spectroscopy according to Ozark standard operating procedures). Hexavalent chromium was also analyzed in the field at the Interim Measures 3 facility using HACH Method 8023 - program 1560.

5.0 Groundwater Analytical Results

Summaries of the field test parameters, primary and secondary parameters, and supplementary metals are presented in Tables 2, 3, 4, and 5, respectively.

Approximately four and a half years after completing the pilot study, Cr(VI) continues to be treated in areas where TOC distribution was greatest and strong reducing conditions were established during the pilot study operation. In addition, by-product

PG&E Topock Compressor Station San Bernardino County, California

2013 Annual
Monitoring Report for
the Upland Reductive
Zone In-Situ Pilot Test

concentrations have either returned to baseline levels or are following generally declining trends.

PG&E Topock Compressor Station San Bernardino County, California

Cr(VI) concentrations have been stable over the last three years. Cr(VI) continues to be treated as indicated by concentrations below baseline, although the extent of reduction varies across the pilot study area and is correlated with the extent of organic carbon distribution achieved during the pilot study. During operation, the distribution of organic carbon varied with distance from the injection locations, as shown in Figure 3. Significant concentrations of organic carbon were distributed and maintained at MW-24A and PT-8S from injection at PTR-2 and at PT-7M and PT-7D from injection at PTR-1 (areas shown in dark blue on Figure 3). At these locations, Cr(VI) concentrations have remained at, or below, the reporting limit of 0.2 microgram per liter (µg/L) since the end of the pilot test; suggesting complete reduction has been maintained. In locations where organic carbon concentrations were distributed at lower concentrations and less consistently over time (areas shown in light blue on Figure 3), Cr(VI) concentrations are stable below baseline levels, indicating incomplete reduction has been maintained (e.g. in July 2013, PT-7S yielded a Cr(VI) concentration of 463 µg/L compared to a baseline concentration of 1,200 µg/L and PT-8D yielded a Cr(VI) concentration of 1,080 µg/L compared to baseline concentration of 6,540 µg/L). At PT-8M, where organic carbon was not distributed during operation, Cr(VI) concentrations continue to decline and reached a minimum during the July 2013 event (38 µg/L) compared to a baseline concentration of 3,960 µg/L, indicating the arrival of treated groundwater that was distributed upgradient of this location during operation.

Arsenic and manganese concentrations have also been relatively stable or changing gradually over the last year. At locations where organic carbon was distributed during operation (PT-7S, PT-7M, PT-7D, PT-8S, PT-8D, and MW-24A), as shown in dark blue on Figure 3, manganese and arsenic concentrations temporarily increased as a result of the anaerobic dissolution of manganese and arsenic-bearing minerals. Arsenic concentrations have returned to baseline levels across the pilot test monitoring well network. Manganese concentrations decreased by an order of magnitude in the first year and a half following the end of active operations and have been relatively stable over the past year.

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

6.0 References

ARCADIS, 2006. In-Situ Hexavalent Chromium Reduction Pilot Test Work Plan, Upland Plume Treatment (Work Plan), Waste Discharge Requirements, Order No. R7-2006-0015, PG&E Topock Compressor Station, San Bernardino County, California, September 29.

PG&E Topock Compressor Station San Bernardino County, California

- ARCADIS, 2008. PG&E, Floodplain Reductive Zone In-Situ Pilot Test, Final Completion Report, PG&E Topock Compressor Station, San Bernardino County, California, March 5.
- ARCADIS, 2009a. PG&E, Upland Reductive Zone In-Situ Pilot Test, Final Completion Report, PG&E Topock Compressor Station, San Bernardino County, California, March 3.
- ARCADIS, 2009b. PG&E, Third Quarter 2009 Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test, PG&E Topock Compressor Station, San Bernardino County, California, December 15.
- California Regional Water Quality Control Board, Colorado River Basing Region, 2008. Letter to Yvonne J. Meeks, Project Manager, Pacific Gas & Electric Company, May 29, 2008.
- CH2M Hill, 2005. Sampling, Analysis, and Field Procedures Manual (SAFPM), PG&E Topock Program, PG&E Topock Compressor Station Needles, California, March 31, 2005.
- Cooper, D.C., Morse, J.W. 1998. Extractability of metal sulfide minerals in acidic solutions: application to environmental studies of trace metal contamination within anoxic sediments. Environmental Science and Technology. 32: 1076-1078.
- Gleyzes, C., Tellier, S., and Astruc, M. 2002. Fractionation studies of trace elements in contaminated soils and sediments: a review of sequential extraction procedures. Trends in Analytical Chemistry. 21(6,7): 451 467.
- Pacific Gas & Electric Company, 2008. Letter to Robert Perdue. Executive Officer. California Regional Water Quality Control Board, Colorado River Basin Region, May 29, 2008.

2013 Annual
Monitoring Report for
the Upland Reductive
Zone In-Situ Pilot Test

7.0 Certification

PG&E submitted a signature delegation letter to the Water Board on July 5, 2006. The letter delegated PG&E's signature authority to Mr. Curt Russell and Ms. Yvonne Meeks.

PG&E Topock Compressor Station San Bernardino County, California

Certification Statement:

I declare under the penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.

Monne Meeke

Signature:

Name: Yvonne Meeks

Company: PG&E

Title: Project Manager
Date: October 11, 2013

Table 1 Boring and Well Construction Detail Summary

PG&E Topock

Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Well or Boring Designation	Date Completed	Aquifer Zone	Ground Elevation*	TOC Elevation**	Total Depth of Boring	Casing Diameter	Boring Diameter	Well Completion Depth	Well Completion Elevation	Screen Depth Interval	Screen Elevation Interval	Sand Pack Depth Interval	Sand Pack Elevation Interval	Bentonite Depth Interval	Bentonite Elevation Interval	Well Permit Number	Distance From PTR-1	Distance From PTR-2	Latitude	Longitude
_			(feet msl)	(feet msl)	(feet bgs)	(inches)	(inches)	(feet bgs)	(feet msl)	(feet bgs)	(feet msl)	(feet bgs)	(feet msl)	(feet bgs)	(feet msl)		(feet)	(feet)		
PT-7S	11-May-07	S	-	561.04	155	2	6	230	330.54	130-150	431-411	129-155	432-406	127-129	434-432	2007040400	17	122	34.71663	-114.49390
PT-7M	11-May-07	M	-	560.66***	187.5	2	6	187.5	373.66	165-185	396-376	164-187	397-374	162-164	399-397	2007040401	20	118	34.71662	-114.49391
PT-7D	11-May-07	D	-	560.46	221.5	2	6	230	330.42	197-217	363-343	196-221.5	364-338.5	194-196	366-364	2007040402	17	122	34.71663	-114.49390
PT-8S	21-May-07	S	-	562.60	152	2	6	225	337.60	127-147	436-416	126-152	437-411	124-126	439-437	2007040403	68	70	34.71650	-114.49382
PT-8M	21-May-07	M	562.47	562.59	184.5	2	6	184.5	378.09	162-182	401-381	161-184.5	402-378.5	159-161	404-402	2007040404	67	71	34.71651	-114.49381
PT-8D	21-May-07	D	-	562.07	212.5	2	6	225	337.07	190-210	373-353	189-212.5	374-350.5	187-189	376-374	2007040405	68	70	34.71650	-114.49382
PT-9S	6-Jun-07	S	-	559.68	153	2	6	218	341.67	128-148	432-412	126-153	434-407	120-126	440-434	2007040406	119	180	34.71684	-114.49362
PT-9M	6-Jun-07	M	559.50	559.67	187	2	6	187	372.67	162-182	398-378	158-187	402-373	155-158	405-402	2007040407	116	181	34.71684	-114.49364
PT-9D	6-Jun-07	D	559.56	559.66	212.5	2	6	218	341.66	190-210	370-350	188-212.5	372-347.5	156-188	404-372	2007040408	120	181	34.71684	-114.49362
MW-11	30-Jun-97	S	-	522.19	86.5	4	6	84	438.19	62-82	460-480	59-83	522.83-509.83	55-59	467.19-463.19	-	179	282	-	-
MW-24A	13-May-96	S	-	567.44	124.5	4	-	124.5	441.50	104-124	443-463	99-124.5	441.5-416.5	91-99	475-467	-	131	12	-	-
MW-24B	16-May-98	M	-	565.18	217.5	4	-	217.5	348.50	193-213	373-393	188-217.5	378-348.5	182.5-188	383.5-378	-	127	59	-	-
MW-38S	11-Apr-04	S	522.8	526.66	130	2	-	130	400.00	75-95	455-475	70-95.3	460-434.7	65-70	465-460	-	308	270	34.718640	-114.494285
MW-38D	10-Apr-04	D	523.0	526.74	195	2	-	195	335.00	166-188	364-384	152.8 - 188.3	377.2-341.7	147-152.8	383-377.2	-	323	280	34.715851	-114.494402
PTR-1	2-May-07	S/D	554***	560.21	225	6	10	225	335.21	125-160	435-470	123-162	442-403	118-123	442-437	2007040409	0	138	34.71666	-114.49395
	a, 0.	5,5				Ü	. •			175-220	385-340	173-225	392-340	162-173	398-387		,	. 30	2000	
PTR-2	2-May-07	S/D	554***	564.94	223	6	10	223	341.94	118-158	447-407	117-159	448-406	115-117	450-448	2007040410	138	0	34.71634	-114.49369
	=a, or	-,-		22 1.0 1		•	.0		2	173-218	392-347	172-223	393-218	159-172	406-393		. 50		200 1	

Notes:

feet bgs Feet below ground surface feet msl Feet mean sea level

PTI- Pilot test injection well

PT- Pilot test monitoring well

S Shallow

M Middle

D Deep TOC Top of casing

Elevations are in feet, North American Vertical Datum of 1988 (NAVD 88), NGS data sheet EU0763.

** Reference elevation

** Elevations are approximate, resurvey in progress

Not available

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (µg/L)
PT-7S	18-Jul-07	N	130-150	-62.7	7.67	5,697	31.25	4.13	103.58	920
	22-Jan-08	Ν		132	7.60	4,369	23.5	4.12	105.75	1,760
	06-Mar-08	N		-70.4	7.26	5,514	29.47	0.54	105.11	1,800
	13-Mar-08	N		-112.4	7.32	4,860	29.6	0.15	104.98	1,400
	18-Mar-08	N		-114.1	7.42	5,328	29.6	0.075	104.89	1,280
	25-Mar-08	N		-55.9	7.43	5,235	29.69	0.87	104.66	1,680
	02-Apr-08	Ν		-179.1	7.50	5,577	29.68	0.41	104.78	1,700
	17-Apr-08	Ν		-161.8	7.37	5,682	27.01	0.66	104.26	1,340
	29-Apr-08	Ν		-210.6	7.37	4,804	29.75	0.35	103.33	220
	15-May-08	N		-155.6	7.35	5,090	30.1	0.38	103.72	1,040
	29-May-08	Ν		-143	7.33	5,781	29.88	0.33	103.77	1,440
	11-Jun-08	Ν		41.6	7.27	5,694	29.95	0.72	103.64	1,800
	24-Jun-08	Ν		0.2	6.83	5,044	30.11	0.16	103.55	1,060
	23-Jul-08	N		22.8	7.47	5,503	30.13	0.18	103.59	201
	21-Aug-08	N		-92.0	7.39	6,500	30.15	0.67	103.53	820
	18-Sep-08	N		-165.8	7.54	5,479	28.63	0.79	104.22	489
	15-Oct-08	N		5363.0	7.20	5,362	29.97	0.32	104.48	<10
	12-Nov-08	N		-109.4	7.60	5,897	29.93	0.17	104.78	280
	05-Feb-09	Ν		-18.2	7.54	5,791	30.50	0.39	105.39	166
	15-May-09	Ν		78.6	7.01	6,004	30.61	0.06	103.60	<10
	04-Aug-09	Ν		49.8	7.02	5,759	30.87	0.44	103.97	1,120
	29-Oct-09	N		52.1	7.08	5,682	30.19	0.14	105.68	774
	13-Jan-10	Ν		172.2	7.26	5,646	30.06	0.42	105.25	1,000
	08-Apr-10	Ν		56.3	7.14	5,868	30.68	0.18	104.40	586
	14-Jul-10	Ν		155.7	7.23	6,417	31.00	0.05	103.62	662
	14-Oct-10	Ν		132.9	7.36	5,407	30.30	0.08	104.26	678
	18-Jan-11	N		-44.4	7.27	5,554	30.14	1.09	105.14	<10
	13-Apr-11	N		-13.9	7.34	5,327	30.90	0.03	104.10	591
	12-Jul-11	N		-95.8	7.32	5,470	30.38	0.28	103.58	600
	16-Nov-11	Ν		-69.4	7.36	5,584	30.75	0.15	105.35	549
	14-Feb-12	Ν		-46.3	7.29	5,648	30.17	0.20	104.70	527
	31-Jul-12	N		-288.30	7.20	5,464	30.12	0.03	103.75	547
	29-Jan-13	N		11.60	7.33	5,425	29.90	0.08	105.81	549
	09-Jul-13	N		123.70	7.35	5,104	28.60	1.32	103.90	488

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
PT-7M	19-Jul-07	N	165-185	-40.2	7.76	7,224	33.99	3.75	103.90	1,480
	24-Jan-08	N		10.6	7.17	9,257	30.06	0.85	105.79	2,840
	06-Mar-08	Ν		-487	7.34	6,818	29.91	0.07	105.48	22
	13-Mar-08	Ν		-280.12	6.99	6,650	29.99	0.08	105.06	240
	18-Mar-08	Ν		-324.9	6.85	6,870	30.21	0.057	105.07	86
	25-Mar-08	Ν		-320.6	6.75	6,806	30.25	0.46	104.67	37
	02-Apr-08	Ν		-338.3	7.01	7,208	30.20	0.13	104.83	220
	17-Apr-08	Ν		-231.4	6.85	6,980	28.00	0.55	104.31	80
	29-Apr-08	Ν		-278.6	6.89	6,610	30.55	0.36	101.26	1,020
	14-May-08	Ν		-254.3	6.72	7,802	30.82	0.13	103.80	80
	29-May-08	Ν		-213.9	6.76	7,526	30.81	0.22	103.72	60
	11-Jun-08	Ν		-199.3	6.77	6,879	31.07	0.27	83.83	27
	19-Jun-08	N		-239.1	6.74	8,241	31.02	0.08	102.84	
	25-Jun-08	Ν		-161.8	6.66	7,973	31.11	0.13	79.51	35
	01-Jul-08	N		-217.2	6.61	7,604	31.41	0.04	97.30	
	23-Jul-08	N		-187.9	6.68	7,417	31.48	0.13	88.72	14
	21-Aug-08	N		-189.2	6.72	8,498	31.49	0.32	103.48	160
	18-Sep-08	N		-231.0	6.78	7,506	31.57	0.57	104.51	37
	15-Oct-08	N		-199.3	7.29	7,931	25.91	1.05	103.89	419
	12-Nov-08	Ν		-35.9	6.82	5,974	22.76	0.94	104.77	<10
	15-May-09	N		-171.3	7.07	6,355	29.25	1.06	104.70	<10
	04-Aug-09	Ν		-144.7	7.25	6,511	32.94	0.56	104.90	<10
	29-Oct-09	Ν		-168.2	7.17	7,689	23.05	1.02	105.77	51
	13-Jan-10	Ν		-171.1	7.19	7,615	24.80	0.70	105.49	<10
	14-Jul-10	Ν		-73.2	7.07	9,839	44.00	0.27	103.50	20
	14-Oct-10	Ν		-152.7	6.97	6,111	29.84	1.10	104.28	<10
	18-Jan-11	Ν		-127.4	7.00	6,288	24.08	2.15	104.88	<10
	14-Apr-11	Ν		-127.8	6.98	6,194	25.10	0.53	104.16	14
	13-Jul-11	N		-101.6	6.85	6,673	33.62	1.67	103.64	34
	16-Nov-11	Ν		-139.4	6.58	6,801	27.30	0.25	105.43	28
	14-Feb-12	Ν		-110.4	6.50	7,018	23.35	0.52	105.37	<10
	31-Jul-12	Ν		-132.4	6.44	6,730	29.15	1.12	103.82	<10
	29-Jan-13	N		-111.7	6.58	7,512	27.10	1.30	105.86	26
	09-Jul-13	N		-131.0	6.58	6,841	30.00	0.60	103.90	<10

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
PT-7D	18-Jul-07	N	197-217	-76.7	7.91	16,327	31.46	1.9	103.65	6,240
	24-Jan-08	N		10.9	7.86	19,260	30.35	0.58	105.90	9,280
	06-Mar-08	N		-322.8	7.97	12,840	30.3	0.05	105.53	568
	13-Mar-08	N		-189.4	7.76	1,138	30.43	0.07	105.04	360
	18-Mar-08	N		-379.8	7.28	12,933	30.46	0.58	105.00	58
	25-Mar-08	N		-320.4	7.19	13,090	30.53	0.74	104.75	35
	02-Apr-08	N		-313	7.50	13,818	30.53	0.05	104.83	140
	17-Apr-08	N		-310.1	7.01	10,406	28.2	0.42	104.11	360
	29-Apr-08	N		-311.3	7.05	9,035	30.79	0.63	94.86	260
	15-May-08	N		-424.7	6.68	10,224	31.02	0.36	103.76	100
	29-May-08	N		-330.7	6.68	10,985	31.03	0.32	101.80	100
	11-Jun-08	N		-274.9	6.78	8,920	31.38	0.29	84.54	23
	19-Jun-08	N		-372.1	6.70	10,173	31.44	0.09	102.18	
	24-Jun-08	N		-248.9	6.51	8,952	31.2	0.1	86.30	54
	01-Jul-08	N		-290.4	6.65	9,071	31.44	0.05	102.94	
	23-Jul-08	N		-189.2	6.67	8,509	31.72	0.12	80.54	18
	21-Aug-08	N		-256.3	7.00	8,647	32.01	0.15	103.69	180
	18-Sep-08	N		-258.8	6.65	9,188	30.00	0.28	103.66	<10
	14-Oct-08	N		-205.6	6.14	8,508	28.54	0.45	103.64	78
	12-Nov-08	N		-195.0	7.71	8,290	21.15	0.33	104.58	18
	15-May-09	N		-128.3	7.13	15,418	29.43	1.21	104.80	<10
	04-Aug-09	N		-185.4	7.54	10,897	32.62	1.14	104.70	<10
	29-Oct-09	N		-53.5	7.36	15,207	24.50	1.07	105.62	17
	13-Jan-10	N		-67.9	7.33	15,378	23.43	1.09	105.53	<10
	08-Apr-10	N		-108.3	7.21	15,522	27.45	0.77	105.43	<10Q
	14-Jul-10	N		-44.8	7.03	17,816	33.20	1.36	103.54	<10
	14-Oct-10	N		-133.5	7.37	11,368	28.59	0.51	104.30	<10
	18-Jan-11	N		-100.9	7.25	12,138	25.30	1.74	87.62	<10
	14-Apr-11	N		-133.4	7.40	9,988	25.80	0.52	97.72	38
	13-Jul-11	N		-115.2	6.84	12,602	32.87	0.80	96.71	36
	16-Nov-11	N		-134.9	6.88	13,601	25.50	0.21	105.51	<10
	15-Feb-12	N		-132.1	6.84	14,520	25.81	0.34	105.29	19
	31-Jul-12	Ν		-168.6	6.65	15,701	30.87	0.65	103.78	15
	29-Jan-13	N		-116.1	6.81	19,398	24.90	1.25	105.91	75
	09-Jul-13	N		-185.6	6.87	17,450	30.30	0.61	103.98	<10

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
PT-8S	16-Jul-07	N	127-147	-66.4	7.90	5,389	31.07	7.02	105.29	1,670
	23-Jan-08	N		109.1	7.49	5,890	29.44	5.68	107.38	1,980
	05-Mar-08	N		-68.6	7.71	5,440	29.61	2.77	107.00	1,040
	13-Mar-08	Ν		131	7.34	4,969	29.72	0.26	106.61	390
	18-Mar-08	Ν		-145.9	7.64	5,024	29.61	0.48	106.47	162
	25-Mar-08	N		-43	7.51	4,795	29.54	0.49	106.39	306
	02-Apr-08	N		-176.3	7.53	5,101	29.57	0.08	106.31	1,080
	16-Apr-08	N		44.8	7.48	5,251	27.89	0.56	105.91	667
	29-Apr-08	Ν		-132.9	7.19	6,017	29.58	0.26	106.87	180
	14-May-08	Ν		-204.5	7.11	6,480	29.78	0.21	105.41	60
	28-May-08	Ν		-276.3	7.72	6,949	29.58	0.46	105.45	32
	11-Jun-08	Ν		-252.7	6.61	9,212	29.63	0.36	105.41	18
	19-Jun-08	Ν		-296.4	6.90	9,079	29.68	0.11	105.41	
	25-Jun-08	Ν		-217.8	6.66	10,733	30.10	0.14	105.29	46
	01-Jul-08	Ν		-178.9	6.85	9,835	29.97	0.09	105.33	
	23-Jul-08	Ν		-204.0	6.99	10,853	30.23	0.13	105.16	500
	20-Aug-08	Ν		-188.9	6.94	9,860	29.74	1.89	105.41	12
	17-Sep-08	Ν		-165.6	6.79	9,114	29.59	6.79	103.60	<10
	15-Oct-08	Ν		-145.7	6.92	9,055	28.35	0.49	106.10	28
	12-Nov-08	Ν		-82.3	7.08	9,443	25.20	0.99	106.44	11
	04-Feb-09	Ν		-146.0	7.02	8,421	28.42	2.91	106.93	<10
	13-May-09	Ν		-184.0	6.65	7,224	30.26	0.08	105.90	11
	04-Aug-09	Ν		-164.4	7.01	6,526	30.34	1.03	105.81	<10
	28-Oct-09	Ν		-194.4	7.12	6,069	29.59	0.16	106.50	<10
	12-Jan-10	Ν		-128.2	6.99	6,029	29.31	1.07	107.12	<10
	07-Apr-10	Ν		-167.1	7.10	5,841	30.36	0.22	106.38	<10
	13-Jul-10	N		-139.5	7.18	4,641	30.90	0.06	105.30	<10
	13-Oct-10	Ν		-279.5	7.21	5,292	30.39	0.09	106.20	46
	17-Jan-11	Ν		-205.6	7.05	5,359	30.52	0.24	106.83	35
	13-Apr-11	N		-165.4	7.21	5,192	30.50	0.02	105.80	13
	12-Jul-11	N		-154.4	7.19	5,290	30.30	0.33	105.34	<10
	15-Nov-11	N		-273.4	7.25	5,302	30.51	0.44	107.17	<10
	14-Feb-12	N		-159.1	7.21	5,559	30.08	0.16	101.03	<10
	31-Jul-12	N		-291.2	7.14	5,359	30.19	0.04	105.46	<10
	29-Jan-13	N		-128.1	7.30	5,180	29.40	0.08	107.56	<10
	09-Jul-13	N		-105.3	7.30	4,701	28.50	0.30	105.98	<10

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (µg/L)
PT-8M	18-Jul-07	N	162-182	54.9	7.18	6,698	29.67	2.9	105.18	3,740
	23-Jan-08	Ν		36.1	7.17	8,047	29.95	1.72	107.30	4,660
	05-Mar-08	N		-96.4	7.40	7,930	29.89	1.68	107.10	3,680
	13-Mar-08	N		145.3	7.14	6,886	29.84	2.52	106.72	4,060
	19-Mar-08	N		164.5	7.34	7,238	29.87	3.64	106.65	3,340
	25-Mar-08	N		-6.1	7.19	6,955	29.99	2.77	106.30	4,100
	02-Apr-08	N		-129.7	7.23	7,308	29.81	1.47	106.24	4,100
	16-Apr-08	N		8.7	7.14	7,230	28.4	1.55	105.98	4,080
	29-Apr-08	N		-49.6	7.04	6,453	29.81	3.02	103.26	4,120
	14-May-08	Ν		-35.1	6.98	6,939	30.00	2.90	105.59	3,820
	28-May-08	Ν		-69.4	7.13	7,094	29.93	3.95	105.37	4,220
	11-Jun-08	Ν		-38.0	7.06	6,769	29.95	2.23	105.35	3,860
	19-Jun-08	Ν		-75.5	7.02	7,437	29.99	0.15	105.73	
	25-Jun-08	Ν		23	6.89	6,634	30.19	0.85	76.50	4,140
	01-Jul-08	Ν		-22.2	6.98	6,438	30.03	0.07	105.30	
	23-Jul-08	N		-0.6	7.13	6,511	29.93	0.31	105.47	4,000
	20-Aug-08	N		-37.0	7.22	6,769	29.97	0.32	105.71	3,140
	17-Sep-08	N		-80.1	7.01	6,884	29.87	1.11	105.93	2,460
	15-Oct-08	Ν		-101.0	6.99	6,277	29.99	0.24	106.19	2,940
	12-Nov-08	Ν		15.6	6.93	6,507	29.77	0.16	106.46	2,200
	04-Feb-09	Ν		3.9	6.77	7,084	29.94	1.22	106.90	1,660
	13-May-09	Ν		-12.3	6.42	7,316	30.40	0.08	99.50	639
	04-Aug-09	Ν		-100.2	6.64	7,426	30.29	2.18	105.56	579
	28-Oct-09	Ν		21.4	6.79	7,272	30.48	0.14	106.42	782
	12-Jan-10	N		-28.1	6.62	7,600	29.75	0.78	106.98	527
	07-Apr-10	N		13.5	6.58	8,036	30.42	0.21	106.30	438
	13-Jul-10	N		22.7	6.57	8,981	30.50	0.02	105.25	327
	13-Oct-10	N		-198.6	6.56	7,846	30.55	0.07	106.13	262
	17-Jan-11	N		-59.8	6.43	8,160	30.49	0.36	106.62	247
	13-Apr-11	N		27.0	6.54	8,031	30.30	0.04	105.77	159
	12-Jul-11	N		7.8	6.50	5,346	30.56	0.55	105.25	56
	15-Nov-11	N		-214.8	6.59	8,723	30.51	0.22	107.09	126
	14-Feb-12	Ν		5.6	6.55	9,095	30.26	1.32	106.77	246
	31-Jul-12	N		-235.8	6.46	9,231	30.34	0.21	105.48	11
	29-Jan-13	N		-1.8	6.71	9,528	30.00	0.31	107.71	201
	09-Jul-13	N		-13.3	6.71	9,160	28.90	0.52	105.91	<10

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
PT-8D	16-Jul-07	N	190-210	-54.6	7.99	16,042	33.76	6.39	105.09	6,120
	23-Jan-08	N		24.1	7.86	17,790	30.23	0.97	107.34	6,980
	05-Mar-08	N		-128.4	8.13	18,118	30.18	0.78	107.09	6,220
	13-Mar-08	N		195	7.85	1,589	30.3	1.21	106.80	5,740
	18-Mar-08	N		-57.3	7.93	17,392	30.28	1.34	106.77	5,460
	25-Mar-08	N		-34	7.87	16,250	30.32	0.77	106.45	5,700
	02-Apr-08	N		-169.2	7.90	16,964	30.15	0.29	107.17	4,800
	16-Apr-08	N		-39.1	7.85	17,458	28.44	0.90	106.13	6,480
	29-Apr-08	N		-108.1	7.74	15,000	30.39	0.71	105.91	4,940
	14-May-08	N		-99.5	7.57	14,622	30.37	0.32	105.89	3,800
	28-May-08	N		-52.9	7.79	16,139	30.24	0.39	105.50	1,220
	11-Jun-08	N		-89.7	7.75	15,420	30.36	0.43	106.56	3,960
	19-Jun-08	N		-129.8	7.76	16,400	30.4	0.26	105.63	
	25-Jun-08	N		-163.9	7.49	14,750	30.38	0.23	104.57	2,920
	01-Jul-08	N		-155.5	7.71	15,337	30.47	0.18	105.20	
	23-Jul-08	N		-110.3	7.93	15,325	30.41	0.20	104.97	3,660
	20-Aug-08	N		-156.0	8.04	16,099	30.35	0.38	105.69	4,100
	17-Sep-08	N		-192.7	7.86	15,196	30.24	0.42	106.06	3,820
	15-Oct-08	N		-244.3	7.25	13,194	30.10	0.73	106.76	512
	12-Nov-08	N		-109.4	7.44	15,128	30.13	0.16	106.34	596
	04-Feb-09	N		-236.0	8.02	15,755	29.38	1.32	107.11	1,340
	13-May-09	N		-189.4	7.68	17,782	30.70	0.05	106.50	1,700
	04-Aug-09	N		-192.4	7.99	16,270	30.38	0.38	105.60	1,780
	28-Oct-09	N		-154.5	7.99	15,852	30.47	0.30	118.96	2,000
	12-Jan-10	N		-119.4	8.01	16,721	30.01	0.27	107.05	1,800
	07-Apr-10	N		-145.1	7.88	17,706	30.75	0.26	106.57	1,560
	13-Jul-10	N		-82.5	7.85	18,992	30.80	0.07	105.45	2,040
	13-Oct-10	N		-244.1	7.82	15,972	30.78	0.04	106.00	2,060
	17-Jan-11	N		-182.7	7.66	16,468	30.75	0.27	106.83	2,040
	13-Apr-11	N		-71.1	7.78	18,000	30.60	0.03	105.91	1,460
	12-Jul-11	N		-65.8	7.78	17,211	30.78	0.24	105.25	2,000
	15-Nov-11	N		-95.9	7.84	17,769	30.81	0.27	106.82	1,720
	14-Feb-12	N		119.7	7.76	19,499	30.53	0.18	106.11	699
	31-Jul-12	N		-297.1	7.63	18,345	30.65	0.03	105.51	1,760
	29-Jan-13	N		160.7	7.71	19,289	30.40	0.23	107.64	1,420

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (µg/L)
PT-9S	17-Jul-07	N	128-148	-61.5	7.86	4,919	33.28	4.97	102.33	2,620
	22-Jan-08	N		157.1	7.53	4,784	27.16	3.97	104.50	1,580
	05-Mar-08	N		41.8	7.71	4,942	25.95	4.21	104.08	1,360
	12-Mar-08	N		144.6	7.62	4,280	27.81	3.12	103.80	1,480
	19-Mar-08	N		125.6	7.73	4,819	27.07	2.68	103.71	1,200
	26-Mar-08	N		25.1	7.54	4,106	27.92	3.1	103.47	1,580
	02-Apr-08	N		-34.4	7.60	4,822	27.91	3.2	103.38	1,540
	16-Apr-08	N		149.3	7.50	4,800	27.79	2.79	103.09	1,640
	29-Apr-08	N		180.4	7.44	4,350	28.55	5.99	107.00	1,360
	14-May-08	N		-57.5	7.44	4,369	28.23	2.91	102.56	1,240
	28-May-08	N		2.0	7.52	4,840	28.61	2.78	102.48	1,540
	11-Jun-08	N		146.1	7.50	4,511	26.51	4.74	102.50	1,540
	25-Jun-08	N		21.4	7.30	4,778	28.86	3.91	102.27	1,420
	24-Jul-08	N		123.4	7.63	4,490	29.7	4.79	102.54	1,740
	20-Aug-08	N		-9.6	7.74	4,499	29.97	4.54	102.87	1,760
	17-Sep-08	N		154.4	7.43	4,908	27.72	2.86	103.00	1,880
	15-Oct-08	N		114.0	7.47	4,660	28.37	4.94	103.32	1,100
	12-Nov-08	N		-2.3	7.37	5,912	25.66	3.15	103.53	760
	05-Feb-09	N		-53.6	7.51	5,907	26.4	2.49	104.08	1,060
	14-May-09	N		-40.6	7.20	5,615	29.17	3.22	102.30	1,080
	05-Aug-09	N		-10.0	7.28	5,352	30.2	2.98	102.81	1,320
	29-Oct-09			8.6	7.49	5,446	27.23	4.3	103.58	620
	12-Jan-10	N		13.9	7.42	5,340	27.08	3.92	104.19	1,340
	08-Apr-10	N		-56.2	7.22	5,514	28.5	1.15	103.28	1,240
	13-Jul-10	N		-40.7	7.31	5,814	29.5	0.40	102.37	1,500
	13-Oct-10	N		-201.2	7.23	4,924	28.92	0.65	103.37	1,620
	18-Jan-11	Ν		-58.5	7.24	4,927	30.1	1.05	104.05	1,360
	13-Apr-11	N		35.9	7.49	4,644	28.1	2.13	102.83	1,120
	12-Jul-11	N		-63.2	7.42	4,722	2940	1.90	102.32	900
	15-Nov-11	N		-209.1	7.40	4,740	28.33	0.80	104.15	747
	15-Feb-12	N		-25.9	7.42	4,801	25.94	0.74	104.02	681
	01-Aug-12	N		-222.7	7.30	4,530	29.21	0.85	102.52	505
	30-Jan-13	N		-28.3	7.42	4,460	27.9	1.72	104.71	424
	10-Jul-13	N		72.7	7.51	4,255	27.8	1.28	102.71	304

PG&E Topock Needles, California

	Date	Sample Type	Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (µg/L)
PT-9M	17-Jul-07	N	162-182	-57.0	7.34	6,605	31.74	4.09	102.34	3,460
	22-Jan-08	N		58.8	7.03	7,963	30.05	3.34	104.49	3,000
	05-Mar-08	N		-41.7	7.37	7,982	29.99	3.06	104.10	2,100
	12-Mar-08	Ν		120.5	7.14	7,080	29.87	3.46	103.86	2,740
	19-Mar-08	Ν		48.9	7.28	7,710	30.08	3.03	103.69	2,420
	26-Mar-08	N		110.2	7.10	6,572	29.88	3.56	103.48	2,480
	02-Apr-08	N		55.7	7.08	7,798	29.81	2.34	77.22	2,800
	16-Apr-08	N		40.3	7.09	7,653	29.28	2.07	78.96	2,940
	29-Apr-08	Ν		-1.2	7.04	6,791	29.96	3.95	98.07	2,760
	14-May-08	Ν		-17.0	6.94	7,633	30.13	3.59	102.80	2,760
	28-May-08	Ν		-6.8	7.09	7,593	29.99	3.65	102.40	2,640
	11-Jun-08	Ν		70.1	7.00	7,238	30.13	4	90.56	2,980
	25-Jun-08	Ν		23.1	6.91	6,977	30.08	4.1	102.75	2,800
	24-Jul-08	Ν		198.7	7.27	6,706	30.01	4.57	102.47	2,800
	20-Aug-08	Ν		6.3	7.20	7,282	30.02	3.83	102.82	2,800
	17-Sep-08	Ν		111.3	7.07	7,304	29.85	4.04	103.06	2,860
	15-Oct-08	Ν		66.9	7.11	6,726	29.73	3.73	103.27	3,280
	12-Nov-08	Ν		71.3	7.14	7,152	29.85	2.95	103.36	3,180
	05-Feb-09	Ν		55.3	7.17	7,950	29.79	1.88	104.20	3,260
	14-May-09	Ν		25.7	6.88	8,183	30.17	2.36	102.80	2,870
	05-Aug-09	Ν		112.7	7.01	8,078	30.2	3.08	102.83	2,960
	29-Oct-09	Ν		68.6	7.15	8,225	29.95	2.91	103.66	2,940
	12-Jan-10	Ν		23.0	7.13	8,420	29.65	1.94	104.11	2,440
	08-Apr-10	N		102.8	7.02	9,187	30.34	0.93	103.38	2,580
	13-Jul-10	N		-1.1	7.08	9,961	30.50	0.84	102.34	2,460
	13-Oct-10	N		-191.5	6.96	8,585	30.39	0.39	103.45	2,600
	18-Jan-11	N		33.5	7.03	9,082	30.15	1.62	105.99	2,460
	13-Apr-11	N		65.4	7.05	8,751	30.40	0.07	102.89	2,040
	12-Jul-11	N		-32.9	7.06	9,276	30.53	0.29	102.54	2,160
	15-Nov-11	N		-174.0	7.03	9,680	30.61	0.17	104.15	1,900
	15-Feb-12	N		18.9	7.01	10,223	30.40	0.29	104.00	1,740
	01-Aug-12	N		-213.8	6.87	9,898	30.34	0.04	102.57	1,620
	30-Jan-13	N		122.3	6.83	10,530	30.10	0.28	104.71	1,320
	10-Jul-13	N		143.4	6.92	10,049	28.90	1.35	102.87	1,200

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
PT-9D	17-Jul-07	N	190-210	-74.8	7.87	14,027	31.46	1.14	102.18	10,050
	22-Jan-07	Ν		47.9	7.76	17,070	30.4	1.23	104.38	17,080
	05-Mar-08	N		-85.7	8.05	17,396	30.44	0.98	104.12	15,820
	12-Mar-08	Ν		198.4	7.78	1,541	30.16	1.52	103.89	14,060
	19-Mar-08	N		71.3	7.94	16,747	30.35	0.97	103.80	13,580
	26-Mar-08	N		35.2	7.81	13,975	30.39	0.98	103.50	12,220
	02-Apr-08	N		-93	7.83	16,109	30.41	0.51	105.17	13,980
	16-Apr-08	N		44.1	7.76	12,223	29.4	1.25	103.31	14,130
	29-Apr-08	N		-53.9	7.60	14,014	30.31	0.96	102.82	10,790
	14-May-08	N		-89.2	7.56	15,231	30.44	0.7	102.92	10,850
	28-May-08	N		101.2	7.68	15,667	30.34	0.8	102.51	14,450
	11-Jun-08	N		107.6	7.62	15,590	30.11	1.15	85.69	13,660
	25-Jun-08	N		14.2	7.45	14,474	30.46	0.68	102.49	10,400
	24-Jul-08	N		162.4	7.65	14,681	30.34	0.77	102.05	10,780
	20-Aug-08	N		17.7	7.84	16,555	30.46	1.15	102.87	14,400
	17-Sep-08	N		136.6	7.73	15,588	30.32	1.2	103.11	15,180
	15-Oct-08	N		80.0	7.52	13,691	30.06	2.56	103.36	9,300
	12-Nov-08	N		80.7	7.64	16,534	30.19	0.69	103.42	13,900
	05-Feb-09	N		37.1	7.73	16,997	30.48	0.99	104.10	15,860
	15-May-09	Ν		112.3	7.60	16,823	30.42	0.80	102.60	14,220
	05-Aug-09	N		74.7	7.66	15,340	30.37	0.98	102.78	11,180
	28-Oct-09	Ν		31.1	7.90	16,692	30.26	1.13	103.50	15,760
	12-Jan-10	Ν		22.4	7.91	17,133	30.02	1.32	104.07	15,010
	08-Apr-10	N		88.4	7.73	17,445	30.61	1.12	103.37	14,840
	13-Jul-10	N		31.6	7.76	18,767	30.80	1.03	102.36	13,180
	13-Oct-10	Ν		-198.1	7.68	16,320	30.48	1.00	103.40	15,320
	18-Jan-11	N		87.5	7.78	17,262	30.53	2.23	104.00	15,600
	13-Apr-11	Ν		75.2	7.79	16,583	30.50	0.99	102.91	14,360
	12-Jul-11	Ν		8.1	7.80	17,132	30.78	1.52	102.43	15,400
	15-Nov-11	Ν		-122.6	7.81	17,816	30.90	1.07	104.15	14,640
	15-Feb-12	N		69.5	7.78	18,627	30.42	1.11	104.10	15,720
	01-Aug-12	Ν		-165.1	7.68	18,210	30.60	1.22	102.65	15,120
	30-Jan-13	N		59.3	7.69	19,090	30.40	0.90	104.74	14,320
	10-Jul-13	N		133.6	7.82	18,151	29.00	1.06	103.03	13,680

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
MW-11	17-Jul-07	N	63-88	-23.7	7.56	2,176	30.15	8.81	65.60	260
	24-Jan-08	Ν		137.3	7.40	2,312	28710	7.61	67.67	342
	04-Mar-08	N		51.6	7.47	2,262	28.79	0.93	67.09	350
	11-Mar-08	Ν		149.2	7.44	2,169	29.81	7.1	66.97	319
	19-Mar-08	Ν		29.5	7.61	2,279	29.27	5.59	66.85	340
	26-Mar-08	N		110.2	7.37	2,205	29.52	7.91	66.62	360
	01-Apr-08	N		-48.8	7.47	4,194	29.17	6.44	66.60	334
	15-Apr-08	Ν		66.5	7.24	2,097	30.06	5.66	66.06	326
	28-Apr-08	N		-23.2	7.41	20	29.86	9.03	65.82	322
	13-May-08	N		-35.9	7.24	2,351	30.04	6.76	65.83	420
	27-May-08	N		32.1	7.24	2,208	29.87	9.66	65.64	380
	10-Jun-08	N		-11.3	7.20	2,196	30.73	8.14	65.49	302
	24-Jun-08	N		54.6	7.01	2,287	29.17	8.96	65.54	252
	22-Jul-08	N		125.8	7.40	2,370	29.35	6.71	65.63	299
	21-Aug-08	N		151.7	7.43	2,210	29.49	8.68	65.84	285
	16-Sep-08	N		-43.3	7.32	2,203	29.37	7.51	66.10	269
	14-Oct-08	N		43.0	7.42	2,120	29.37	6.43	66.36	337
	11-Nov-08	N		144.3	7.69	2,161	29.21	5.87	66.78	343
	03-Feb-09	Ν		39.2	7.00	2,229	29.22	6.48	67.30	330
	14-May-09	Ν		14.0	7.18	2,252	29.46	7.22	65.63	246
	06-Apr-10	Ν		120.9	7.48	2,262	29.56	7.21	66.67	286
	12-Jul-10	Ν		69.3	7.38	2,539	29.60	9.43	65.62	257
	12-Oct-10	Ν		42.2	7.46	2,134	29.60	8.42	66.47	199
	17-Jan-11	Ν		20.7	7.38	2,112	29.65	6.25	67.16	233
	12-Apr-11	Ν		121.8	7.49	2,036	29.40	8.55	66.17	192
	11-Jul-11	N		75.1	7.38	2,205	29.64	9.39	65.55	235
	14-Nov-11	N		-50.9	7.37	2,223	29.70	7.00	67.32	168
	13-Feb-12	Ν		42.7	6.90	2,129	29.44	7.79	67.20	184
	30-Jul-12	Ν		128.7	7.25	2,226	29.53	8.79	65.70	184
	28-Jan-13	N		74.8	7.43	2,124	29.30	6.05	67.74	177
	08-Jul-13	N		156.1	7.19	2,113	29.00	8.49	66.03	153

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (µg/L)
MW-24A	18-Jul-07	N	104-124	-43.9	7.67	2,707	32.20	2.89	110.05	1,100
	24-Jan-08	N		79.8	7.51	3,090	28.51	1.95	112.20	2,980
	06-Mar-08	N		-119.7	7.45	10,486	29.02	0.61	111.33	325
	12-Mar-08	N		-201.4	7.44	9,758	31.2	0.2	111.50	14,060
	19-Mar-08	N		-250.7	7.04	9,950	30.13	0.16	111.48	111
	26-Mar-08	N		-299.6	6.54	8,402	30.7	0.39	111.25	173
	01-Apr-08	N		-299.1	7.06	1,638	30.6	0.04		440
	17-Apr-08	N		-285.9	6.62	10,291	30.9	1.39	110.85	160
	30-Apr-08	N		-315.7	6.45	10,294	32.03	1.46	110.15	220
	30-Apr-08	FD		-315.7	6.45	10,294	32.03	1.46	110.15	220
	15-May-08	N		-350.1	6.54	10,940	33.47	0.44	109.82	120
	27-May-08	N		-278.1	6.33	10,759	32.8	1.29	110.20	<10
	12-Jun-08	N		-259.9	6.70	10,910	32.6	0.8	111.66	<10
	19-Jun-08	N		-222.4	6.49	11,469	32.81	1.28	110.28	
	26-Jun-08	N		-228.5	7.20	107	30.84	0.17	110.13	18
	01-Jul-08	N		-320.4	6.82	10,282	31.3	0.07	109.73	
	24-Jul-08	N		-224.9	7.57	10,670	32.38	0.32	110.26	180
	19-Aug-08	N		-302.5	7.20	10,311	33.74	2.06	110.53	17
	16-Sep-08	N		-343.8	6.54	9,799	30.03	0.31	110.78	50
	16-Oct-08	N		-259.4	7.01	10,626	30.91	0.70	111.11	123
	13-Nov-08	N		-284.9	7.57	10,952	27.05	0.44	111.33	<10
	03-Feb-09	N		-360.6	6.66	10,894	28.14	1.13	111.92	<10
	14-May-09	N		-212.3	7.13	10,531	31.64	0.11	110.23	<10
	03-Aug-09	N		-276.8	6.92	9,113	31.2	0.96	110.58	<10
	27-Oct-09	N		-206.0	7.41	6,001	30.91	0.17	111.10	<10
	11-Jan-10	N		-174.0	7.53	4,677	30.12	0.64	111.90	<10
	07-Apr-10	N		-194.7	7.71	3,757	31.15	0.17	111.15	<10
	12-Jul-10	N		-171.7	7.80	3,659	31.10	0.03	110.18	22
	12-Oct-10	N		-262.4	7.86	3,021	30.46	0.10	111.03	<10
	17-Jan-11	N		-135.9	7.45	3,421	30.00	0.60	111.76	23
	12-Apr-11	N		-206.8	7.93	2,711	30.80	0.04	110.75	22
	11-Jul-11	N		-369.5	8.05	2,613	30.48	0.33	110.10	<10
	14-Nov-11	N		-396.9	7.80	2,817	30.51	0.18	111.86	10
	13-Feb-12	N		-210.9	7.90	2,615	30.07	0.20	111.80	<10
	30-Jul-12	N		-145.8	8.08	2,271	30.07	0.04	110.29	<10
	28-Jan-13	N		-225.9	8.01	2,410	30.30	0.09	112.34	<10
	08-Jul-13	N		-101.4	8.03	2,053	29.80	0.27	111.39	<10

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (µg/L)
MW-24B	18-Jul-07	N	193-213	-57.9	7.86	15,371	31.40	3.02	107.92	2,340
	24-Jan-08	N		-9.7	7.74	17,450	29.91	0.85	109.75	5,400
	06-Mar-08	N		28.1	7.73	17,751	28.05	1.49	110.20	4,400
	12-Mar-08	N		-19.4	7.78	1,669	30.62	1.11	109.47	4,800
	19-Mar-08	N		-32.7	7.90	17,369	30.16	0.78	109.22	4,460
	26-Mar-08	N		-28	7.77	14,547	30.91	88	109.23	4,700
	02-Apr-08	N		-292.2	7.77	17,340	30.13	0.54	109.00	4,420
	17-Apr-08	N		-141.4	7.77	16,429	30.42	1.09	108.60	4,640
	30-Apr-08	N		-222.7	7.79	15,539	30.45	0.85	105.82	3,800
	15-May-08	N		-82.0	7.65	17,017	30.36	0.80	108.57	3,860
	28-May-08	N		-105.4	7.76	16,854	30.25	2.54	108.14	3,940
	12-Jun-08	N		-66.6	7.72	16,160	30.23		111.23	3,980
	26-Jun-08	N		24.7	7.68	10,275	30.09	0.49	108.06	3,400
	24-Jul-08	N		-22.0	7.82	16,374	30.19	0.39	108.29	3,240
	19-Aug-08	N		-25.7	7.61	16,302	30.51	0.48	108.31	3,400
	17-Sep-08	N		-64.4	7.76	15,433	29.49	0.79	108.56	3,360
	16-Oct-08	N		88.6	7.60	15,816	31.18	1.18	109.03	3,380
	13-Nov-08	N		9.3	7.66	16,049	31.12	0.47	109.14	3,000
	04-Feb-09	N		-18.6	7.69	16,432	31.64	1.29	109.90	3,000
	14-May-09	N		-35.2	7.61	16,708	30.21	0.09	108.50	2,700
	07-Apr-10	N		-104.2	7.79	18,131	30.19	0.20	108.94	2,040
	12-Jul-10	N		144.0	7.72	20,363	30.60	0.04	108.29	2,340
	12-Oct-10	N		-239.8	7.80	16,937	30.21	0.07	108.90	2,280
	17-Jan-11	N		-102.5	7.63	17,665	30.29	0.30	109.47	2,180
	12-Apr-11	N		-72.0	7.93	17,812	30.30	0.03	108.53	2,220
	11-Jul-11	N		-134.8	7.78	18,793	30.79	0.23	108.10	2,200
	14-Nov-11	N		-288.0	7.62	19,390	30.40	0.44	109.64	101
	13-Feb-12	N		-126.0	7.34	19,612	30.04	0.14	109.57	74
	30-Jul-12	N		-147.6	7.63	20,135	31.24	0.03	108.43	1,560
	28-Jan-13	N		-55.4	7.67	20,481	30.90	0.09	110.44	1,400
	08-Jul-13	N		61.5	7.64	19,112	30.10	1.26	102.08	1,440

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (µg/L)
MW-38S	17-Jul-07	N	75-95	27.2	7.52	3,306	29.00	6.02	69.04	720
	23-Jan-08	Ν		36.6	7.56	3,175	27.08	5.33	71.05	1,140
	04-Mar-08	Ν		150	7.59	3,194	27.72	0.57	70.71	1,200
	11-Mar-08	N		56	7.70	3,094	28.37	2.95	70.40	1,300
	20-Mar-08	Ν		117.6	7.71	3,218	27.3	5.31	70.43	1,140
	26-Mar-08	N		24.1	7.39	2,687	28.36	4.2	70.18	1,260
	01-Apr-08	N		-16.4	7.57	5,892	28.48	4.6	70.10	1,280
	15-Apr-08	N		116.4	7.41	2,958	28.64	3.89	69.66	1,180
	28-Apr-08	N		-88.8	7.70	2,875	29.05	5.22	69.45	1,340
	13-May-08	N		-41.3	7.38	3,213	28.62	4.18	69.27	1,120
	27-May-08	N		-20.0	7.43	3,035	28.39	4.82	69.17	1,180
	10-Jun-08	Ν		-14.1	7.50	2,569	28.8	1.59	66.62	1,320
	24-Jun-08	N		10.7	7.20	3,041	28.65	4.82	69.12	1,140
	22-Jul-08	N		185.1	7.54	3,045	29.33	2.85	69.10	1,280
	20-Aug-08	N		7.2	7.71	2,832	28.88	1.49	65.66	1,340
	16-Sep-08	N		80.9	7.46	2,811	29.00	1.54	69.50	1,360
	14-Oct-08	N		141.6	7.43	2,684	28.63	0.67	69.94	1,540
	11-Nov-08	N		136.7	7.77	2,701	27.87	3.71	70.18	1,440
	03-Feb-09	N		40.1	7.28	2,816	28.41	3.33	70.83	1,600
	12-May-09	N		94.4	7.42	2,595	29.29	2.92	69.10	762
	03-Aug-09	N		93.0	7.36	2,390	29.20	1.41	69.33	977
	27-Oct-09	N		88.9	7.74	2,307	27.78	0.8	69.95	980
	11-Jan-10	N		11.0	7.66	2,248	28.25	1.89	70.70	1,220
MW-38D	17-Jul-07	N	166-188	-62.9	7.81	20,894	30.63	1.2	69.37	1,410
	23-Jan-08	N		-32.8	7.78	23,020	30.28	0.14	71.29	69
	04-Mar-08	N		-39	7.86	23,367	30.09	0.11	71.01	77
	11-Mar-08	N		-54.0	7.80	2,260	30.28	0.3	70.86	72
	20-Mar-08	N		174.8	7.95	234	30.18	0.14	70.79	54
	26-Mar-08	N		-47.9	7.77	19,673	30.4	0.18	70.53	54
	01-Apr-08	N		-79.7	8.10	42,680	30.22	0.10	67.43	53
	15-Apr-08	N		-56.2	7.65	21,852	30.06	0.50	70.83	62
	15-Apr-08	FD		-56.2	7.65	21,852	30.06	0.50	70.83	62
	28-Apr-08	N		-2.1	7.79	21,005	30.26	0.45	69.96	62
	13-May-08	N		-106.5	7.62	23,691	30.27	0.18	188.30	<10
	27-May-08	N		10.2	7.68	2,246	30.27	0.57	69.63	189
	10-Jun-08	N		36.9	7.74	21,879	30.49	0.5	69.22	64
	24-Jun-08	N		-80.4	7.80	22,824	30.32	0.17	69.58	53
	22-Jul-08	N		110.6 89.0	7.81	23,605	30.41 30.33	0.15 0.20	69.50 69.81	69 66
	20-Aug-08	N N		-118.3	7.93	22,069	29.29	0.20	70.07	70
	16-Sep-08 14-Oct-08	N N		86.3	7.73 7.72	21,191 21,347	30.19	2.56	70.38	70 87
	14-Oct-08 11-Nov-08	N N		86.3 159.3	7.72	21,347 21,866	30.19	0.33	70.38 68.70	87 71
	03-Feb-09	N		58.4	7.64	23,061	30.24	0.55	71.15	59
	12-May-09	N		-21.0	7.70	23,376	30.45	0.55	69.50	59 52
	03-Aug-09	N N		-21.0 8.7	7.70 7.74	23,376 22,012	30.45	0.48	69.80	52 49
	27-Oct-09	N		8. <i>1</i> 10.1	7.74	22,012	30.49	0.48	69.80 69.79	49 61
	11-Jan-10	N		106.4	7.43	27,027	29.9	0.26	71.13	34
	i i-Jali-10	IN		100.4	1.43	21,021	23.3	0.30	11.13	34

PG&E Topock Needles, California

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
PTR-1	19-Jul-07	N	*	-50.9	7.91	8,927	31.2	1.6	102.65	201
	25-Jan-08	N		228.7	7.48	7,093	22.52	2.09		920
	06-Mar-08	N		23.2	7.77	4,750	26.9	1.2		641
	11-Mar-08	N		114.3	6.74	4,453	32.84	1.99		380
	20-Mar-08	N		-139.7	7.97	3,105	37.50	1.54		62
	27-Mar-08	N		185.1	7.46	1,489	31.28	3.7		654
	01-Apr-08	N		-215.3	7.97	10,980	33.58	1.39		240
	16-Apr-08	N		-42.4	7.63	4,019	33.01	0.92		52
	29-Apr-08	N		-232.9	7.23	4,479	28.91	0.54		22
	15-May-08	N		-221.6	6.98	5,158	32.1	0.60		120
	29-May-08	N		-107.5	7.34	4,640	36.35	0.80		25
	12-Jun-08	N		-159.4	7.69	5,661	33.60	1.34		1
	19-Jun-08	N		-119.7	7.79	6,231	38.28	0.78		
	26-Jun-08	N		-113.6	7.58	5,640	38.43	1.10		<10
	01-Jul-08	N		-1115	7.62	5,868	39.84	1.24		
	24-Jul-08	N		90.5	7.46	5,365	37.00	1.24		480
	19-Aug-08	N		40.8	7.44	5,752	36.86	1.60		<10
	18-Sep-08	N		-33.3	7.57	5,804	31.94	0.96		<10
	16-Oct-08	N		-74.8	7.28	6,139	38.5	1.35		11
	13-Nov-08	N		-23.3	7.33	4,410	33.2	1.09		<10
	04-Feb-09	N		-227.9	7.25	5,702	32.15	0.50	102.73	<10
	14-May-09	N		-223.7	6.79	6,123	31.17	0.04	101.00	<10
PTR-2	18-Jul-07	N	*	-56.7	7.40	9,367	30.52	1.01	110.34	2,020
	25-Jan-08	Ν		167.8	7.31	9,122	28.41	2.37		4,920
	06-Mar-08	Ν		33.8	7.31	1,007	28.7	1.27		4,800
	11-Mar-08	N		125	6.92	9,837	28.21	1.59		5,660
	20-Mar-08	Ν		-27.2	7.70	4,116	37.18	3.66		19,500
	27-Mar-08	N		52.8	7.76	2,146	32.21	4.4		8,700
	01-Apr-08	Ν		-46.9	7.45	1,953	36.75	1.56		4,240
	15-Apr-08	N		-79.1	7.42	50	33.21	2.24		552
	29-Apr-08	N		-82.4	7.20	10,168	26.61	2.07		5,320
	15-May-08	N		45.0	7.30	11,203	29.69	1.43		5,060
	28-May-08	Ν		-60.0	7.73	8,988	32.73	1.95		4,280
	10-Jun-08	N		69.0	7.54	10,684	37.77	1.46		196
	19-Jun-08	Ν		170.6	7.55	9,106	38.22	1.4		
	26-Jun-08	N		20.9	7.32	10,484	31.34	0.79		4,280
	01-Jul-08	N		-54.3	7.20	10,163	37.45	0.81		,
	24-Jul-08	N		281.5	7.26	10,747	33.07	1.18		4,900
	19-Aug-08	••		-19.6	7.30	5,956	37.04			2,000
	18-Sep-08	N		128.9	7.37	5,782	30.6	1.49		2,160
	16-Oct-08	N		-154.8	7.37 7.14	10,131	28.5			4,440
								0.85		
	13-Nov-08	N		16.5	7.09	11,109	33.11	0.88	407.7	4,360
	05-Feb-09	N		-40.7	7.29	12,167	29.83	0.29	107.7	2,060
	13-May-09	N		-74.3	7.09	12,175	30.59	0.07	105.88	2,380

PG&E Topock Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Sample Type	Screen Interval (ft bgs)	ORP (mV)	рН	Specific Conductance (µS/cm)	Temperature (°C)	DO (mg/L)	Depth to Water (feet below TOC)	Hexavalent Chromium Field (μg/L)
------------------	----------------	----------------	--------------------------------	-------------	----	------------------------------------	---------------------	-----------	------------------------------------	--

Notes:

Current quarter data indicated in BOLD

Depth to water recorded prior to any sampling activities. Recirculation wells PTR-1 and PTR-2 cannot be gauged post-construction due to necessary piping and well caps

ft bgs Feet below ground surface

mV Millivolts

μS/cm Microsiemens per centimeter

°C Degrees Celsius µg/L Micrograms per liter mg/L Milligrams per liter

ORP Oxidation Reduction Potential

N Normal

DO Dissolved oxygen TOC Top of Casing

--- Not analyzed/Not available

* PTR-1 Screen: 125-160 and 175-220 ft bgs. PTR-2 Screen: 118-158 and 173-218 ft bgs.

Oct result for PT-7M & PT-7D are grab samples. Unable to effectively purge well because of gas buildup in the well.

Oct ORP value for PT-7S is under review; likely a mis-reading was recorded.

PG&E Topock Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
PT-7S	18-Jul-07	а	N	1,200	1,260	1,080					22	<0.1	6,160	<500	56	1,050	674	1.2	23 ¹	42 ¹
	23-Jan-08	а	N	1,400	1,390						19	<0.1	558	<2,500	<2,500	462	608	3.0	<25	33
	06-Mar-08	а	N	1,420	1,270				ND	ND	19	<0.1	<500	<500	<500	34	637	<1	25	22
	13-Mar-08	а	N	1,100	1,070		0.02	0.02	ND	ND	15	<0.1	<500	<2,500	<2,500	<10	588	1.3		
	18-Mar-08	а	N	1,300	1,280		0.85	0.64	ND	ND	18	<0.1	<500	<2,500		11	606	1.2		
	25-Mar-08	а	N	1,420	1,410		1.28	0.96	ND	ND	19	<0.2	<500	<2,500	<2,500	23	630	1.9		
	02-Apr-08	а	N	1,490	1,510		0.33	0.24	ND	ND			<500	<2,500			665	<1		
	17-Apr-08	а	N	1,320	1,280		3.22	2.42	ND	ND			<500	<2,500			737	<1	34	33
	29-Apr-08	a **	N	812	855		7.61	5.71	ND	ND	14	0.95	<500	<500	<500	189	567	1.8		
	15-May-08	а	N	876	868		3.85	2.89	ND	ND			<500	<500			563	<1		
	29-May-08	а	N	1,230	1,190		0.09	0.07	ND	ND	19	<0.5	<500	<500	<500	47.9	675	<1	30	26
	11-Jun-08	а	N	1,580	1,350		0.23	0.17	ND	ND			<500	<500			764		26	35
	24-Jun-08	а	N	927	801		1.38	1.04	ND	ND	13	<0.5	<500	<500	<500	134	599	1.9		
	23-Jul-08	а	N	182	190		33.7	25.3	15	3.00	4.4	<1	<500	<500	1,450	1,650	547	14	369	7.1
	21-Aug-08	а	N	401 J	398		451	338	1.83	0.37	9.0	<1	<500	<500	2,230	2,620	486	896	59	15
	18-Sep-08		N	429	502		2.90	2.18	0.60	0.12	15	<0.5	<500	<500	690	855	629	3.2	44	26
	15-Oct-08		N	<0.2	39		42.3	31.7	14.0	2.80	2.9	<0.5	604	<500	1,470	1,710	381	48	43	<5
	12-Nov-08		N	152	316		20.4	15.3	8.6	1.71	11	<0.5	<500	<500	945	1,380	543	16	32	22
	05-Feb-09	а	N	794	729		10.9	8.18	ND	ND	10 UB	<0.1	<100	102	366	369	770	1.5	29	25
	15-May-09		N	818	876		ND	ND	ND	ND	16	<0.2	1,820	<100	259	286	610	1 J	26	15
	04-Aug-09	а	N	836	805		ND	ND	ND	ND	17			278	189		620	0.85 UB	22	12 J
	29-Oct-09		N	770	646		ND	ND	ND	ND	16			393 J	158		680	3.1 J	20	9.6
	13-Jan-10		N	797	733		ND	ND	ND	ND	15			<100	97		670	0.72	20	13
	08-Apr-10		N	697	676		ND	ND	ND	ND	14			<100	86		680	0.81	20	9.5
	14-Jul-10		N	694	703		ND	ND	ND	ND	14			131	77		670	18 J ²	17	11
	14-Oct-10		N	682	592		ND	ND	ND	ND	13			<100	69		660	<0.5	18	7.1
	18-Jan-11		N	638	541		ND	ND	ND	ND	13			<100	53		650	<0.5	18	7.1
	13-Apr-11		N	586	576		ND	ND	ND	ND	13 J			78 J	53		640	<0.5	18	5.6
	12-Jul-11		N	551	537		ND	ND	ND	ND	12.0			<50	49		670	<0.5	19	5.3
	16-Nov-11		N	612	518		ND	ND	ND	ND	12.0			<250	42		650	14.0	16	6.5
	14-Feb-12		N	526	538		ND	ND	ND	ND	12.0			51.9	44		640	13.0	16	8.5
	31-Jul-12		N	496	526		ND	ND	ND	ND	12.0			<50	41		630	15.0	16	6.6
	29-Jan-13		N	531	545		ND	ND	ND	ND	12.0			<50	30		630	14.0	19	7.4

ND

11.0

31

<50

17

6.5

600

15.0

09-Jul-13

463

508

ND

ND

ND

PG&E Topock Needles, California

11000100, 00111011110

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
PT-7M	19-Jul-07	а	N	2,320	2,240	2,110					25	<0.1	6,260	<500	32	1,150	1,250	1.0	15 ¹	101 ¹
	24-Jan-08	а	N	2,440	2,340						30	<0.5	<500	<1,000	<1,000	<10	1,280	<1	17	85
	06-Mar-08	а	N	30	16.5		ND	ND	ND	ND	<0.5	<0.1	<500	<500	702	711	846	216	67	<5
	06-Mar-08	а	FD	33.3	18		0.04	0.03	ND	ND	<0.5	<0.1	<500	<500	703	714	832	213		
	13-Mar-08	а	N	<0.2	<5		1,590	1,193	ND	ND	<0.5	<0.1	<500	<2,500	3,320	3,540	656	446		
	18-Mar-08	а	N	<0.2	<5		4,520	3,390	ND	ND	<5	<1	1,040	<2,500		6,290	205	1,550		
	25-Mar-08	а	N	6.9	<5		4,040	3,030	ND	ND	<2.5	<0.5	1,740	<2,500	8,690	9,500	144	1,500		
	02-Apr-08	а	N	2	<5		3,760	2,820	ND	ND			2,660	<2,500			105	1,270		
	17-Apr-08	а	N	<1	<5		10,200	7,650	ND	ND			6,320	3,700			<10	4,640	<25	<25
	29-Apr-08	a **		<1	1.08		10,900	8,175	ND	ND	<10	<2	1,680	1,300	11,300	14,100	<10	8,050		
	14-May-08	а	N	<1.1	1.52		10,300	7,725	ND	ND			9,070	6,900			<20	8,040		
	29-May-08	а	N	<1	1.34		5,550	4,163	ND	ND	<10	<10	12,400	11,000	18,600	18,400	<10	10,700	<5	<5
	11-Jun-08	а	N	1.4	1.98		4,000	3,000	ND	ND			15,100	10,900			11	8,530	<5	<5
	19-Jun-08	а	N															9,340		
	25-Jun-08	а	N	<1	1.02		2,530	1,898	ND	ND	<2.5	<2.5	18,500	13,200	21,900	26,300	<2.5	8,630		
	01-Jul-08	а	N															8,180		
	08-Jul-08	а	N															6,980		
	15-Jul-08	а	N															1,810		
	23-Jul-08	а	N	<0.2	<1		16.5	12.4	ND	ND	<2.5	<2.5	27,100	19,100	24,400	26,500	3.11	5,180	<5	<5
	28-Jul-08	а	N															4,930		
	21-Aug-08	а	N	<0.2 UJ	<1		1450	1,088	ND	ND	<2.5	<2.5	38,600	34,400	31,400	31,300	12	5,530	<50	<5
	03-Sep-08	а	N															2,870		
	18-Sep-08		N	<0.2	<1		1,450	1,088	ND	ND	<1	<1	13,600	25,100	22,900	29,200	6.7	2,930	<5	<5
	15-Oct-08		N	<0.2	<1		1,320	990	ND	ND	<2.5	<2.5	33,600	27,800	16,100	16,300	58	2,210	<5	<5
	12-Nov-08		N	<0.2	<1		539	404	ND	ND	<1	<1	4,090	2,690	1,100	1,190	17.5	395	<5	<5
	15-May-09		N	<0.2	<1		315	236	ND	ND	<0.2	<0.2	8,930	6,930 J	1,950	1,930	<2 UB	110	<1	<1
	04-Aug-09 29-Oct-09	а	N N	<0.2 <0.2	<1		404 671	303 503	ND ND	ND ND	<0.2 <0.2			4,350 16,100 J	977 3,050		3.3 34	79 950	<1 1.4	<1 UJ
	13-Jan-10		N	<0.2 <0.2	<1 <1		261	196	ND	ND				•	2,620		<3.5	160	1.4	<1 <1
	13-Jan-10 14-Jul-10		N	<0.2	<1		436	327	ND	ND	<0.2 <0.2			21,800 19,200	2,580		<3.5 <2	320 J ²	3.0	2.9
	14-3ul-10 14-Oct-10		N	<0.2	1.1		1,300	975	ND	ND	<0.2			5,620 J	398		<2	4.6	3.0 <1	<1
	18-Jan-11		N	<0.2	2.2		411	308	ND	ND	<0.2			8,980 J	505		<2	7.2	<1	<1
	14-Apr-11		N	<0.2	<1 <1		532	399	ND	ND	<0.2			8,650	358		3.9	7.2 5.7	<5	<5
	13-Jul-11		N	<0.2	<1		353	265	ND	ND	<0.2			6,340	578		2.0	4.7	1.50	<1
	15-Nov-11		N	<0.2	<1		498	374	ND	ND	<0.2			34,300	3,410		13	120	<5	<5
	14-Feb-12		N	<0.2	<1		468	351	ND	ND	<0.2			32,200	3,510		6.3	110	2.6	3.6
	31-Jul-12		N	<0.2	<1		532	399	ND	ND	<0.2			14,400	1,640		9.7	97	4.1	<5
	29-Jan-13		N	<0.2	<1		4 50	338	ND	ND ND	<0.2			17,400	1,610		93	89	4.4	<1
	09-Jul-13		N	<0.2	<1		507	380	ND	ND	<0.2			15,800	1,990		53	88	6.0	<1
	09-Jul-13		N	<0.2	<1		507	360	ND	ND	<0.2			15,800	1,990		53	00	6.0	<1

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (μg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (μg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
PT-7D	18-Jul-07	а	N	7,260	7,890	7,750					7.4	<0.1	<500	<500	48	54	1,140	<1	129 ¹	8.1 ¹
	24-Jan-08	а	N	8,010	7,920						9.9	< 0.5	<500	<1,000	<1,000	14	1,150	<1	87	<10
	06-Mar-08	а	N	506	499		ND	ND	ND	ND	<0.5	<0.1	<500	<500	<500	193	903	234	203	<5
	13-Mar-08	а	N	80.6	160		1,580	1,185	ND	ND	<0.5	<0.2	<500	<2,500	<2,500	1,050	903	313		
	18-Mar-08	а	N	<2.1	69.3		1,040	780	ND	ND	<1	<0.2	<500	<2,500		2,220	621	309		
	25-Mar-08	а	N	4	17.8 UB		860	645	ND	ND	<1	<0.5	<500	<2,500	4,080	4,320	612	313		
	02-Apr-08	а	N	<0.2	<5		771	578	ND	ND			<500	<2,500			633	256		
	17-Apr-08	а	N	22.6	7.64		5,550	4,163	ND	ND			<500	<2,500			179	1,410	65	<25
	29-Apr-08	а	N	<0.2	17.2		6,680	5,010	ND	ND	<10	<2	<500	<500	2,960	3,380	98	2,920		
	15-May-08	а	N	<1.1	1.48		5,450	4,088	ND	ND			2,280	1,730			96	2,780		
	29-May-08	а	N	<1	1.14		5,260	3,945	ND	ND	<10	<10	2,660	2,000	8,860	8,850	100	1,690	51	<5
	11-Jun-08	а	N	1.5	1.48		8,390	6,293	ND	ND			4,920	2,740			51	4,620	35	<5
	19-Jun-08	а	N															4,520		
	24-Jun-08	а	N	<1	49.2		7,000	5,250	ND	ND	<10	<10	10,600	1,280	9,700	11,400	13	4,450		
	01-Jul-08	а	N															5,850		
	08-Jul-08	а	N															4,580		
	15-Jul-08	а	N															5,430		
	23-Jul-08	а	N	<0.2	2.18		2,730	2,048	ND	ND	<5	<5	7,870	5,380	18,100	19,900	<5	5,140	<5	<5
	28-Jul-08	а	N															5,140		
	21-Aug-08	а	N	<0.2 UJ	1.13		2,210	1,658	ND	ND	<2.5	<2.5	7,130	6,140	19,100	20,300	30	4,500	10	<5
	03-Sep-08	а	N															5,110		
	18-Sep-08		N	<0.2	3.07		1,010	758	ND	ND	<1	<1	25,900	10,000	27,000	20,100	11.3	2,890	<5	<5
	15-Oct-08		N	<0.2	7.37		704	528	ND	ND	<1	<1	14,300	6,150	23,700	25,400	17	1,640	<50	<50
	12-Nov-08		N	<0.2	2.8		424	318	ND	ND	<2.5	<2.5	4,460	<500	18,200	22,100	7.8	791	<25	<5
	15-May-09		N	<0.2	<1		437	328	ND	ND	<0.5	<0.5	836	315 J	246	579	290	3.7 J	<1	<1
	04-Aug-09	а	N	<0.2	<1		1,080	810	ND	ND	<0.5			5,150	6,170		82	770	11	<1 UJ
	28-Oct-09		N	<0.2	1.46		460	345	ND	ND	<0.5 UJ			746 J	354		510	4.9	<1	<1
	13-Jan-10		N	<0.2	<1		456	342	ND	ND	<0.5			1,010 J	389		680	9.2	4.6	<1
	08-Apr-10		N	<0.2	1.47		636	477	ND	ND	<0.5			463	200		650	4.9	16	<1
	14-Jul-10		N	<0.2	<1		484	363	ND	ND	<0.5			4,930 J	2,070		670	96 J ²	22	<5
	14-Oct-10		N	<0.2	1.9		1,090	818	ND	ND	<0.5			893 J	422		370	2.2	19	<1
	18-Jan-11		N	<0.2	2.6		1,140	855	ND	ND	<0.5			1,150 J	420		380	6.2	27	<1
	14-Apr-11		N	<0.2	1.4		1,330	998	ND	ND	<0.5			1,110	336		170	26	18	<5
	13-Jul-11		N	<1	<1		718	539	ND	ND	<0.5			5,920	2,340		280	1	29	<1
	16-Nov-11		N	<0.2	<1		605	454	ND	ND	<0.5			8,940	3,490		360	68	29	<5
	15-Feb-12		N	<0.2	<1		550	413	ND	ND	<0.2			12,400	4,290		340	52	33	<10
	31-Jul-12		N	<0.2	1.5		655	491	ND	ND	<0.5			7,810	2,180		260	45	28	<5
	29-Jan-13		N	<0.2	1.4		438	329	ND	ND	<0.5			5,950	2,220		440	34	36	<5
	09-Jul-13		N	<0.2	<1		453	340	ND	ND	<0.5			6,660	3,840		410	38	31	<1

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (μg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolv Molybde (µg/L
PT-8S	16-Jul-07	а	N	1,750	1,660	1,620					25	<0.5	2,670	<500	25	269	869	1.4	45 ¹
	23-Jan-08	а	N	1.620	1.680						25	<0.5	<500	<2.500	<2.500	<10	734	1.0	

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (μg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
PT-8S	16-Jul-07	а	N	1,750	1,660	1,620					25	<0.5	2,670	<500	25	269	869	1.4	45 ¹	84 ¹
	23-Jan-08	а	N	1,620	1,680						25	<0.5	<500	<2,500	<2,500	<10	734	1.0		
	05-Mar-08	а	N	1,430	1,340		ND	ND	ND	ND	23	<0.5	<500	<500	<500	<10	727	1.1		
	13-Mar-08	а	N	657	657		ND	ND	ND	ND	8.4	1.61	<500	<2,500	<2,500	333	618	13		
	18-Mar-08	а	N	160	164		ND	ND	ND	ND	1.7	0.82	<500	<2,500		1,050	561	7.2		
	25-Mar-08	а	N	455	438		0.10	0.07	ND	ND	6.2	2.42	<500	<2,500	<2,500	973	591	4.2		
	02-Apr-08	а	N	877	884		ND	ND	ND	ND			<500	<2,500			634	1.4		
	16-Apr-08	а	N	775	747		0.20	0.15	ND	ND			<500	<2,500			408	<1		
	29-Apr-08	а	N	76.7	95.7		24.8	18.6	ND	ND	1.4	<0.2	<500	<500	2,300	2,910	560	74		
	14-May-08	а	N	<0.2	18.1		12.8	9.60	1.77	0.35			<500	<500			481	36		
	28-May-08	а	N	<0.2	2.68		80.0	60.0	34.6	6.92	<0.5	<2.5	532	<500	3,560	3,930	161	50		
	28-May-08	а	FD	<0.2	3.05			62.1		6.72	<0.5	<2.5	544	<500	3,520	3,950	162	92		
	11-Jun-08	а	N	1.8	4.97		430	323	213	42.6			5,530	4,210			12.7	1,100		
	19-Jun-08	а	N															842		
	25-Jun-08	а	N	<1	1.8		164	123	487	97.4	<1	<1	6,600	5,540	15,600	17,600	2.6	1,710		
	01-Jul-08	а	N															1,740		
	08-Jul-08	а	N															1,090		
	15-Jul-08	а	N															1,230		
	23-Jul-08	а	N	<0.2	<1		111	83.3	486	97.2	<5	<5	6,380	5,050	17,200	18,100	<5	1,210		
	28-Jul-08	а	N															1,020		
	20-Aug-08	а	N	<0.2 J	16.0		119	89.3	346	69.2	<1	<2.5	13,600	11,200	9,560	10,700	3.9	439		
	17-Sep-08		N	<0.2	3.7		97.1	72.8	257	51.4	<1	<1	12,800	10,300	4,700	5,380	4.1	189		
	15-Oct-08		N	<0.2	1.0		181	136	345	69.0	<1	<2.5	9,240	8,200	2,720	3,040	5.5	164		
	12-Nov-08		N	<0.2	<1		111	83.3	248	49.6	<1	<1	19,700	8,090	1,640	3,030	5.2	5.4		
	04-Feb-09	а	N	<0.2	<1		213	160	178	35.6	1.4	<0.5	7,100	6,150	2,600	2,880	100	3.9	8.2	2.4 J
	13-May-09	а	N	<0.2	3.8		139	104	194	38.8	<0.2	<0.2	8,920	5,000	2,600	2,770	150	2.4 J	13	<1
	04-Aug-09	а	N	<0.2	<1		111	83.3	165	33.0	<0.2			3,790	2,320		240	2.3	14	4.6 J
	28-Oct-09		N	<0.2	<1		86.9	65.2	118	23.6	9.9			763	1,460		740	1.7	4.5	24 J
	12-Jan-10		N	<0.2	<1		70.9	53.2	79.2	15.8	<0.2			3,020	2,100		360	1.8	27	2.1
	07-Apr-10		N	<0.2	<1		32.8	24.6	62.4	12.5	<0.1			2,680	2,290		500	1.3	28	4.6
	13-Jul-10		N	<0.2	3.6		17.4	13.1	29.2	5.84	<0.2			2,140	1,990		560	17 J	31	4.1
	13-Oct-10		N	<0.2	2.9		11.9	8.93	19.9	3.98	<0.2			1,530 J	1,890		580	<0.5	35	<1
	17-Jan-11		N	<0.2	1.5		7.56	5.67	13.9	2.78	<0.2			1,780 J	2,280		590	<0.5	41	<1
	13-Apr-11		N	<0.2	<1		2.87	2.15	8.1	1.62	<0.1			1,500 J	1,910		600	<0.5	50	<1
	12-Jul-11		N	<0.2	<1		2.05	1.54	4.51	0.90	<0.1			1,110	1,930		600	<0.5	61	<1
	15-Nov-11		N	<0.2	<1		1.65	1.24	3.34	0.67	<0.2			1,040	1,950		630	18	56	<1
	14-Feb-12		N	<0.2	<1		0.71	0.53	1.73	0.35	<0.1			1,350	2,110		610	10	63	2.7
	31-Jul-12		N	<0.2	<1		0.45	0.34	1.19	0.24	<0.1			986	1,820		610	17	60	<5
	29-Jan-13		N	<0.2	<1		0.44	0.33	1.08	0.22	<0.2			771	1,320		550	17	80	<1
	09-Jul-13		N	<0.2	<1		0.12	0.09	0.40	0.08	<0.2			774	1,430		550	16	72	<1

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (μg/L)
PT-8M	18-Jul-07	а	N	3,960	4,120	4,140					32		<500	<500	16	22.7	1,330	1.4	12 ¹	151 ¹
	23-Jan-08	а	N	4,050	4,030						35	<5	<500	<2,500	<2,500	<10	1,210	1.3		
	05-Mar-08	а	N	3,820	3,910		ND	ND	ND	ND	34	<0.5	<500	<500	<500	<10	1,290	1.4		
	13-Mar-08	а	N	3,870	3,870		ND	ND	ND	ND	32	<0.5	<500	<2,500	<2,500	<10	1,250	1.3		
	19-Mar-08	а	N	4,030	3,850		ND	ND	ND	ND	33	<1	<500	<2,500		<10	1,230	1.2		
	25-Mar-08	а	N	3,890	3,820		ND	ND	ND	ND	33	<1	<500	<2,500	<2,500	<10	1,230	1.0		
	02-Apr-08	а	N	3,880	3,810		ND	ND	ND	ND			<500	<2,500			1,290	1.1		
	16-Apr-08	а	N	3,670	3,730		ND	ND	ND	ND			<500	<2,500			1,280	<1		
	29-Apr-08	а	N	3,570	3,760		ND	ND	ND	ND	32	<1	<500	<500	<500	<10	1,250	<1		
	14-May-08	а	N	3,880	3,760		ND	ND	ND	ND			<500	<500			1,220	1.4		
	28-May-08	а	N	3,830	3,660		ND	ND	ND	ND	13	<2.5	<500	<500	<500	12.8	1,010	<1		
	11-Jun-08	а	N	2,720	3,500		0.43	0.32	ND	ND			<500	<500			1,220	1.4		
	19-Jun-08	а	N															<2		
	25-Jun-08	а	N	3,710	3,540		0.02	0.02	ND	ND	30	<1	<500	<500	<500	<10	1,190	1.5		
	25-Jun-08	а	FD	3,550	3,470			0.02		ND	31	<1	<500	<500	<500	<10	1,190	1.5		
	01-Jul-08		N															1.6		
	23-Jul-08	а	N	3,620	3,480		0.04	0.03	ND	ND	29	<1	<500	<500	<500	<10	1,130	1.6		
	20-Aug-08	а	N	2,770 J	2,740		2.56	1.92	ND	ND	22	<1	<500	<500	<500	80	1,090	2.2		
	17-Sep-08		N	1,950	2,310		0.66	0.49	0.37	0.07	19	<1	<500	<500	<500	231	1,040	2.4		
	15-Oct-08		N	2,900	2,780		0.67	0.50	4.94	0.99	26 J	<1	<500	<500	<500	16	1,110	1.6		
	12-Nov-08		N	1,660	1,650		2.73	2.05	14.1	2.82	12	1.21	<500	<500	<500	314	878	2.3		
	04-Feb-09	а	N	1,170	1,350		91.5	68.6	14.6	2.92	11	<0.5	300	179	554	532	890	3.8	6.5	61 J
	13-May-09		N	702	698		134.0	101	7.58	1.52	6.1	<0.2	644	<100	882	985	590	1.9 J	6.2	23
	04-Aug-09	а	N	571	512		200	150	ND	ND	6.0			582	1,590		630	2.4	4.8	24 J
	28-Oct-09		N	884	843		27.6	20.7	ND	ND	<0.2			3,400	2,070		320	1.7	20	<1 UJ
	12-Jan-10		N	580	590		73.5	55.1	ND	ND	8.1			1,030	1,850		710	1.8	5.8	21
	07-Apr-10		N	383	452		58.4	43.8	ND	ND	7.2			125	2,380		770	2.1	4.8	17
	13-Jul-10		N	400	396		102	76.5	ND	ND	7.5			286 J	2,640		820	38 J	4.6	17
	13-Oct-10		N	233	284		75.3	56.5	ND	ND	7.6			158 J	2,990		900	0.62	4.0	12
	17-Jan-11		N	340	334		31.3	23.5	ND	ND	8.9			213 J	3,480		1,000	<0.5	4.4	11
	13-Apr-11		N	178	227		106	79.5	ND	ND	6.2			215 J	2,960		840	0.62	4.6	7.5
	13-Apr-11		FD	185	230		74.6	56.0	ND	ND	6.2			193 J	2,920		850	<0.5	4.4	7.2
	12-Jul-11		N	114	149		101	75.8	ND	ND	6.2			279	4,040		1,000	<0.5	5.4	7.7
	15-Nov-11		N	186	261		18.3	13.7	ND	ND	6.6			378	4,310		1,100	30	5.0	11
	14-Feb-12		N	292	341		16.1	12.1	ND	ND	7.7			293	4,090		1,100	24	5.2	9.1
	31-Jul-12		N	45	99		47.0	35.3	ND	ND	4.3			488	5,040		1,100	29	5.2	6.4
	29-Jan-13		N	216	301		4.73	3.55	ND	ND	6.7			<250	4,040		1,200	18	6.9	6.1
	13-Jul-13		N	38	108		16.9	12.7	ND	ND	3.0			550	4,620		1,200	20	6.2	3.9

PG&E Topock Needles, California

			Sampl	Hexavalent	Total	Total								Dissolved	Dissolved	Total		Total	Dissolved	Dissolved
Location Name	Sample Date	Not es	e Type	Chromium (µg/L)	Dissolved Chromium (µg/L)	Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Iron (µg/L)	Manganese (µg/L)	Manganese (µg/L)	Sulfate (mg/L)	Organic Carbon (mg/L)	Molybdenum (µg/L)	Selenium (µg/L)
PT-8D	16-Jul-07	а	N	6,540	7,260	7,290					9.7	<1	2,620	<500	24	186	1,110	<1	92 ¹	9.1 ¹
	23-Jan-08	а	N	6,210	6,340						11	<2.5	<500	<5,000	<5,000	<10	1,080	<1		
	05-Mar-08	а	N	6,510	6,600		ND	ND	ND	ND	11	<1	<500	<2,500	<2,500	<10	1,110	<1		
	13-Mar-08	а	N	6,560	5,030		ND	ND	ND	ND	13	<2.5	<500	<2,500	<2,500	<10	1,270	<1		
	18-Mar-08	а	N	5,750	5,280		ND	ND	ND	ND	12	<2.5	<500	<2,500		<10	1,130	<1		
	25-Mar-08	а	N	5,380	5,310		ND	ND	ND	ND	12	<2.5	<500	<2,500	<2,500	<10	1,160	<1		
	02-Apr-08	а	N	2,640	5,180		ND	ND	ND	ND			<500	95			1,180	<1		
	16-Apr-08 29-Apr-08	a a	N N	6,340 4,570	6,270 4,380		ND 2.93	ND 2.20	ND ND	ND ND	13	<2.5	<500 <500	<2,500 <500	<500	 <10	1,100 1,240	<1		
	14-May-08	a	N	2,300	3,470		2.93 14.1	10.6	ND	ND			<500 <500	<500 <500			1,240	<1 8.2		
	28-May-08	a	N	3,940	3,790		6.03	4.52	ND	ND	11	<2.5	<500	<500	<500	82.1	1,170	<1		
	11-Jun-08	а	N	3,310	3,530		9.22	6.92	ND	ND			<500	<500			1,190	1.5		
	19-Jun-08	а	N															2.3		
	25-Jun-08	а	N	2,120	2,550		64.9	48.7	ND	ND	7.2	<2.5	<500	<500	929	975	1,140	91		
	01-Jul-08		N															4.2		
	08-Jul-08		N															51		
	15-Jul-08		N															1.7		
	23-Jul-08	а	N	3,000	2,700		11.7	8.78	ND	ND	9.6	<2.5	<500	<500	<500	72.4	1,170	2.4		
	28-Jul-08		N															25		
	20-Aug-08	а	N	3,710 J	3,550		6.23	4.67	ND	ND	9.3	<2.5	<500	<500	<500	107.0	1,130	1.4		
	17-Sep-08	а	N	3,130	3,430		ND	ND	ND	ND	10.1	<2.5	<500	<2,500	<2,500	45.0	1,180	<1		
	15-Oct-08		N	18	1,420		87.3	65.5	ND	ND	7.0	<2.5	<500	<2,500	<2,500	1,410	1,120	58		
	12-Nov-08		N	714	802		44.3	33.2	ND	ND	5.5	<1	<500	<2,500	<2,500	952	1,120	1.6		
	04-Feb-09	а	N FD	982	1,180		24.4	18.3	ND ND	ND ND	<9.3	<1	<100	152	406	532	1,400	0.60		
	04-Feb-09 13-May-09	а	N	966 1,440	1,170 1,630		26.7 12.7	20.0 9.53	ND	ND	<8.9 5.4	<1 <0.5	<100 108	198 <100	424 268	490 362	1,300 960	<0.5 <0.5	65 82	5.2 J <1
	04-Aug-09	а	N	1,440	1,390		2.42	1.82	ND	ND	9.1	<0.5		591	200		1,100	<0.5	68	<1 UJ
	28-Oct-09	а	N	1,760	1,710		2.42	2.16	ND	ND	10			891	265		1,200	<0.5	72	<1 UJ
	28-Oct-09		FD	1,780	1,590		3.14	2.36	ND	ND	10			885	254		1,200	<0.5	66	<1 UJ
	12-Jan-10		N	1,820	1,780		2.08	1.56	ND	ND	9.2			<500	271		1,100	<0.5	75	7.7
	07-Apr-10		N	1,630	1,660		1.99	1.49	ND	ND	7.4			<100	294		1,100	<0.5	74	<1
	07-Apr-10		FD	1,630	1,680						7.5			105	299		1,100	< 0.5	75	<1
	13-Jul-10		N	1,900	1,650		1.14	0.86	ND	ND	9.5			144	223		1,100	$4.5 J^2$	76	6.7
	13-Oct-10		N	1,760	1,940		1.18	0.89	ND	ND	8.6			<100	236		1,100	<0.5	73	10
	17-Jan-11		N	1,810	1,650		0.49	0.37	ND	ND	9.3			151 J	237		1,100	<0.5	59	8.4
	13-Apr-11		N	1,430	1,410		0.66	0.49	ND	ND	5.8			129 J	286		910	<0.5	63	5.2
	12-Jul-11		N	1,560	1,520		0.70	0.53	ND	ND	8.3			<50	213		1,000	<0.5	78	5.7
	15-Nov-11		N	1,760	1,650		0.08	0.06	ND	ND	8.9			<250	213		1,100	5.1	59	11
	14-Feb-12		N	1,230	1,280		0.07	0.05	ND	ND	6.4			68	219		930	3.8	54	8.3
	31-Jul-12		N	1,330	1,460		0.05	0.04	ND	ND	8.0			<50	223		1,000	4.6	54	6.6
	31-Jul-12		FD N	1,330	1,420		0.01	0.01	ND	ND	8.2			<50	211 225		990	4.8	54 58	<5
	29-Jan-13 09-Jul-13		N N	1,280 1,080	1,250 1,140		0.01 0.01	0.01 0.01	ND ND	ND ND	7.8 6.4			<250 <50	225 227		1,000 980	2.7 3.1	58 58	5.4 5.1

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (μg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (μg/L)	
PT-9S	17-Jul-07	а	N	1,180	1,150	1,170					16	<0.5	1,080	<500	29	125	689	1.2	48 ¹	57 ¹	
	22-Jan-08	а	N	1,380	1,250						17	<2.5	917	1,000	<500	37	644	<1			
	05-Mar-08	а	N	1,380	1,340		0.02	0.01	ND	ND	18	<0.5	1,060	<500	<500	145	718	<1			
	12-Mar-08	а	N	1,140	1,010		ND	ND	ND	ND	16	<0.5	<500	<500	<500	13	525	<1			
	19-Mar-08	а	N	1,390	1,380		ND	ND	ND	ND	18	<0.5	<500	<2,500		22	633	<1			
	26-Mar-08	а	N	1,350	1,310		ND	ND	ND	ND	18	<0.5	<500	<2,500	<2,500	17	668	<1			
	02-Apr-08	а	N	1,340	1,300		ND	ND	ND	ND			<500	<2,500			670	<1			
	16-Apr-08	а	N	1,410	1,350		0.05	0.04	ND	ND			<500	<2,500			424	<1			
	29-Apr-08	а	N	1,050	1,080		ND	ND	ND	ND	17	<0.5	<500	<500	<500	17	559	<1			
	14-May-08	а	N	1,060	1,030		ND	ND	ND	ND			<500	<500			563	<1			
	28-May-08	а	N	1,280	1,210		ND	ND	ND	ND	18	<0.5	635	<500	<500	52	643	<1			
	11-Jun-08	а	N	1,270	1,180		ND	ND	ND	ND			719	<500			678				
	25-Jun-08	а	N	1,030	1,060		0.03	0.02	ND	ND	16	<0.5	<500	<500	<500	33	595	<1			
	24-Jul-08	а	N	1,450	1,240		ND	ND	ND	ND	17	<1	1,310	<500	<500	194.0	627	1.3			
	20-Aug-08	а	N	1,460 J	1,390		2.07	1.55	11	2.2	17	<1	1,240	<500	<500	164.0	667	1.3			
	17-Sep-08		N	1,290	1,400		5.81	4.36	ND	ND	16	<0.5	<500	<500	<500	22	689	1.2			
	15-Oct-08		N	929	889		3.91	2.93	4.03	0.81	11 J	<0.5	<500	<500	<500	28	558	1.2			
	12-Nov-08		N	530	484		75.1	56.3	9.22	1.84	8.9	<0.5	1,480	<500	1,280	1,820	377	146			
	05-Feb-09	а	N	633	458		33.6	25.2	17.7	3.54	14 UB	<0.1	5,850 J	<100	893	973	720	7.0	28	54 J	
	14-May-09		N	826	936		161	121	8.01	1.60	13	<0.2	9,180 J	<100	800	1,110	510	44	31	42	
	05-Aug-09		N	1,060	1,180		212	159	6.13	1.23	14			300	683		520	2.2	29	41	
	29-Oct-09		N	1,010	956		ND	ND	ND	ND	10			329 J	559		440	2.6	33	33	
	12-Jan-10		N	1,320	1,350		199	149	1.89	0.38	16			466	513		660	1.9	42.4 J	44	
	08-Apr-10		N	1,080	1,080		96.9	72.7	3.31	0.66	14			<100	472		690	1.6	29	32	
	13-Jul-10		N	1,250	1,120		27.9	20.9	0.53	0.11	14			141 J	662		690	17 J ²	29	34	
	13-Oct-10		N	1,080	1,080		26.1	19.6	ND	ND	13			<100	608		660	0.6	30	27	
	18-Jan-11		N	1,090	950		33.5	25.1	ND	ND	12			122 J	612		610	<0.5	47	24	
	13-Apr-11		N	944	896		10.8	8.10	0.06	0.01	8.1 J			75 J	477		600	<0.5	39	17	
	12-Jul-11		N	752	777		3.19	2.39	ND	ND	9.6			<50	639		580	<0.5	39	13	
	15-Nov-11		N	833	868		4.95	3.71	ND	ND	8.8			<250	461		570	19	40	14	
	15-Feb-12		N	689	672		2.38	1.79	ND	ND	9.2			<500	432		520	16	39	11	
	01-Aug-12		N	474	472		0.75	0.56	ND	ND	6.8			<50	560		520	17	32	6.4	
	30-Jan-13		N	426	424		0.38	0.29	ND	ND	6.6			<50	457		470	16	41	5.3	
	10-Jul-13		N	272	303		0.66	0.49	ND	ND	4.7			<50	549		470	14	30	4.0	

PG&E Topock

Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
PT-9M	17-Jul-07	а	N	2,340	2,270	2,250					24	<0.5	<500	<500	18.7	27	1,410	1.2	7.1 ¹	165 ¹
	17-Jul-07	а	FD	2,240	2,270	2,220					25	<0.5	<500	<500	18.2	32	1,410	1.2	7.5 ¹	173 ¹
	22-Jan-08	а	N	2,940	2,400						24	<2.5	<500	<500	<500	<10	1,390	1.0		
	05-Mar-08	а	N	2,310	2,400		ND	ND	ND	ND	25	<0.5	<500	<500	<500	<10	1,460	<1		
	12-Mar-08	а	N	2,590	2,360		ND	ND	ND	ND	22	<0.5	<500	<500	<500	<10	1,370	<1		
	19-Mar-08	а	N	2,660	2,570		0.07	0.06	ND	ND	23	<1	<500	<2,500		<10	1,430	<1		
	26-Mar-08	а	N	2,610	2,490		0.17	0.13	ND	ND	24	<1	<500	<2,500	<2,500	<10	1,340	<1		
	26-Mar-08	а	FD	2,500	2,500		ND	ND	ND	ND	24	<1	<500	<2,500	<2,500	<10	1,340	<1		
	02-Apr-08	а	N	2,520	2,510		ND	ND	ND	ND			1,260	<2,500			1,510	<1		
	16-Apr-08	а	N	2,550	2,570		ND	ND	ND	ND			<500	<2,500			908	<1		
	29-Apr-08	а	N	2,370	2,360		ND	ND	ND	ND	22	<0.2	<500	<500	<500	<10	1,460	<1		
	14-May-08	а	N	2,550	2,430		ND	ND	ND	ND			<500	<500			1,450	<1		
	28-May-08	а	N	2,500	2,300		0.065	0.05	ND	ND	24	<1	<500	<500	<500	<10	1,410	<1		
	11-Jun-08	а	N	2,500	2,330		ND	ND	ND	ND			<500	<500			1,460			
	25-Jun-08	а	N	2,460	2,260		ND	ND	ND	ND	21	<1	<500	<500	<500	<10	1,450	1.3		
	24-Jul-08	а	N	2,620	2,230		ND	ND	ND	ND	21	<1	<500	<500	<500	<10	1,400	1.5		
	20-Aug-08	а	N	2,500 J	2,400		0.086	0.06	ND	ND	22	<1	<500	<500	<500	<10	1,420	1.4		
	17-Sep-08		N	2,260	2,590		ND	ND	0.21	0.04	22	<1	<500	<2,500	<2,500	<10	1,480	<1		
	15-Oct-08		N	2,660	2,630		ND	ND	ND	ND	26 J	<1	<500	<500	<500	<10	1,490	1.1		
	12-Nov-08		N	2,590	2,800		ND	ND	ND	ND	24	< 0.5	<500	<2,500	<2,500	<10	1,450	1.0		
	05-Feb-09	а	N	2,680	2,590		0.05	0.03	ND	ND	23 J	<0.2	1,480 J	134	1.1	25	1,800	0.63	7.6	163 J
	14-May-09		N	2,580	2,750		ND	ND	ND	ND	22 J	< 0.2	1,560 J	117 J	1.1	28	1,400	0.79 J	7.2	101
	05-Aug-09	а	N	2,490	2,580		ND	ND	ND	ND	20			1,030	<1		1,400	0.64 UB	7.1	121
	29-Oct-09		N	2,560	2,600		ND	ND	ND	ND	20 J			1,370 J	<1		1,500	0.66	7.8	114
	12-Jan-10		N	2,540	2,470		ND	ND	ND	ND	20			<500	<5		1,300	0.54	7.64 J	108
	08-Apr-10		N	2,230	2,160		ND	ND	ND	ND	19			110	<1		1,400	0.56	8.1	67
	13-Jul-10		N	2,390	2,240		ND	ND	ND	ND	20			163	<1		1,400	5.0 J ²	7.9	89
	13-Oct-10		N	2,200	2,010		ND	ND	ND	ND	19			<100	<1		1,400	<0.5	6.6	72
	18-Jan-11		N	2,150	1,900		ND	ND	ND	ND	16			<100 J	<1		1,400	<0.5	7.2	66
	13-Apr-11		N	1,860	1,810		ND	ND	ND	ND	16			149 J	1.7		1,300	<0.5	6.6	36
	12-Jul-11		N	1,770	1,850		ND	ND	ND	ND	15			<50	<1		1,300	< 0.5	7.7	40
	15-Nov-11		N	1,890	1,770		ND	ND	ND	ND	14			<250	<5		1,300	11	5.9	40
	15-Feb-12		N	1,520	1,550		ND	ND	ND	ND	11			<500	<10		1,200	10	<10	21
	01-Aug-12		N	1,290	1,210		ND	ND	9.41	1.88	10			73.8	1.5		1,200	11	5.6	17
	30-Jan-13		N	1,090	1,070		ND	ND	2.75	0.55	10			<250	<5		1,100	11	6.0	12
	10-Jul-13		N	958	1,050		ND	ND	7.03	1.41	7.9			<50	1.6		1,000	11	5.1	9.4

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (μg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
PT-9D	17-Jul-07	а	N	15,700	15,600	<1					9.3	<1	<500	<500	29	34	1,260	1.1	92 ¹	9.1 ¹
	22-Jan-08	а	N	17,400	15,300						12	<2.5	<500	<5,000	<5,000	<10	1,390	<1		
	22-Jan-08	а	FD	16,400	15,500						11	<2.5	<500	<5,000	<5,000	<10	1,310	<1		
	05-Mar-08	а	N	16,000	15,600		ND	ND	ND	ND	9.9	<1	<500	<2,500	<2,500	15.8	1,470	<1		
	12-Mar-08	а	N	13,500	12,500		ND	ND	ND	ND	13	<2.5	<500	<2,500	<2,500	<10	1,390	<1		
	19-Mar-08	а	N	14,800	14,300		ND	ND	ND	ND	12	<2.5	<500	<2,500		<10	1,370	<1		
	26-Mar-08	а	N	14,600	14,100		ND	ND	ND	ND	12	<2.5	<500	<2,500	<2,500	<10	1,320	<1		
	02-Apr-08	а	N	13,900	14,400		ND	ND	ND	ND			<500	<2,500			1,430	<1		
	16-Apr-08	а	N	14,900	15,400		ND	ND	ND	ND			<500	<2,500			1,350	<1		
	29-Apr-08	а	N	11,000	10,600		ND	ND	ND	ND	13	<5	<500	<500	<500	<10	1,400	<1		
	14-May-08	а	N	10,600	10,700		ND	ND	ND	ND			<500	<500			1,340	<1		
	28-May-08	а	N	12,000	11,700		ND	ND	ND	ND	13	<2.5	<500	<500	<500	<10	1,330	<10		
	11-Jun-08	а	N	13,600	12,300		ND	ND	ND	ND			<500	<500			1,400	<2		
	11-Jun-08	а	FD	14,500	12,200			0.29		ND			<500	<500			1,380	<2		
	25-Jun-08	а	N	10,500	9,680		ND	ND	ND	ND	14	<2.5	<500	<500	<500	<10	1,330	<5		
	24-Jul-08	а	N	10,900	9,920		ND	ND	ND	ND	13	<2.5	<500	<500	<500	<10	1,320	12		
	20-Aug-08	а	N	13,000 J	14,900		0.02	0.02	ND	ND	11	<2.5	<500	<500	<500	<10	1,320	1.2		
	20-Aug-08	а	FD	7,090 J	14,800						11	<2.5	<500	<500	<500	<10	1,310	1.2		
	17-Sep-08		N	12,100	14,000		ND	ND	ND	ND	11	<2.5	<500	<2,500	<2,500	<10	1,440	<1		
	15-Oct-08		N	9,920	9,650		ND	ND	ND	ND	15	<1	<500	<2,500	<2,500	<10	1,440	<2		
	12-Nov-08		N	13,500	13,400		ND	ND	ND	ND	13	<2.5	<500	<2,500	<2,500	<10	1,380	1.8		
	05-Feb-09	а	N	15,300	13,400		ND	ND	ND	ND	14 UB	<0.5	335 J	527	<5	8.1	1,800	<2.5	74	14 J
	15-May-09		N	13,800	13,800		ND	ND	ND	ND	12	<0.5	400	459 J	1.1	10	1,400	<0.5	85	<1
	05-Aug-09		N	12,300	11,600		ND	ND	ND	ND	11			974	<1		1,400	<2.5	64	<1
	28-Oct-09		N	14,000	14,200		ND	ND	ND	ND	11			1,640	<1		1,400	<2.5	84	<1 UJ
	12-Jan-10		N	15,000	15,600		ND	ND	ND	ND	11			<500	<5		1,400	<2.5	92	9.4
	08-Apr-10		N	14,000	11,800		ND	ND	ND	ND	10			591	<1		1,400	<0.5 11 J ²	87	<1
	13-Jul-10 13-Oct-10		N	15,600	15,500		ND ND	ND ND	ND ND	ND ND	12 11			390	<1		1,400		92.1 J	7.0
	13-Oct-10		N FD	16,400 16,200	14,100 13,900						11			<500 <500	<1		1,400 1,400	<0.5 <0.5	93 93	9.7 J
				•			ND.	 ND	 ND	 ND					<1 .4					13 J
	18-Jan-11		N	15,700	13,700		ND ND	ND	ND ND	ND	10 11			868 J 842 J	<1 -1		1,600	<2.5	99 87	10
	13-Apr-11 12-Jul-11		N N	15,400 14,700	15,100 13,600		ND	ND	ND ND	ND	10			<50	<1 <1		1,500 1,500	<0.5 <1	102	8.0 7.3
	12-Jul-11 15-Nov-11		N		15,400		ND	ND ND	ND ND	ND	11			<500	<10		1,600	3.5	88	7.3 15
	15-Nov-11 15-Feb-12		N N	11,000	15,400		ND ND	ND ND	ND ND	ND ND	11			<500 667	<10 <10		1,600	3.5	88 108	15
	01-Aug-12		N	15,000 14,100	13,400		ND	ND ND	ND	ND	11			663	<10 <5		1,400	3.6	87	8.2
	30-Jan-13		N N	14,100 14,200	13,400 14,200		ND ND	N D	ND ND	ND ND	10			393	<5 <5		1,500	3.7 2.9	99	8.7
	10-Jul-13		N N	12,100	12,900		ND ND	ND ND	ND ND	ND ND	9.2			386	<0 <1		1,400	3.1	93	8. <i>1</i> 8.4
	10-Jul-13		IN	12,100	12,900		ND	ND	ND	ND	3.2			300	< i		1,400	3.1	33	0.4

PG&E Topock Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
MW-11	17-Jul-07	а	N	321	314	339					8.4	<0.5	<500	<500	<5	<10	251	1.1	11 ¹	6.1 ¹
	24-Jan-08	а	N	321	310						8.7	<0.5	<500	<500	<500	<10	241	<1		
	04-Mar-08	а	N	299	290		ND	ND	ND		9.7	<0.5	<500	<500	<500	<10	236	<1		
	11-Mar-08	а	N	289	288		ND	ND	ND	ND	8.9	<0.5	<500	<500	<500	<10	240	<1		
	11-Mar-08	а	FD	286	285		ND	ND	ND	ND	9.0	<0.5	<500	<500	<500	<10	248	<1		
	19-Mar-08	а	N	340	332		ND	ND	ND	ND	9.3	<0.5	<500	<2,500		<10	231	<1		
	27-Mar-08	а	N	331	308		0.06	0.04	ND	ND	8.9	<0.5	<500	<500	<500	<10	238	<1		
	01-Apr-08	а	N	316	306		0.04	0.03	ND	ND			<500	<500			237	<1		
	15-Apr-08	а	N	311	319		ND	ND	ND	ND			<500	<500			222	<1		
	28-Apr-08	а	N	284	266		ND	ND	ND	ND	8.6	<0.5	<500	<500	<500	<10	226	<1		
	13-May-08	а	N	280	281		ND	ND	ND	ND			<500	<500			229	<1		
	27-May-08	а	N	286	238		ND	ND	ND	ND	8.6	<0.5	<500	<500	<500	<10	220	<1		
	10-Jun-08	а	N	275	265		ND	ND	ND	ND				<500			227	<1		
	24-Jun-08	а	N	286	244		0.03	0.02	ND	ND	8.7	<0.5	<500	<500	<500	<10	226	<1		
	22-Jul-08	а	N	296	256		ND	ND	ND	ND	8.6	< 0.5	<500	<500	<500	<10	220	<1		
	21-Aug-08	а	N	281	240		ND	ND	ND	ND	8.3	<0.5	<500	<500	<500	<10	223	<1		
	16-Sep-08		N	262	256		ND	ND	ND	ND	8.5	<0.5	<500	<500	<500	<10	227	<1		
	14-Oct-08		N	264	312		ND	ND	ND	ND	8.4	< 0.5	<500	<500	<500	<10	217	<1		
	11-Nov-08		N	305	303		ND	ND	ND	ND	8.6	< 0.5	<500	<500	<500	<10	266	<1		
	03-Feb-09	а	N	299	336		0.03	0.02	ND	ND	9.8	<0.1	<100	<100	<1	<1	290	0.58	9.3	8.99 J
	14-May-09		N	234	268		4.57	3.43	ND	ND	8.7	<0.1	714 J	<100	2.8	19	200	5.5 J	10	8.6
	06-Apr-10		N	231	243		ND	ND	ND	ND	8.7			<100	<1		200	0.58	9.4	7.2
	12-Jul-10		N	256	222		ND	ND	ND	ND	8.7			<100 J	<1		200	$4.4 J^2$	9.5	9.0
	12-Oct-10		N	256	216		ND	ND	ND	ND	8.6			<100	<1		190	<0.5	8.6	6.0
	17-Jan-11		N	244	208		ND	ND	ND	ND	8.4			111 J	1.3		190	<0.5	9.1	4.8
	17-Jan-11		FD	242	220						8.4			<100 J	1.2		190	<0.5	8.5	5.4
	12-Apr-11		N	223	229		ND	ND	ND	ND	8.7			101	<1		190	<0.5	9.6	4.1 J
	11-Jul-11		N	206	179		ND	ND	ND	ND	8.3			<50	<1		190	<0.5	8.7	4.8
	14-Nov-11		N	216	214		ND	ND	ND	ND	8.2			<250	<5		190	10	8.9	7.6
	14-Nov-11		FD	188	202						8.2			<50	<1		190	11	9.0	6.1
	13-Feb-12		N	169	174		ND	ND	ND	ND	8.0			<50	1.04		180	9.7	9.0	5.3
	30-Jul-12		N	157	162		ND	ND	ND	ND	7.4			<50	<1		180	10	8.4	8.1
	28-Jan-13		N	155	153		ND	ND	ND	ND	7.6			<50	<1		180	9.7	8.5	5.0
	28-Jan-13		FD	148	150						7.7			<50	<1		190	10	9.2	5.1
	08-Jul-13		N	128	147		ND	ND	ND	ND	6.8			<50	<1		180	9.4	7.8	5.4

<50

180

8.8

7.8

5.2

08-Jul-13

FD

131

146

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
MW-24A	18-Jul-07	а	N	2,480	2,550	2,600					18	<0.5	<500	<500	<5	<10	372	3.8	48 ¹	3.4 ¹
	24-Jan-08	а	N	2,620	2,570						19	<0.5	<500	<500	<500	<10	380	3.8	40	<5
	06-Mar-08	а	N	3,890	4,190		ND	ND	ND	ND	14	<5	<500	<500	<500	401	1,210	367	29	58
	12-Mar-08	а	N	1,650	2,510		11.4	8.55	2,290	458	<10	<10	<500	<2,500	<2,500	417	1,170	1,160		
	19-Mar-08	а	N	1.6	5.76		1,760	1,320	1,480	296	<2.5	<2.5	<500	<2,500		1,280	854	2,460		
	26-Mar-08	а	N	10.6	12.90		12,600	9,450	3,880	776	<5	<5	1,030	<2,500	<2,500	2,380	347	4,890		
	01-Apr-08	а	N	<1	5.46		14,200	10,650	9,970	1,994			2,080	<2,500			129	12,900		
	17-Apr-08	а	N	15.7	9.79		254	191	2,480	496			1,820	<2,500			46.1	3,690	<25	<25
	30-Apr-08	а	N	<1	7.18		28.7	21.5	194	38.8	<5	<5	670	<500	1,320	1,360	624	1,160		
	30-Apr-08	а	FD	<1	8.19		28.6	21.5	265	53	<5	<5	680	<500	1,330	1,350	624	1,160		
	15-May-08	а	N	<0.2	5.04		54.7	41.0	214	42.8			1,520	853			831	1,650	12	34
	15-May-08	а	FD	<0.2	4.88		56	42.0	195	39			1,540	861			821	1,660		
	27-May-08	а	N	<2.1	5.42		19.2	14.4	353	70.6	<1	<2.5	2,160	1,560	3,550	3,740	21	1,350		
	12-Jun-08	а	N	2.3	4.56		28.3	21.2	326	65.2			2,440	671			267	1,130		
	19-Jun-08	а	N										4.000	750	4.550	4.000		1,500		
	26-Jun-08	а	N N	<0.2	26.00		3.21	2.41	14.9	2.98	5.4	<2.5	1,890	758	1,550	1,630	1,110	43		
	01-Jul-08	а		4.0				0.74		4.00	4.0						4.000	<400		
	24-Jul-08 24-Jul-08	а	N FD	<1.0	39.10		3.65	2.74 2.55	20.4	4.08 4.66	4.2 3.2	<2.5	2,370	527	647	653	1,230	<1	21	32
	19-Aug-08	а	N	<1.0	43.40 1.46		7.17	2.55 5.38	365	73.0	3.2 <1	<2.5 <1	2,350 548	560 <500	672 1,430	768 1,670	1,190 982	12 9.4		 <5
	19-Aug-08 16-Sep-08	а	N N	1.5 J <0.2	4.38		3.49	2.62	208	73.0 41.6	<1 <1	<1 <1	<500	<500 <500	1,430	1,670	982 16	9.4 800	<5 <5	
	16-Sep-08		N N	<0.2 5.8	4.36 6.72		3.49 2.14	1.61	3.43	0.69	<0.5	<1 <1	2,380	<500 519	1,510	1,720	868	90	<5 5	<5 13
	13-Nov-08		N	<0.2	9.10		2.14	1.57	19.0	3.80	<0.5	<1	2,360 2,010 J	<2,500	<2,500	1,330 1,140 J	644	52	<25	<25
	13-Nov-08		FD	<0.2	7.19		1.97	1.48	14.0	2.80	<2.5	<2.5	3,490 J	<2,500	<2,500	1,140 J 1,020 J	690	80		
	03-Feb-09	а	N	<0.2	4.30		5.97	4.48	163	32.6	<0.5	<0.5	2,410	156	964	863	1,200	4.0	1	4.3 J
	14-May-09	a	N	<1.0	1.30		16.9	12.7	333	66.6	<0.5	<0.5	1,120 J	363 J	750	750	680	5.3	3	3
	03-Aug-09	а	N	<0.2	<1		20.6	15.5	282	56.4	<0.2			2,130	3,260		520	6.3	<5	<5
	27-Oct-09	a	N	<0.2	1.18		30.2	22.7	333	66.6	<0.2			649	1,010		200	3.7	<1	<1 UJ
	11-Jan-10		N	<0.2	1.28		15.9	11.9	356	71.2	<0.2			485 J	479		190	3.6	1	1
	07-Apr-10		N	<0.2	1.39		10.9	8.18	547	109	<0.5			252	261		280	3.6	1	3
	12-Jul-10		N	0.26	<1		7.38	5.54	495	99.0	<0.1			188	147		320	23 J ²	2	3
	12-Jul-10		FD	0.28	<1						<0.1			185	153		310	18 J ²	2	3
	12-Oct-10		N	0.23	5.30		3.68	2.76	371	74.2	<0.1			142	154		310	1.6	3	<1
	17-Jan-11		N	<0.2	1.20		6.37	4.78	242	48.4	<0.2			402 J	343		250	1.5	3	<1
	12-Apr-11		N	0.98	2.00		2.11	1.58	333	66.6	<0.1			197	121		360	1.4	6	<1 J
	11-Jul-11		N	<0.2	<1		1.52	1.14	239	47.8	<0.2			95.2	68		340	1.3	11	<1
	14-Nov-11		N	<0.2	<1		2.30	1.73	146	29.2	<0.1			<250	121		290	39	18	<5
	13-Feb-12		N	<0.2	<1		1.29	0.97	151	30.2	<0.1			99.4	113		330	28	20	<1
	13-Feb-12		FD	<0.2	<1						<0.1			101	113		310	28	20	<1
	30-Jul-12		N	<0.2	<1		1.26	0.95	195	39.0	<0.1			68.6	53		290	29	44	3
	28-Jan-13		N	<0.2	<1		0.67	0.50	108	21.6	<0.1			52.8	72		300	30	51	<1
	08-Jul-13		N	<0.2	<1		0.26	0.20	136	27.2	<0.1			<50	35		290	27	75	<1

PG&E Topock Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
MW-24B	18-Jul-07	а	N	5,540	6,020	5,680					12	<0.5	<500	<500	23	25	1,060	<1	60.0	11 ¹
	24-Jan-08	а	N	4,870	4,760						11	<2.5	<500	<1,000	<1,000	20	1,050	<1		
	06-Mar-08	а	N	4,510	4,110		ND	ND	ND	ND	11	<1	<500	<500	<500	15	1,030	<1		
	12-Mar-08	а	N	4,530	4,310		ND	ND	ND	ND	12	<1	<500	<2,500	<2,500	13	996	<1		
	19-Mar-08	а	N	4,690	4,470		ND	ND	ND	ND	13	<2.5	<500	<2,500		16	1,010	<1		
	26-Mar-08	а	N	4,160	4,220		ND	ND	ND	ND	12	<2.5	<500	<2,500	<2,500	14	1,020	<1		
	03-Apr-08	а	N	4,310	4,240		0.20	0.15	ND	ND			<500	<2,500		15	1,040	<1		
	17-Apr-08	а	N	4,180	4,260		0.03	0.02	ND	ND			<500	<2,500			1,120	<1		
	30-Apr-08	а	N	3,400	3,790		ND	ND	ND	ND	10.0	<0.2	<500	<500	<500	14	1,050	4.4		
	15-May-08	а	N	3,580	3,780		ND	ND	ND	ND			<500	<500			1,050	<1		
	28-May-08	а	N	3,620	3,530		0.10	0.07	ND	ND	31	<1	<500	<500	<500	<10	1,180	1.0		
	12-Jun-08	а	N	3,690	3,730		ND	ND	ND	ND			<500	<500			1,080	<1		
	26-Jun-08	а	N	3,720	3,280		0.03	0.03	ND	ND	13	<2.5	<500	<500	<500	15	995	<1		
	24-Jul-08	а	N	3,180	2,690		ND	ND	ND	ND	12	<5	<500	<500	<500	14	1,010	1.0		
	19-Aug-08	а	N	3,200	2,730		ND	ND	ND	ND	12	<1	<500	<500	<500	11	1,020	1.2		
	17-Sep-08	а	N	2,680	2,820		ND	ND	ND	ND	12	<2.5	<500	<2,500	<2,500	20	1,070	1.1		
	16-Oct-08		N	2,700	2,640		ND	ND	ND	ND	13	<2.5	<500	<2,500	<2,500	13	1,060	<1		
	16-Oct-08		FD	2,560	2,610		ND	ND	ND	ND	13	<2.5	<500	<2,500	<2,500	14	1,060	<1		
	13-Nov-08		N	2,470	2,540		ND	ND	ND	ND	13	<2.5	<500 J	<2,500	<2,500	17	1,120	2.6		
	04-Feb-09	а	N	2,480	2,210		ND	ND	ND	ND	<13 UB	<0.2	<100	246	17	18	1,300	3.1	55	<1 UJ
	14-May-09		N	2,300	2,800		ND	ND	ND	ND	10	<0.5	<100	<100	17	18	990	< 0.5	63	<1
	07-Apr-10		N	2,070	2,060		ND	ND	ND	ND	8.4			112	19		1,100	<0.5	65	<1
	12-Jul-10		N	2,000	1,970		ND	ND	ND	ND	7.9			144 J	20		990	2.2 J ²	63	<5
	12-Oct-10		N	2,130	1,850		ND	ND	ND	ND	7.4			<500	19		990	<0.5	55	7.4
	17-Jan-11		N	1,940	1,690		ND	ND	ND	ND	6.8			119 J	21		960	<0.5	56	6.6
	12-Apr-11		N	1,680	1,920		ND	ND	ND	ND	7.4			<250	24		930	<0.5	53	5.28 J
	11-Jul-11		N	1,720	1,700		ND	ND	ND	ND	6.2			<50	18		930	<0.5	73	3.0
	11-Jul-11		FD	1,790	1,620						6.2			<50	19		950	< 0.5	73	2.8
	14-Nov-11		N	1,870	1,580		ND	ND	ND	ND	5.8			<500	19		930	4.3	58	<10
	13-Feb-12		N	1,540	1,690		ND	ND	ND	ND	5.6			<250	21		900	3.7	57	<5
	30-Jul-12		N	1,350	1,440		ND	ND	ND	ND	5.0			<50	22		880	4.1	55	<5
	28-Jan-13		N	1,290	1,250		ND	ND	ND	ND	4.8			<250	24		910	3.4	58	<5

ND

4.3

21

870

3.5

58

3.6

ND

08-Jul-13

1,140

1,320

ND

ND

PG&E Topock

Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (μg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (μg/L)	Dissolved Manganese (μg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (μg/L)
MW-38S	17-Jul-07	а	N	911	920	948					11	<0.5	1,910	<500	<5	234	465	1.1	65 ¹	7.2 ¹
	23-Jan-08	а	N	899	885						11	<0.5	<500	<500	<500	<10	366	<1	71	5.5
	04-Mar-08	а	N	900	912		ND	ND	ND	ND	12	<0.5	<500	<500	<500	15	399	<1		
	11-Mar-08	а	N	948	942		ND	ND	ND	ND	11	<0.5	<500	<500	<500	13	429	<1		
	20-Mar-08	а	N	993	1,040		0.07	0.05	0.23	0.05	11	<0.5	<500	<2,500		<10	404	<1		
	26-Mar-08	а	N	958	984		ND	ND	ND	ND	11	<0.5	<500	<2,500	<2,500	<10	404	<1		
	01-Apr-08	а	N	999	852		0.11	0.08	ND	ND			<500	<500			419	<1		
	15-Apr-08	а	N	995	987		ND	ND	ND	ND			<500	<500			396	<1		
	28-Apr-08	а	N	1,020	956		0.22	0.17	ND	ND	11	<0.5	<500	<500	<500	<10	414	<1		
	13-May-08	а	N	1,000	977		ND	ND	ND	ND			<500	<500			404	<1		
	27-May-08	а	N	984	895		ND	ND	ND	ND	11	<0.5	<500	<500	<500	<10	399	<1		
	10-Jun-08	а	N	992	959		ND	ND	ND	ND			1,140	<500			410	<1		
	24-Jun-08	а	N	1,040	942		0.02	0.02	ND	ND	10	< 0.5	<500	<500	<500	<10	396	<1	66	5.3
	22-Jul-08	а	N	1,020	945		ND	ND	ND	ND	10	< 0.5	<500	<500	<500	<10	390	<1	71	5.5
	20-Aug-08	а	N	1,020 J	1,020		0.02	0.02	ND	ND	9.9	<0.5	<500	<500	<500	<10	371	<1	71	5.4
	16-Sep-08		N	987	999		ND	ND	ND	ND	9.9	<0.5	<500	<500	<500	<10	391	<1	70	5.4
	14-Oct-08		N	1,100	1,090		ND	ND	ND	ND	9.6	0.60	<500	<500	<500	<10	383	<1	70	5.2
	11-Nov-08		N	1,050	1,000		0.17	0.13	ND	ND	10	< 0.5	566	<500	<500	46	381	<1	72	5.4
	03-Feb-09	а	N	1,140	1,080		ND	ND	ND	ND	11	<0.1	425	269	10	16	490	0.97	68	8.0 J
	12-May-09		N	1,040	912			ND		ND	9.7 J	<0.1	36,500	106	6.6	582	320	0.80	75	6.4
	03-Aug-09	а	N	949	855		ND	ND	ND	ND	9.6			<100	6.0		340	0.89 UB	65	5.9 UB
	27-Oct-09		N	1,040	927		ND	ND	ND	ND	9.3			108	<5.84 UB		310	0.67	67	6.6 J
	11-Jan-10		N	1,030	974		ND	ND	ND	ND	9.3			121 J	5.0		330	0.96	72	6.9

PG&E Topock Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (μg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
MW-38D	17-Jul-07	а	N	104	72.1	66.2					0.70	<2.5	<500	<500	10	20	724	<1	78 ¹	<1 1
	23-Jan-08	а	N	58.8	67.7						<2.5	<2.5	<500	<10,000	<10,000	<10	723	<1	76	<5
	04-Mar-08	а	N	49.8	47		ND	ND	ND	ND	0.56	<2.5	<500	<500	<500	<10	735	<1		
	11-Mar-08	а	N	50.4	53.8		ND	ND	ND	ND	0.58	<2.5	<500	<2,500	<2,500	<10	734	<1		
	20-Mar-08	а	N	49.6	50.7		ND	ND	ND	ND	<2.5	<2.5	<500	<2,500		13	724	<1		
	20-Mar-08	а	FD	51	50.9		ND	ND	ND	ND	<2.5	<2.5	<500	<2,500		12	711	<1		
	26-Mar-08	а	N	48.7	50.1		ND	ND	ND	ND	<1	<2.5	<500	<2,500	<2,500	13	723	<1		
	01-Apr-08	а	N	45.6	42.4		ND	ND	ND	ND			<500	<500			746	<1		
	01-Apr-08	а	FD	47.6	41.8		0.03	0.02	ND	ND			<500	<500			746	<1		
	15-Apr-08	а	N	43.8	45.8		ND	ND	ND	ND			<500	<500			738	<1		
	15-Apr-08	а	FD	46.1	45.8		0.05	0.04	ND	ND			<500	<500			748	<1		
	28-Apr-08	а	N	48	46.2		ND	ND	ND	ND	0.54	< 0.5	<500	<2,500	<2,500	17	734	<1		
	13-May-08	а	N	53	50.1		ND	ND	ND	ND			<500	<500			743	<1		
	27-May-08	а	N	53	48.3		ND	ND	ND	ND	0.59	<5	<500	<500	<500	13	748	<1		
	10-Jun-08	а	N	50.9	47.7		0.07	0.05	ND	ND			<500	<500			741	<1		
	24-Jun-08	а	N	55.5	48.3		ND	ND	ND	ND	0.57	< 0.5	<500	<500	<500	13	737	<1	78	<5
	22-Jul-08	а	N	56.3	52.3		ND	ND	ND	ND	<0.5	<5	<500	<500	<500	<10	734	<1	80	<5
	20-Aug-08	а	N	54.1	47.2		ND	ND	ND	ND	<2.5	<2.5	<500	<500	6,950	<10	721	<1		
	16-Sep-08		N	48.8	52.5		ND	ND	ND	ND	< 0.5	<2.5	<500	<500	<500	<10	763	<1	76	<5
	16-Sep-08		FD	50.5	57.0		ND	ND	ND	ND	0.54	<2.5	<500	<2,500	<2,500	<10	760	<1	76	<25
	14-Oct-08		N	71.7	70.2		ND	ND	ND	ND	0.68	<2.5	<500	<2,500	<2,500	<10	672	<1	81	<25
	11-Nov-08		N	55.8	53.4		ND	ND	ND	ND	0.77	<2.5	<500	<500	<500	<10	655	<1	72	<5
	03-Feb-09	а	N	45.4	52.4		0.03	0.02	ND	ND	< 0.5	< 0.5	<100	<100	4.2	6.0	940	<0.5	70	<1 UJ
	12-May-09		N	44.7	44.7		ND	ND	ND	ND	<1.0	<1.0	<100	<100	4.3	5.2	780	<0.5	86	<1
	12-May-09		FD	43.0	40.6		ND	ND	ND	ND	<1.0	<1.0	<100	<100	4.1	5.0	780	<0.5	85	<1
	03-Aug-09	а	N	51.5	44.5		ND	ND	ND	ND	0.75			713 J	<5		720	<0.5	77	9.0 UB
	03-Aug-09	а	FD	52.8	56.2						<0.5			737 J	<5		710	<0.5	78	12
	27-Oct-09		N	54.9	46.1		ND	ND	ND	ND	<1			888	<3.1 UB		760	<0.5	79	<1 UJ
	11-Jan-10		N	47.5	46.6		ND	ND	ND	ND	< 0.5			<500 J	<5		730	< 0.5	83	<5

FD

11-Jan-10

53.1

44.6

< 0.5

<500 J

<5

710

< 0.5

86

<5

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (μg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (μg/L)
PTR-1	19-Jul-07	а	N	538	713	1,240					18	<0.5	6,010	<500	92	119	983	<1	52 ¹	54 ¹
	25-Jan-08	а	N	904	991						20	<0.5	2,920	<500	<500	26	742	3.8		
	06-Mar-08	а	N	356	334		445,000	333,750	ND	ND	<500	<500	<500	<2,500	<2,500	1,070	1,460	11,200		
	11-Mar-08	а	N	945	846		2,760	2,070	ND	ND	11	<5	<500	<2,500	<2,500	633	671	29,700		
	20-Mar-08	а	N	76.8	125		40,500	30,375	ND	ND	<50	<50	540	<2,500		437	440	63,400		
	27-Mar-08	а	N	<1	<5		11,600	8,700	ND	ND	<20	<20	1,660	<2,500	<2,500	867	122	122,000		
	01-Apr-08	а	N	<1	<5		16,700	12,525	ND	ND			2,160	<2,500			356	2,890		
	16-Apr-08	а	N	20.2	99.2		112	84	ND	ND			750	<2,500			386	37,200		
	28-Apr-08	а	N															208,000		
	29-Apr-08	а	N	<0.2	93.9		1,760	1,320	ND	ND	5.9	<5	<500	<500	5,350	5,890	359	205,000		
	15-May-08	а	N	<2.1	170		485	364	ND	ND			524	<500			428	2,360		
	29-May-08	а	N	<2	3.1		31.5	24	ND	ND	1.5	<0.5	2,670	<500	708	919	520	27,900		
	12-Jun-08	а	N	<2	1.8			31.8					2,310	1,040			644	80		
	19-Jun-08	а	N															107		
	26-Jun-08	а	N	<0.2	5.2		34.6	26.0	ND	ND	5.3	6.04	718	<500	1,050	1,200	658	28.20		
	01-Jul-08		N															12		
	24-Jul-08	а	N	<1.0	49.3		39.4	29.6	ND	ND	3.5	7.44	998	<500	1,770	2,200	586	19		
	19-Aug-08	а	N	<0.2 UJ	30.9		11.1	8.33	ND	ND	2.0	0.72	5,210	<500	507	623	659	968		
	18-Sep-08		N	1.2	96.0		6.21	4.66	ND	ND	9.3	0.71	8,970	<500	<500	519	731	6.5		
	16-Oct-08		N	0.3	16.5		6.33	4.75	ND	ND	11	<1	15,400	<500	<500	322	713	3.5		
	13-Nov-08		N	0.4	16.0		16.1	12.1	ND	ND	<0.5	<0.5	7,530 J	<500	528	764 J	161	12,400		
	04-Feb-09	а	N	<0.2	<1		10.7	8.03	ND	ND	0.7	<0.5	6,550	4,250	12,800	14,000	280	740	3.0	3.8 J
	14-May-09		N	<0.2	1.1		17.9	13.4	ND	ND	<1.5 UB	<0.2	18,300 J	18,100 J	4,330	4,180	210	310	1.7	<1

PG&E Topock Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (μg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
PTR-2	18-Jul-07	а	N	3,190	3,380	4,020					26	<0.5	3,720	<500	69	74	1,200	1.6	26 ¹	83 ¹
	25-Jan-08	а	N	4,240	4,310						33	<0.5	6,920	<1,000	<1,000	29	1,280	6.4		
	06-Mar-08	а	N	4,960	5,120		5,490	4,118	ND	ND	29	<1	<500	<2,500	<2,500	<10	1,220	675		
	11-Mar-08	а	N	5,120	5,150		0.29	0	0.81	0.16	30	<1	<500	<500	<500	<10	1,280	1,060		
	20-Mar-08	а	N	3,170	3,160		2,970	2,228	482,000	96,400	<250	<250	<500	<2,500		55	514	83,000		
	27-Mar-08	а	N	1,800	1,720		1,870	1,403	195,000	39,000	<500	<500	<500	<2,500	<2,500	131	<500	117,000		
	01-Apr-08	а	N	4,190	4,370		1,130	848	409	81.80			<500	<2,500			1,190	3,090		
	15-Apr-08	а	N	2,030	2,080		26.9	20	195	39.00			<500	<2,500			762	31,900		
	28-Apr-08	а	N															220,000		
	29-Apr-08	а	N	4,900	4,870		4.65	3.49	107	21.4	27	<1	<500	<500	<500	95	1,250	206,000		
	15-May-08	а	N	4,790	4,840		1.14	0.86	44.4	8.88			<500	<500			1,240	8.4		
	28-May-08	а	N	3,870	3,920		0.45	0.33	84.9	17.0	11	<1	<500	<500	<500	183	1,010	25,200		
	10-Jun-08	а	N	4,350	4,970		0.48	0.36	42.9	8.58			<500	<500			1,200	201		
	19-Jun-08		N															39		
	26-Jun-08	а	N	4,570	4,240		1.41	1.06	7.71	1.54	26	<2.5	<500	<500	<500	31	1,160	<20		
	01-Jul-08	а	N															<10		
	24-Jul-08	а	N	4,620	4,420		2.69	2.02	7.07	1.41	24	<2.5	<500	<500	<500	19	1,160	54		
	19-Aug-08	а	N	1,620 J	1,900		ND	ND	24.5	4.90	<0.5	<1	2,370	<5,000	<5,000	80	782	29,100		
	18-Sep-08		N	719	2,070		1.16	0.87	17.2	3.44	8.9	0.83	1,110	<500	<500	145	654	47,400		
	16-Oct-08		N	3,900	3,780		1.58	1.19	1.92	0.38	20	<2.5	<500	<2,500	<2,500	49	1,180	2,690		
	13-Nov-08		N	3,900	4,220		0.14	0.11	3.02	0.60	15	5.25	<500 J	<2,500	<2,500	43 J	1,080	3.7		
	05-Feb-09	а	N	1,670	1,600		1.89	1.42	2.33	0.47	14	< 0.2	594 J	167	557	534	1,300	0.56	40	23 J

0.22

9.5

< 0.5

1,200

125

379

448

1,000 0.69 J

5.2

35

0.15

0.20

1.11

13-May-09

2,330

2,320

Ν

PG&E Topock Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (μg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (µg/L)
Equipment	17-Jul-07	а	EB	<0.2	<1	<1					<0.5	<0.5	<500	<500	<5	<10	<0.5	<1		
Blanks	22-Jan-08	а	EB	<0.2	<1						<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	05-Mar-08	а	EB	<0.2	1.7		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	0.63	<1		
	11-Mar-08	а	EB	<0.2	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	0.69	<1		
	18-Mar-08	а	EB	<1	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500		<10	<0.5	<1		
	25-Mar-08	а	EB	<42	3.31		0.03	0.02	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	03-Apr-08	а	EB	<0.2	<1		ND	ND	ND	ND			<500	<500		<10	<0.5	<1		
	15-Apr-08	а	EB	<0.2	<1		ND	ND	ND	ND			<500	<500			< 0.5	1.4		
	28-Apr-08	а	EB	<0.2	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	13-May-08	а	EB	<0.2	<1		ND	ND	ND	ND			<500	<500			<0.5	<1		
	28-May-08	а	EB	<0.2	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	10-Jun-08	а	EB	<0.2	<1								<500	<500			< 0.5	<1		
	19-Jun-08		EB															<1		
	24-Jun-08	а	EB	<0.2	<1		ND	ND	ND	ND	< 0.5	< 0.5	<500	<500	<500	<10	< 0.5	<1		
	01-Jul-08		EB															<1		
	22-Jul-08	а	EB	<0.2	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	19-Aug-08	а	EB	<0.2																
	20-Aug-08	а	EB		<1			ND		ND	1.1	<0.5	<500	<500	<500	<10	<0.5	<1		
	16-Sep-08		EB	<0.2	<1			ND		ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	14-Oct-08		EB	<0.2	<1			ND		ND	< 0.5	< 0.5	<500	<500	<500	<10	< 0.5	<1		
	11-Nov-08		EB	<0.2	<1		ND	ND	ND	ND	<0.5	< 0.5	<500	<500	<500	<10	<0.5	<1		
	03-Feb-09		EB	<0.2	<1		ND	ND	ND	ND	<0.1	<0.1	<100	<100	<1	<1	1.1	<0.5		
	14-May-09		EB	<0.2	<1			ND		ND	0.6	<0.1	<100	<100	<1	<5	2.2	2.8	<1	<1
	03-Aug-09		EB	0.24	<1						<0.1			<100	<1		1.6	0.68	<1	<1
	29-Oct-09		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		1.2	<0.5	<1	<1
	12-Jan-10		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		1.2	<0.5	<1	<1
	08-Apr-10		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		3.4	<0.5	<1	<1
	13-Jul-10		EB	0.32	<1		ND	ND	ND	ND	<0.1			<100	<1		<1	0.62	<1	<1
	13-Oct-10		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		<1	<0.5	<1	<1
	18-Jan-11		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		<1	<0.5	<1	<1
	12-Apr-11		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	<0.5	<1	<1
	11-Jul-11		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	<0.5	<1	<1
	14-Nov-11		EB	<0.2	<1						<0.1									
	15-Nov-11		EB				ND	ND	ND	ND	<0.1			<50	<1		<1	0.74	<1	<1
	14-Feb-12		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	0.68	<1	<1
	29-Jan-13		EB	<0.2	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	<0.5	<1	<1

<0.1

<50

<1

<1

1.2

<1

<1

08-Jul-13

EΒ

<0.2

<1

PG&E Topock Needles, California

Location Name	Sample Date	Not es	Sampl e Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (µg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (μg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (µg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (μg/L)
Field Blanks	17-Jul-07	а	FB	<0.2	<1	<1					<0.5	<0.5	<500	<500	<5	<10	<0.5	<1		
r leid blanks	22-Jan-08	а	FB	<0.2	<1						< 0.5	<0.5	<500	<500	<500	<10	36.4	<1		
	05-Mar-08	а	FB	<0.2	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	0.63	<1		
	11-Mar-08	а	FB	<0.2	1.15		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	18-Mar-08	а	FB	<0.2	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500		<10	<0.5	<1		
	25-Mar-08	а	FB	<0.2	<1		0.03	0.02	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	03-Apr-08	а	FB	<0.2	<1		0.04	0.03	ND	ND			<500	<500		<10	<0.5	<1		
	15-Apr-08	а	FB	<0.2	<1		ND	ND	ND	ND			<500	<500			<0.5	<1		
	28-Apr-08	а	FB	<0.2	<1		ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	13-May-08	а	FB	<0.2	<1		ND	ND	ND	ND			<500	<500			<0.5	<1		
	28-May-08	а	FB	<0.2			ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	10-Jun-08	а	FB		<1								<500	<500			<0.5	<1		
	19-Jun-08		FB															<1		
	24-Jun-08	а	FB	<0.2	<1	1	ND	ND	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	01-Jul-08		FB															<1		
	22-Jul-08	а	FB	<0.2	<1		0.46	0.34	ND	ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	19-Aug-08	а	FB	<0.2 J	<1			0.024		ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	1.03		
	16-Sep-08		FB	<0.2	<1			ND		ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	14-Oct-08		FB	<0.2	<1			ND		ND	<0.5	<0.5	<500	<500	<500	<10	<0.5	<1		
	11-Nov-08		FB	<0.2	<1		ND	ND	ND	ND	0.52	<0.5	<500	<500	<500	<10	<0.5	<1		
	04-Feb-09		FB	<0.2	<1		0.03	0.02	ND	ND	3.3	<0.5	<100	<100	<1	<5	<5	<0.5		
	12-May-09		FB	<0.2	<1			ND		ND	<0.1	<0.1	<100	<100	<1	<5	2.0	<0.5	<1	<1
	03-Aug-09		FB	0.24	<1						<0.1			<100	<1		1.6	<0.5	<1	1
	29-Oct-09		FB	<0.2	<1		0.04	0.03	ND	ND	<0.1			<100	<1		3.1	<0.5	<1	<1
	11-Jan-10		FB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		1.2	<0.5	<1	<1
	07-Apr-10		FB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		3.3	<0.5	<1	<1
	12-Jul-10		FB	0.27	<1		ND	ND	ND	ND	<0.1			<100	<1		<1	0.54	<1	<1
	13-Oct-10		FB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		<1	<0.5	<1	<1
	18-Jan-11		FB	<0.2	<1		ND	ND	ND	ND	<0.1			<100	<1		<1	<0.5	<1	<1
	12-Apr-11		FB	<0.2	<1		ND	ND	ND	ND										
	11-Jul-11		FB	<0.2	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	<0.5	<1	<1
	14-Nov-11		FB	0.29	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	0.79	<1	<1
	13-Feb-12		FB	<0.2	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	1.2	<1	<1
	30-Jan-13		FB	<0.2	<1		ND	ND	ND	ND	<0.1			<50	<1		<1	<0.5	<1	<1
	09-Jul-13		FB	<0.2	<1						<0.1			<50	<1		<1	<0.5	<1	<1

Table 3

Summary of Primary Analytical Parameters

PG&E Topock

Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name	Sample Date	Not es Type	Hexavalent Chromium (µg/L)	Total Dissolved Chromium (µg/L)	Total Chromium (μg/L)	Fluorescein (ppb)	Fluorescein (ppb dye)	Rhodamine (ppb)	Rhodamine (ppb dye)	Nitrate-N (mg/L)	Nitrite-N (mg/L)	Total Iron (µg/L)	Dissolved Iron (μg/L)	Dissolved Manganese (μg/L)	Total Manganese (µg/L)	Sulfate (mg/L)	Total Organic Carbon (mg/L)	Dissolved Molybdenum (µg/L)	Dissolved Selenium (μg/L)
------------------	----------------	-------------	----------------------------------	--	-----------------------------	----------------------	--------------------------	--------------------	------------------------	---------------------	---------------------	----------------------	-----------------------------	----------------------------------	------------------------------	-------------------	--------------------------------------	-----------------------------------	---------------------------------

Notes:

Current quarter data indicated in BOLD

a Samples were diluted in the laboratory

Dissolved Samples were field filtered with a 0.45 micron filter.

ft bgs Feet below ground surface

mg/L Milligrams per liter

μg/L Micrograms per liter

< Symbol indicates not detected at or above laboratory detection limit as noted

J Reported value is estimated

N Normal

ND Non-detect

EB Equipment blank

FB Field blank

FD Field duplicate

Nitrate-N Nitrate as Nitrogen

Nitrite-N Nitrite as Nitrogen

UB The analyte was not detected, but the analyte was found in the associated blank.

UJ The analyte was not detected above reporting limit. However, the reporting limit is approximate and may be inaccurate or imprecise.

--- Not analyzed/Not available

* PTR-1 Screen: 125-160 and 175-220 ft bgs. PTR-2 Screen: 118-158 and 173-218 ft bgs.

** Sample IDs were transcribed in the field. Data here are presented with the appropriate ID.

Starting with the February 2009 results, Calscience Laboratories was used for analysis, not EMAX laboratories.

Molybdenum and selenium results are Total, not Dissolved

TOC data from 3rd quarter 2010 is not used for trend evaluation due to calibration concerns in regards to the calculation method of TOC.

Table 4
Summary of Secondary Analytical Parameters

Needles, California
2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Sample	Natar	Sample	Calcium	Magnesium	µg/L	Arsenic	Potassium	Sodium	bicarbonate	carbonate	mg/L	e	mg/L	mg/L
PT-7S	Date:	Notes	Type:	μ g/L 159,000	μg/L 	<5	μ g/L 9.7	μg/L 14,500	μ g/L 999,000	mg/L 125	mg/L <5	_	mg/L <0.5	<2	
P1-75	18-Jul-07	а	N			<5 <25				135		1,250	<0.5 <0.5	<2 <2	
	23-Jan-08	а	N	259,000	42,400	<25 <5		13,600	942,000	153		1,060			
	06-Mar-08 13-Mar-08	a	N	147,000	30,000			12,300	931,000	153		1,170	<0.5	<2	
		а	N	141,000	28,100	<25		11,900	844,000			1,110	<0.5	<2	
	18-Mar-08	а	N	179,000	30,100			12,900	885,000	160	<5	1,230	<0.5	<2	
	25-Mar-08	а	N	160,000	30,600	<25		12,900	903,000	153		1,240	<0.5	<2	
	02-Apr-08	а	N	163,000	34,900			13,400	982,000	135	<5			<2	
	17-Apr-08	a	N	172,000	35,400			13,900	1,010,000	140	<5			<2	
	29-Apr-08	a **	N	141,000	30,300	<5		12,800	897,000	170	<5		<0.5	<2	
	15-May-08		N	140,000	28,900			12,300	873,000	175	<5			<2	
	29-May-08	а	N	166,000	34,000	<5		13,600	1,010,000	145		1,270	<0.5	<2	
	11-Jun-08	а	N	170,000	37,000			13,600	1,110,000	128	<5			<2	
	24-Jun-08	а	N	139,000	27,100	<5		12,100	872,000	158		1,150	<0.5	<2	
	23-Jul-08	а	N	154,000	36,200	<5		13,200	96,700	173		1,310	<0.5	<2	
	21-Aug-08	а	N	221,000	42,800	5.6		15,400	1,330,000	580		1,310	<1	4.00	
	18-Sep-08		N	149,000	31,400	<5		12,900	983,000	130		1,260	<0.5	<2	
	15-Oct-08		N	151,000	33,100	12		11,900	918,000	352		1,420	<0.5	<2	
	12-Nov-08		N	158,000	33,600	8.0		13,100	1,020,000	211		1,340	<0.5	<2	
	05-Feb-09		N	153,000	40,400	5.3		14,000	1,220,000	162		1,500	<0.1	<0.05	
	15-May-09	а	N	161,000	32,700 J	3.2		12,300	975,000	144		1,400	<0.20	< 0.05	
	04-Aug-09		N			2.1				156					1.4
	29-Oct-09		N			1.9				157					1.2
	13-Jan-10		N			3.2				158					
	08-Apr-10		N			2.9				150					
	14-Jul-10		N			2.7				144					
	14-Oct-10		N			3.0				156					
	18-Jan-11		N			2.8				145					
	14-Apr-11		N			<1				140					
	12-Jul-11		N			2.4				141					
	16-Nov-11		N			<5				139					
	14-Feb-12		N			1.8				142					
	31-Jul-12		N			3.7				139					
	29-Jan-13		N			2.9				138					
	09-Jul-13		N			1.4				139					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location Name:	Sample Date:	Notes	Sample Type:	Dissolved Calcium µg/L	Dissolved Magnesium µg/L	Dissolved Arsenic µg/L	Total Arsenic µg/L	Dissolved Potassium µg/L	Dissolved Sodium µg/L	Alkalinity bicarbonate mg/L	Alkalinity carbonate mg/L	Chloride mg/L	Orthophosphat e mg/L	Sulfide mg/L	Fluoride mg/L
PT-7M	19-Jul-07	а	N	419,000		<5	7.0	23,900	1,350,000	97.5	<5	1,920	<0.5	<2	
	24-Jan-08	а	N	434,000	58,100	<10		24,600	1,460,000	80.0		2,180	<0.5	<2	
	06-Mar-08	а	N	236,000	32,200	10		19,200	1,170,000	138		1,520	<0.5	<2	
	06-Mar-08	а	FD	236,000	32,500	11		19,200	1,170,000	145	<5	1,490	<0.5	<2	
	13-Mar-08	а	N	275,000	37,500	53		18,600	1,150,000	360		1,530	<0.5	<2	
	18-Mar-08	а	N	273,000	37,900			17,300	1,140,000	650	<5	1,570	<5	8.00	
	25-Mar-08	а	N	333,000	42,400	<25		18,000	1,170,000	920		1,560	<2.5	<2	
	02-Apr-08	а	N	340,000	47,500			17,200	1,210,000	1,010	<5			8.00	
	17-Apr-08	а	N	457,000	59,500			19,500	1,310,000	1,380	<5			<2	
	29-Apr-08	a**	N	503,000	62,400	16		19,400	1,220,000	1,460	<5		<10	<2	
	14-May-08		N	614,000	75,200			20,300	1,230,000	1,930	<5			<2	
	29-May-08	а	N	697,000	71,200	29		19,900	1,180,000	1,720		1,090	<10	<2	
	11-Jun-08	а	N	769,000	87,900			20,800	1,220,000	1,400	<5			<2	
	25-Jun-08	а	N	874,000	81,100	35		20,800	1,110,000	1,800		1,110	<2.5	<2	
	23-Jul-08	а	N	1,030,000	97,700	30		20,200	984,000	1,980		863	<2.5	<2	
	21-Aug-08	а	N	1,380,000	133,000	31		22,900	1,290,000	2,780		1,020	<2.5	8.00	
	18-Sep-08		N	994,000	82,600	47		20,600	1,100,000	2,160		1,080	<1	<2	
	15-Oct-08		N	849,000	80,200	47		21,200	1,090,000	2,040		1,280	<2.5	<2	
	12-Nov-08		N	225,000	52,800	55		16,800	1,020,000	1,010		1,230	<1	<2	
	15-May-09	а	N	181,000	28,000 J	19		14,000	1,050,000	1,170		1,100	<0.20	0.25	
	04-Aug-09		N			12				1,460					1.1
	29-Oct-09		N			8.6				2,180					0.78
	13-Jan-10		N			12				1,890					
	14-Jul-10		N			9.0				1,460					
	14-Oct-10		N			7.5				1,540					
	18-Jan-11		N			5.2				1,330					
	12-Apr-11		N			6.1				1,200					
	13-Jul-11		N			1.6				1,130					
	16-Nov-11		N			5.6				1,290					
	14-Feb-12		N			4.8				1,260					
	31-Jul-12		N			8.6				962					
	29-Jan-13		N			8.7				874					
	09-Jul-13		N			5.9				835					

Table 4
Summary of Secondary Analytical Parameters

Needles, California
2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location Name:	Sample		Sample	Dissolved Calcium	Dissolved Magnesium	Dissolved Arsenic µg/L	Total Arsenic	Dissolved Potassium	Dissolved Sodium	Alkalinity bicarbonate	Alkalinity carbonate	Chloride mg/L	Orthophosphat e	Sulfide mg/L	Fluoride mg/L
	Date:	Notes	Type:	μg/L	μg/L		μg/L	μg/L	μg/L	mg/L	mg/L	-	mg/L	-	IIIg/L
PT-7D	18-Jul-07	а	N	321,000		8	8.1	38,600	3,630,000	52.5	<5	5,490	<0.5	<2	
	24-Jan-08	а	N	339,000	9,350	<10		39,100	3,890,000	47.5		5,540	<1	<2	
	06-Mar-08	а	N	153,000	4,530	19		25,200	2,660,000	85.0		3,480	<0.5	<2	
	13-Mar-08	а	N	141,000	<5000	<25		23,400	2,460,000	150		3,540	<0.5	<2	
	18-Mar-08	а	N	174,000	5,650			24,100	2,620,000	280	<5	3,690	<1	10.4	
	25-Mar-08	а	N	217,000	6,970	97		25,400	2,940,000	360		3,980	<1	17.6	
	02-Apr-08	а	N	210,000	7,980			25,500	3,030,000	340	<5			6.80	
	17-Apr-08	а	N	178,000	5,700			19,800	2,340,000	840	<5			20.8	
	29-Apr-08	а	N	155,000	4,780	42		18,100	2,130,000	805	<5		<10	4.40	
	15-May-08		N	188,000	6,370			19,300	2,110,000	920	<5			5.60	
	29-May-08	а	N	215,000	6,640	28		20,400	2,280,000	1,040		2,670	<10	7.20	
	11-Jun-08	а	N	286,000	7,090			19,300	2,170,000	1,330	<5			<2	
	24-Jun-08	а	N	257,000	6,700	18		21,400	2,110,000	1,370		2,030	<10	5.60	
	23-Jul-08	а	N	400,000	11,000	23		19,800	1,940,000	1,640		1,480	<5	<2	
	21-Aug-08	а	N	472,000	14,300	33		21,200	2,270,000	2,080		1,480	<2.5	40.0	
	18-Sep-08		N	433,000	11,400	23		21,600	198,000	1,960		1,460	<1	<2	
	15-Oct-08		N	320,000	11,000	32		20,300	1,780,000	1,490		1,650	<1	6.40	
	12-Nov-08		N	236,000	10,700	47		20,000	1,700,000	1,380		1,560	<2.5	26.0	
	15-May-09	а	N	96,900	8,630 J	<0.5		18,300	3,150,000	922		4,400	<0.50	1.6	
	04-Aug-09		N			24				2,190					2.1
	28-Oct-09		N			<0.5				1,000					1.7
	13-Jan-10		N			<0.5				896					
	08-Apr-10		N			<0.5				870					
	14-Jul-10		N			<0.5				966					
	14-Oct-10		N			2.5				1,060					
	18-Jan-11		N			<0.5				890					
	12-Apr-11		N			5.5				940					
	13-Jul-11		N			4.8				830					
	16-Nov-11		N			7.7				651					
	15-Feb-12		N			10.6				599					
	31-Jul-12		N			6.5				466					
	29-Jan-13		N			5.3				328					
	09-Jul-13		N			2.1				330					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location	Sample		Sample	Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Date:	Notes	Type:	Calcium µg/L	Magnesium µg/L	μg/L	Arsenic µg/L	Potassium µg/L	Sodium µg/L	bicarbonate mg/L	carbonate mg/L	mg/L	e mg/L	mg/L	mg/L
PT-8S	16-Jul-07	а	N	132,000		<5	5.1	12,500	955,000	125	<5	1,190	<0.5	<2	
	23-Jan-08	а	N	141,000	30,000	<25		12,600	1,040,000	128		1,220	<0.5	2.00	
	05-Mar-08	а	N	120,000	26,000	<5		11,400	1,060,000	158		1,100	<0.5	<2	
	13-Mar-08	а	N	114,000	23,900	<25		11,100	934,000	215		1,110	<0.5	<2	
	18-Mar-08	а	N	97,500	21,500			10,600	894,000	225	<5	1,010	<0.5	<2	
	25-Mar-08	а	N	101,000	21,300	<25		10,600	876,000	230		1,070	<0.5	<2	
	02-Apr-08	а	N	110,000	25,200			11,400	965,000	200	<5			<2	
	16-Apr-08	а	N	125,000	26,700			11,700	1,010,000	205	<5			<2	
	29-Apr-08	а	N	160,000	35,500	10		13,000	1,130,000	283	<5		<0.5	<2	
	14-May-08		N	148,000	34,100			12,300	1,140,000	323	<5			<2	
	28-May-08	a	N	155,000	33,300	26		11,200	1,220,000	550		1,760	<0.5	2.00	
	28-May-08	а	FD	155,000	33,500	26		11,300	1,210,000	520		1,770	<0.5	<2	
	11-Jun-08	а	N	402,000	72,100			15,600	1,840,000	950	<5			<2	
	25-Jun-08	а	N	502,000	77,100	19		17,400	1,940,000	1,370		2,440	<1	<2	
	23-Jul-08	а	N	459,000	84,800	21		16,200	1,910,000	1,150		2,660	<5	<2	
	20-Aug-08	а	N	358,000	62,500	28		14,500	1,780,000	1,000		2,640	<1	40.0	
	17-Sep-08		N	264,000	58,600	31		14,500	1,750,000	830		2,580	<1	<2	
	15-Oct-08		N	251,000	57,500	27		13,900	1,700,000	1,180		2,550	<1	<2	
	12-Nov-08		N	212,000	49,200	44		14,200	1,740,000	914		2,510	<1	2.00	
	04-Feb-09	а	N	178,000	48,700 J	18		11,700	1,300,000	754		2,400	<0.50	< 0.050	
	13-May-09	а	N	321,000	67,000	14		10,800	1,150,000	624		1,800	<0.20	0.30	
	04-Aug-09		N			8.7				502					2.8
	28-Oct-09		N			1.8				359					0.5
	12-Jan-10		N			9.2				418					
	07-Apr-10		N			8.6				318					
	13-Jul-10		N			7.5				244					
	13-Oct-10		N			8.0				250					
	17-Jan-11		N			11				206					
	14-Apr-11		N			10				187					
	12-Jul-11		N			9.3				182					
	15-Nov-11		N			11				177					
	14-Feb-12		N			13				199					
	31-Jul-12		N			10				171					
	29-Jan-13		N			13				170					
	09-Jul-13		N			11				168					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Sample Date:	Notes	Sample Type:	Calcium µg/L	Magnesium µg/L	μg/L	Arsenic µg/L	Potassium µg/L	Sodium µg/L	bicarbonate mg/L	carbonate mg/L	mg/L	e mg/L	mg/L	mg/L
PT-8M	18-Jul-07	а	N	353,000	μg/L 	<5	<u>μg/L</u> 1.5	22,200	1,130,000	103		1,510	<2.5	<2	
	23-Jan-08	a	N	403,000	41,800	<25		24,100	1,230,000	100		1,700	<0.5	4.00	
	05-Mar-08	a	N	422,000	42,200	<5		24,000	1,350,000	108		1,650	<0.5	<2	
	13-Mar-08	a	N	364,000	44,100	<25		22,300	1,130,000	120		1,400	<0.5	<2	
	19-Mar-08	а	N	362,000	43,000			22,400	1,120,000	123	<5	1,400	<0.5	<2	
	25-Mar-08	а	N	376,000	41,500	<25		22,200	1,110,000	130		1,570	<0.5	4.00	
	02-Apr-08	а	N	367,000	45,400			22,900	1,160,000	130	<5			<2	
	16-Apr-08	а	N	392,000	45,100			23,200	1,190,000	125	<5			<2	
	29-Apr-08	а	N	356,000	43,900	<5		22,000	1,070,000	145	<5		<1	<2	
	14-May-08		N	350,000	42,900			21,800	1,040,000	135	<5			<2	
	28-May-08	а	N	321,000	6,750	7.0		34,000	3,200,000	50		4,820	<1	<2	
	11-Jun-08	а	N	381,000	48,900			21,400	1,160,000	110	<5			<2	
	25-Jun-08	а	N	362,000	42,600	<5		21,200	1,040,000	113		1,360	<0.5	<2	
	25-Jun-08	а	FD	366,000	42,600	<5		20,900	1,050,000	108		1,390	<1	<2	
	23-Jul-08	а	N	356,000	49,300	<5		20,100	1,020,000	115		1,300	<1	<2	
	20-Aug-08	а	N	364,000	43,900	<5		20,000	1,050,000	155		1,510	<0.5	80.0	
	17-Sep-08		N	371,000	47,400	<5		21,800	1,120,000	180		1,650	<0.5	<2	
	15-Oct-08		N	357,000	45,000	<5		20,400	978,000	168		1,480	<1	<2	
	12-Nov-08		N	338,000	44,500	<5		20,400	990,000	258		1,400	<0.5	<2	
	04-Feb-09	а	N	366,000	51,700 J	6.3		21,100	1,180,000	314		2,000	<0.50	< 0.050	
	13-May-09	а	N	599,000	71,000	2.1		19,600	1,040,000	360		1,700	<0.20	< 0.050	
	04-Aug-09		N			0.7				382					0.62
	28-Oct-09		N			8.3				447					2.7
	12-Jan-10		N			1.9				414					
	07-Apr-10		N			1.7				434					
	13-Jul-10		N			1.2				430					
	13-Oct-10		N			0.9				420					
	17-Jan-11		N			1.4				316					
	14-Apr-11		N			1.2				378					
	14-Apr-11		FD			1.7				376					
	12-Jul-11		N			1.5				343					
	15-Nov-11		N			<5				262					
	14-Feb-12		N			2.0				245					
	31-Jul-12		N			2.5				240					
	29-Jan-13		N			<5				172			-		
	09-Jul-13		N			<1				200					

Table 4 Summary of Secondary Analytical Parameters

PG&E Topock

Needles, California

Location	Sample		Sample	Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Date:	Notes	Type:	Calcium µg/L	Magnesium µg/L	μg/L	Arsenic µg/L	Potassium µg/L	Sodium µg/L	bicarbonate mg/L	carbonate mg/L	mg/L	e mg/L	mg/L	mg/L
PT-8D	16-Jul-07	а	N	281,000		7.1	9.0	35,100	3,300,000	45.0	<5	5,360	<0.5	<2	
	23-Jan-08	а	N	325,000	11,800	<50		35,200	3,420,000	50.0		5,190	<1	<2	
	05-Mar-08	а	N	322,000	10,000	<25		37,700	3,850,000	50.0		5,240	<0.5	<2	
	13-Mar-08	а	N	284,000	9,560	<25		32,900	3,340,000	55.0		5,090	<2.5	<2	
	18-Mar-08	а	N	292,000	9,470			33,900	3,480,000	48.0	<5	5,480	<2.5	<2	
	25-Mar-08	а	N	306,000	10,200	<25		34,300	3,550,000	50.0		5,010	<0.5	<2	
	02-Apr-08	а	N	298,000	10,700			33,800	3,550,000	52.5	<5			<2	
	16-Apr-08	а	N	312,000	9,020			36,000	3,840,000	50.0	<5			<2	
	29-Apr-08	а	N	292,000	9,830	7.7		33,500	3,290,000	60.0	<5		<1	<2	
	14-May-08		N	281,000	13,300			32,000	2,820,000	87.5	<5			<2	
	28-May-08	а	N	267,000	9,020	6.8		32,100	3,050,000	57.5		4,530	<1	<2	
	11-Jun-08	а	N	288,000	11,100			32,200	3,390,000	55.0	<5			<2	
	25-Jun-08	а	N	280,000	12,100	12		30,600	2,960,000	143		4,200	<0.5	<2	
	23-Jul-08	а	N	264,000	11,000	8.9		30,700	3,080,000	60.0		4,390	<1	<2	
	20-Aug-08	а	N	284,000	10,500	7.2		31,400	3,220,000	46.3		4,870	<1	40.0	
	17-Sep-08		N	286,000	10,000	<25		34,000	3,250,000	47.5		4,730	<1	<2	
	15-Oct-08		N	333,000	24,200	<25		31,300	2,530,000	197		4,140	<0.5	<2	
	12-Nov-08		N	312,000	17,400	<25		33,600	3,020,000	85.9		4,250	<0.5	<2	
	04-Feb-09	а	N	332,000	14,400 J	<3.39 UB		32,900	2,780,000	56.0		5,200	<1.0	0.50	
	04-Feb-09	а	FD	327,000	13,400 J	<0.5		32,400	2,890,000	55.0		5,400	1.4	0.50	
	13-May-09	а	N	656,000	17,700	<0.5		34,100	3,090,000	50.0		5,400	<0.50	0.10	
	04-Aug-09		N			<0.5				60.0					3.6
	28-Oct-09		N			<0.5				50.0					3.2
	28-Oct-09		FD			<0.5 7.0				48.0 48.0					3.3
	12-Jan-10		N												
	07-Apr-10		N			<0.5				42.0					
	07-Apr-10		FD			<0.5				44.0					
	13-Jul-10		N			<0.5				46.0					
	13-Oct-10		N			6.5				48.0					
	17-Jan-11		N			<0.5				49.0					
	14-Apr-11		N			6.7				39.0					
	12-Jul-11		N			5.0				45.6					
	15-Nov-11		N			8.4				42.0					
	14-Feb-12		N			4.8				41.0					
	31-Jul-12		N			11				45.0					
	31-Jul-12		FD			12				46.3					
	29-Jan-13		N			6.9				40.0					
	09-Jul-13		N			3.6				42.0					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

1				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Location Name:	Sample	Maria	Sample	Calcium	Magnesium	µg/L	Arsenic	Potassium	Sodium	bicarbonate	carbonate	mg/L	е	mg/L	mg/L
	Date:	Notes	Type:	µg/L	μg/L		μg/L	µg/L	μg/L	mg/L	mg/L		mg/L	_	
PT-9S	17-Jul-07	а	N	108,000		<5	5.4	11,800	820,000	155	<5	895	<0.5	<2	
	22-Jan-08	а	N	107,000	21,100	5.6		9,140	848,000	205		924	<0.5	<2	
	05-Mar-08	а	N	120,000	24,500	5.2		9,990	962,000	168		977	<0.5	<2	
	12-Mar-08	а	N	87,500	17,800	5.5		8,270	836,000	190		916	<0.5	<2	
	19-Mar-08	а	N	115,000	23,100			9,930	884,000	163	<5	889	<0.5	<2	
	26-Mar-08	а	N	116,000	23,000	<25		9,370	843,000	175		977	<0.5	<2	
	02-Apr-08	а	N	118,000	25,100			9,570	871,000	178	<5			<2	
	16-Apr-08	а	N	126,000	25,100			9,980	891,000	170	<5			<2	
	29-Apr-08	а	N	113,000	24,900	5.3		9,590	837,000	185	<5		<0.5	<2	
	14-May-08		N	101,000	21,000			8,940	821,000	168	<5			<2	
	28-May-08	а	N	111,000	22,000	<5		9,420	825,000	158		917	<0.5	<2	
	11-Jun-08	а	N	107,000	23,500			9,150	867,000	160	<5			<2	
	25-Jun-08	а	N	102,000	20,000	<5		8,910	820,000	163		908	<0.5	<2	
	24-Jul-08	а	N	105,000	22,600	5.1		9,070	855,000	165		890	<0.5	<2	
	20-Aug-08	а	N	99,200	21,100	5.1		9,050	844,000	160		922	<0.5	320	
	17-Sep-08		N	114,000	23,500	<5		9,930	920,000	155		989	<0.5	<2	
	15-Oct-08		N	103,000	21,400	5.2		9,180	849,000	188		1,090	<0.5	<2	
	12-Nov-08		N	127,000	27,100	13		9,840	993,000	427		1,290	<0.5	<2	
	05-Feb-09	а	N	141,000	33,500	15		10,100	1,070,000	316		1,400	<0.1	0.20	
	14-May-09	а	N	151,000	31,100 J	9.8		10,300	955,000	476		1,200	<0.20	< 0.050	
	05-Aug-09		N			9.8				490					3.0
	29-Oct-09		N			8.9				565					3.1
	12-Jan-10		N			8.9				420					
	08-Apr-10		N			7.9				352					
	13-Jul-10		N			11				237					
	13-Oct-10		N			8.3				252					
	18-Jan-11		N			12				254					
	14-Apr-11		N			6.8				208					
	12-Jul-11		N			11				185					
	15-Nov-11		N			12				194					
	15-Feb-12		N			10				188					
	01-Aug-12		N			11				168					
	30-Jan-13		N			13				169					
	10-Jul-13		N			12				155					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Sample Date:	Notes	Sample Type:	Calcium	Magnesium	µg/L	Arsenic	Potassium	Sodium	bicarbonate	carbonate	mg/L	e	mg/L	mg/L
PT-9M	17-Jul-07	a	N	μ g/L 485,000	μg/L 	<5	μ g/L 1.4	μ g/L 30,200	μg/L 1,030,000	mg/L 97.5	mg/L <5	1,400	mg/L <0.5	<2	
1 1-3101	17-Jul-07 17-Jul-07	a	FD	476,000		<5	1.4	29,800	1,020,000	100	<5	1,400	<0.5	<2	
	22-Jan-08	a	N	525,000	22,700	<5		29,800	1,140,000	97.5		1,640	<0.5	<2	
	05-Mar-08	a	N	553,000	25,100	<5		32,100	1,220,000	100		1,650	<0.5	<2	
	12-Mar-08	a	N	483,000	22,800	<5		30,700	1,140,000	113		1,520	<0.5	<2	
	19-Mar-08	a	N	517,000	26,400			32,100	1,190,000	97.5	<5	1,510	<0.5	<2	
	26-Mar-08	а	N	526,000	26,200	<25		31,900	1,160,000	100		1,610	<0.5	<2	
	26-Mar-08	а	FD	543,000	26,400	<25		33,200	1,190,000	103		1,600	<0.5	<2	
	02-Apr-08	а	N	513,000	27,700			31,800	1,150,000	105	<5			<2	
	16-Apr-08	а	N	556,000	28,000			32,900	1,220,000	105	<5			<2	
	29-Apr-08	а	N	475,000	23,900	<5		30,900	1,100,000	120	<5		<1	<2	
	14-May-08		N	496,000	26,100			33,500	1,130,000	120	<5			<2	
	28-May-08	а	N	479,000	22,800	<5		29,800	1,070,000	108		1,530	<0.5	<2	
	11-Jun-08	а	N	492,000	25,900			31,200	1,150,000	97.5	<5			<2	
	25-Jun-08	а	N	452,000	21,800	<5		29,900	1,090,000	103		1,380	<1	<2	
	24-Jul-08	а	N	426,000	22,700	<5		26,600	1,050,000	108		1,240	<0.5	<2	
	20-Aug-08	а	N	488,000	23,500	<5		28,900	1,100,000	97.5		1,530	<0.5	40.0	
	17-Sep-08		N	504,000	26,100	<25		32,300	1,110,000	92.5		1,660	<0.5	<2	
	15-Oct-08		N	431,000	22,300	<5		27,600	1,010,000	105		1,450	<1	<2	
	12-Nov-08		N	468,000	24,700	<25		30,700	1,090,000	100		1,420	<0.5	<2	
	05-Feb-09	а	N	507,000	32,300	11		30,400	1,310,000	114		2,000	<0.2	< 0.05	
	14-May-09	а	N	571,000	23,200 J	3.7		30,800	1,080,000	86.0		1,800	<0.20	< 0.050	
	05-Aug-09		N			0.9				92.0					0.92
	29-Oct-09		N			3.7				93.0					0.81
	12-Jan-10		N			<2.5				96.0					
	08-Apr-10		N			2.9				88.0					
	13-Jul-10		N			5.6				88.0					
	13-Oct-10		N			1.8				94.0					
	18-Jan-11		N			2.0				90.0					
	14-Apr-11		N			<1				92.0					
	12-Jul-11		N			<1				91.0					
	15-Nov-11		N			<5				92.0					
	15-Feb-12		N			<10				94.0					
	01-Aug-12		N			1.2				94.0					
	30-Jan-13		N			<5				109					
	10-Jul-13		N			<1				113					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Sample Date:	Notes	Sample Type:	Calcium	Magnesium	μg/L	Arsenic	Potassium	Sodium	bicarbonate	carbonate	mg/L	e	mg/L	mg/L
PT-9D	17-Jul-07	a	N	μ g/L 368,000	μg/L 	6.3	μ g/L 6.1	μ g/L 34,200	μ g/L 2,840,000	mg/L 52.5	mg/L <5	4,350	mg/L <1	<2	
F1-9D	22-Jan-08	a	N	399,000	8,380	<50		35,500	3,230,000	50.0		4,790	<1	<2	
		a	FD	404,000	9,160	<50		35,400	3,260,000	55.0		4,790	<1	<2	
	22-Jan-08 05-Mar-08	a	N	438,000	9,240	<25		37,000	3,540,000	41.0		4,890	<0.5	<2	
	12-Mar-08	a	N	407,000	10,100	<25		35,000	3,210,000	52.5		4,920	<2.5	<2	
	19-Mar-08	a	N	432,000	10,100			36,800	3,320,000	42.0	<5	4,650	<1	<2	
	26-Mar-08	a	N	436,000	10,400	<25		36,700	3,300,000	52.5		4,810	<1	12.0	
	02-Apr-08	a	N	419,000	10,400			36,000	3,320,000	50.0	<5			<2	
	16-Apr-08	a	N	445,000	10,300			36,600	3,440,000	55.0	<5			<2	
	29-Apr-08	a	N	431,000	11,900	7.3		35,500	2,940,000	57.5	<5		<5	<2	
	14-May-08	a	N	408,000	12,400			35,800	2,750,000	65.0	<5			<2	
	28-May-08	а	N	421,000	11,200	6.8		35,100	2,800,000	55.0		4,320	<1	<2	
	11-Jun-08	a	N	460,000	12,800			37,300	3,270,000	47.5	<5			<2	
	11-Jun-08	a	FD	466,000	13,200			37,100	3,340,000	47.5	<5			<2	
	25-Jun-08	а	N	439,000	12,500	7.4		35,000	2,830,000	52.5		4,050	<1	<2	
	24-Jul-08	a	N	452,000	15,200	6.5		33,600	2,910,000	53.8		4,090	<2.5	8.00	
	20-Aug-08	а	N	451,000	11,900	7.3		36,700	3,250,000	47.5		4,810	<2.5	40.0	
	20-Aug-08	а	FD	451,000	12,000	7.2		36,200	3,280,000	47.5		4,820	<2.5	160	
	17-Sep-08		N	431,000	11,200	<25		36,900	3,250,000	47.5		4,880	<2.5	<2	
	15-Oct-08		N	458,000	18,400	<25		36,300	2,640,000	55.5		3,990	<1	<2	
	12-Nov-08		N	523,000	17,000	<25		40,300	3,110,000	47.9		4,680	<2.5	<2	
	05-Feb-09	а	N	441,000	13,700	12		36,700	3,560,000	44.0		5,700	<0.5	< 0.05	
	15-May-09	а	N	455,000	7,880 J	<0.5		24,800	3,160,000	52.0		5,200	<0.50	< 0.050	
	05-Aug-09		N			<0.5				49.0					3.4
	28-Oct-09		N			<0.5				47.0					3.6
	12-Jan-10		N			10				48.0					
	08-Apr-10		N			<0.5				48.0					
	13-Jul-10		N			<0.5				48.0					
	13-Oct-10		N			7.9				52.0					
	13-Oct-10		FD			9.7				54.0					
	18-Jan-11		N			3.1				46.0					
	14-Apr-11		N			8.5				47.0					
	12-Jul-11		N			6.4				49.0					
	15-Nov-11		N			11				46.0					
	15-Feb-12		N			14				48.0					
	01-Aug-12		N			9.1				45.0					
	30-Jan-13		N			10.0				43.6					
	10-Jul-13		N			8.3				45.0					

Table 4 Summary of Secondary Analytical Parameters

PG&E Topock

Needles, California
2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Sample Date:	Notes	Sample Type:	Calcium	Magnesium	µg/L	Arsenic	Potassium	Sodium	bicarbonate	carbonate	mg/L	e	mg/L	mg/L
MW-11	17-Jul-07	a	N	μ g/L 125,000	μg/L 	<5	μ g/L 1.5	μ g/L 8,330	μ g/L 280,000	mg/L 87.5	mg/L <5	470	mg/L <0.5	<2	
10100-11	24-Jan-08	a	N	122,000	16,100	<5 <5		8,160	280,000	103		442	<0.5	<2	
	04-Mar-08	a	N	123,000	17,700	<5 <5		8,300	302,000	92.5		434	<0.5	<2	
	11-Mar-08	a	N	116,000	16,100	<5 <5		7,990	278,000	110		439	<0.5	<2	
	11-Mar-08	a	FD	120,000	16,700	<5 <5		8,160	296,000	105		453	<0.5	<2	
	19-Mar-08	a	N N	125,000	17,400	<5 		8,800	302,000	103	 <5	427	<0.5	<2 <2	
	27-Mar-08		N	124,000	15,900	 <5		8,480	295,000	110		467	<0.5 <0.5	<2 <2	
		а			15,800			8,340	283,000	103				<2	
	01-Apr-08		N	118,000							<5 .c				
	15-Apr-08		N	122,000	16,400			8,260	299,000	108	<5			4.00	
	28-Apr-08		N	116,000	16,100	<5		8,230	276,000	140	<5		<0.5	<2	
	13-May-08		N	120,000	16,800			8,290	289,000	113	<5	400		2.40	
	27-May-08 10-Jun-08	а	N N	117,000	16,100	<5 		8,220 8,230	272,000	100		466	<0.5	<2 <2	
	24-Jun-08	а	N	119,000 120,000	17,600 16,700	 <5		8,560	282,000 284,000	90.0 90.0	<5 	477	<0.5	<2 <2	
	22-Jul-08	a	N	114,000	17,900	<5		8,120	275,000	92.5		473	<0.5	<2	
	21-Aug-08	a	N	116,000	19,000	<5		8,450	300,000	92.5		465	<0.5	<2	
	16-Sep-08		N	114,000	16,500	<5		8,360	268,000	87.5		474	<0.5	<2	
	14-Oct-08		N	120,000	16,300	<5		8,140	278,000	94.3		459	<0.5	<2	
	11-Nov-08		N	116,000	15,100	<5		8,210	280,000	91.5		551	<0.5	<2	
	03-Feb-09	а	N	113,000	16,600	<2.64 UB		7,790	277,000	96.0		510	<0.10	<0.050	
	14-May-09	а	N	116,000	17,500 J	2.2		7,690	296,000	90.0		520	<0.10	< 0.050	
	06-Apr-10		N			1.8				90.0					
	12-Jul-10		N			2.3 J				98.0					
	12-Oct-10		N			1.9				90.0					
	17-Jan-11		N			2.4				93.0					
	17-Jan-11		FD			2.4				93.0					
	12-Apr-11		N			2.0				92.0					
	11-Jul-11		N			2.0				101					
	14-Nov-11		N			<5				93.0					
	14-Nov-11		FD			2.0				94.0					
	13-Feb-12		N			1.7				90.0					
	30-Jul-12		N			2.7				92.0					
	28-Jan-13		N			1.4				93.0					
	28-Jan-13		FD			1.1				92.0					
	08-Jul-13		N			1.2				89.0					
	08-Jul-13		FD			1.3				88.0					

Table 4
Summary of Secondary Analytical Parameters

PG&E Topock Needles, California

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Sample	Notes	Sample	Calcium	Magnesium	µg/L	Arsenic	Potassium	Sodium	bicarbonate	carbonate	mg/L	e	mg/L	mg/L
MM/ 044	Date:		Type:	µg/L	μg/L 		µg/L	µg/L	µg/L	mg/L 310	mg/L	_	mg/L	<2	
MW-24A	18-Jul-07	a	N	42,000 46,300	8,660	5.4 5.1	5.6	5,610 5,860	565,000 585,000	365	<5	410 452	<0.5 <0.5		
	24-Jan-08	а	N											<2	
	06-Mar-08	a	N	367,000	46,000	8.0		19,900	1,840,000	118		2,450	<5 .40	<2	
	12-Mar-08	а	N	387,000	39,900	<25		22,700	1,680,000	198		2,680	<10	<2	
	19-Mar-08	а	N	407,000	46,200			21,200	1,710,000	423	<5	2,370	<2.5	<2	
	26-Mar-08	а	N	491,000	50,500	83		18,900	1,690,000	970		2,380	<5	4.80	
	01-Apr-08	а	N	423,000	47,700			18,100	1,620,000	1,020	<5			<2	
	17-Apr-08	а	N	517,000	43,400			23,100	2,030,000	1,110	<5			10.4	
	30-Apr-08	а	N	432,000	37,200	72		24,700	1,860,000	590	<5		<5	<2	
	30-Apr-08	а	FD	437,000	35,800	70		23,700	1,860,000	570	<5 -		<5	<2	
	15-May-08		N	494,000	59,900			24,000	1,750,000	450	<5 -			<2	
	15-May-08		FD	502,000	59,100			24,800	1,780,000	480	<5			<2	
	27-May-08	а	N	493,000	42,200	9.8		24,300	1,870,000	880		2,790	<1	11.2	
	12-Jun-08	а	N	521,000	45,900			25,300	1,960,000	970	<5			4.00	
	26-Jun-08	а	N	398,000	29,700	24		23,700	1,920,000	153		2,780	<0.5	<2	
	24-Jul-08	а	N	384,000	27,800	25		24,000	1,980,000	115		2,730	<1	6.40	
	24-Jul-08	а	FD	397,000	28,300	26		24,300	2,020,000	118		2,670	<1	<2	
	19-Aug-08	а	N	376,000	34,500	21		22,400	1,800,000	288		2,690	<1	2.00	
	16-Sep-08		N	355,000	29,100	8.1		23,100	1,930,000	670		2,720	<1	117	
	16-Oct-08		N	353,000	30,400	26		24,300	1,940,000	353		2,870	<0.5	22.0	
	13-Nov-08		N	348,000	26,500	<25.0		26,500	1,980,000	340		2,800	<0.5	102	
	13-Nov-08		FD	349,000	27,400	<25		26,000	2,010,000	310		2,800	<2.5	94.4	
	03-Feb-09	а	N	322,000	28,500	11		24,700	2,140,000	334		3,400	<0.50	8.1	
	14-May-09	а	N	302,000	23,200 J	12		19,800	1,880,000	330		2,600	<0.50	2.5	
	03-Aug-09		N			7.5				504					2.3
	27-Oct-09		N			3.2				576					3.1
	11-Jan-10		N			2.0				563					
	07-Apr-10		N			1.5				464					
	12-Jul-10		N			0.70 J				426					
	12-Jul-10		FD			1.0 J				422					
	12-Oct-10		N			0.8				400					
	17-Jan-11		N			1.0				469					
	12-Apr-11		N			<1				320					
	11-Jul-11		N			<1				518					
	14-Nov-11		N			<5				362					
	13-Feb-12		N			1.1				283					
	13-Feb-12		FD			<1				291					
	30-Jul-12		N			2.8				310					
	28-Jan-13		N			<1				312					
	08-Jul-13		N			<1				282					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location Name:	Sample Date:	Notes	Sample Type:	Dissolved Calcium µg/L	Dissolved Magnesium µg/L	Dissolved Arsenic µg/L	Total Arsenic µg/L	Dissolved Potassium µg/L	Dissolved Sodium µg/L	Alkalinity bicarbonate mg/L	Alkalinity carbonate mg/L	Chloride mg/L	Orthophosphat e mg/L	Sulfide mg/L	Fluoride mg/L
MW-24B	18-Jul-07	а	N	329,000		7.1	7.1	34,500	3,270,000	50.0	<5	4,820	<0.5	<2	
	24-Jan-08	а	N	341,000	8,050	<10		36,400	3,470,000	50.0		5,270	<1	2.00	
	06-Mar-08	а	N	338,000	7,970	8.8		37,200	3,430,000	42.0		5,160	<1	<2	
	12-Mar-08	а	N	332,000	7,610	<25		34,800	3,290,000	52.5		5,870	<1	<2	
	19-Mar-08	а	N	351,000	8,410			37,100	3,650,000	44.0	<5	5,120	<0.5	<2	
	26-Mar-08	а	N	358,000	8,240	<25		37,200	3,580,000	42.0		5,150	<0.5	<2	
	03-Apr-08	а	N	345,000	8,130			36,200	3,470,000	44.0	<5			3.20	
	17-Apr-08	а	N	345,000	8,280			36,700	3,530,000	50.0	<5			<2	
	30-Apr-08	а	N	304,000	7,020	6.8		68,200	3,420,000	57.5	<5		<1	<2	
	15-May-08		N	338,000	8,130			37,100	3,350,000	55.0	<5			<2	
	28-May-08	а	N	360,000	38,900	<5		20,800	1,050,000	118		1,420	<1	<2	
	12-Jun-08	а	N	336,000	7,570			34,800	3,340,000	45.0	<5			<2	
	26-Jun-08	а	N	326,000	6,960	8.3		35,400	3,300,000	46.3		4,950	<1	<2	
	24-Jul-08	а	N	323,400	7,730	7.4		33,000	3,420,000	46.3		4,860	<2.5	3.20	
	19-Aug-08	а	N	296,000	7,150	7.6		31,900	3,210,000	46.3		4,910	<1	2.00	
	17-Sep-08		N	308,000	7,770	<25		34,900	3,260,000	45.0		4,950	<0.5	<2	
	16-Oct-08		N	307,000	7,990	<25		34,700	3,130,000	47.6		4,870	<0.5	<2	
	16-Oct-08		FD	310,000	7,880	<25		34,700	3,190,000	47.8		4,880	<0.5	<2	
	13-Nov-08		N	302,000	7,600	<25		35,000	3,380,000	46.0		5,260	<0.5	<2	
	04-Feb-09	а	N	310,000	7,200 J	<3.59 UB		34,100	3,060,000	48.0		4,000	1	< 0.050	
	14-May-09	а	N	333,000	6,990 J	<0.5		23,900	3,190,000	42.0		5,100	<0.50	< 0.050	
	07-Apr-10		N			<0.5				42.0					
	12-Jul-10		N			<0.5 UJ				40.0					
	12-Oct-10		N			5.5				41.0					
	17-Jan-11		N			<0.5				49.0					
	12-Apr-11		N			9.1				38.0					
	11-Jul-11		N			4.9				40.0					
	11-Jul-11		FD			6.5				39.6					
	14-Nov-11		N			12				40.0					
	13-Feb-12		N			16				41.0					
	30-Jul-12		N			26				37.0					
	28-Jan-13		N			6				35.0			-		
	13-Jul-13		N			4				36.0					

Table 4 Summary of Secondary Analytical Parameters

PG&E Topock

Needles, California

Location Name:	Sample Date:	Notes	Sample Type:	Dissolved Calcium µg/L	Dissolved Magnesium µg/L	µg/L	Total Arsenic µg/L	Dissolved Potassium µg/L	Dissolved Sodium µg/L	Alkalinity bicarbonate mg/L	Alkalinity carbonate mg/L	Chloride mg/L	Orthophosphat e mg/L	Sulfide mg/L	Fluoride mg/L
MW-38S	17-Jul-07	а	N	84,200		<5	6.1	8,710	627,000	175	<5	680	<0.5	<2	
	23-Jan-08	а	N	63,900	12,200	<5		7,400	546,000	175		546	<0.5	<2	
	04-Mar-08	а	N	67,600	13,300	<5		7,910	607,000	185		534	<0.5	<2	
	11-Mar-08	а	N	66,100	13,300	<5		7,920	586,000	175		571	<0.5	<2	
	20-Mar-08	а	N	70,900	13,400			8,190	593,000	200	200		<0.5	<2	
	26-Mar-08	а	N	71,000	13,500	<25		8,160	583,000	183		583	<0.5	<2	
	01-Apr-08	а	N	60,500	11,600			7,010	57,500	290	<5			<2	
	15-Apr-08	а	N	67,100	13,000			7,710	590,000	190	<5			<2	
	28-Apr-08	а	N	67,000	13,000	<5		8,030	575,000	200	<5		<0.5	<2	
	13-May-08		N	63,400	12,700			7,780	571,000	185	<5			<2	
	27-May-08	а	N	62,600	12,200	<5		7,420	540,000	193		551	<0.5	<2	
	10-Jun-08	а	N	63,000	12,400			7,670	620,000	180	<5			<2	
	24-Jun-08	а	N	65,700	12,200	<5		7,690	570,000	185		533	<0.5	<2	
	22-Jul-08	а	N	59,700	12,600	<5		7,270	534,000	183		523	<0.5	<2	
	20-Aug-08	а	N	56,400	11,200	<5		7,160	540,000	175		487	<0.5	160	
	16-Sep-08		N	54,200	10,900	<5		7,150	560,000	160		496	<0.5	<2	
	14-Oct-08		N	53,700	10,400	<5		6,840	535,000	189		467	<0.5	<2	
	11-Nov-08		N	53,000	9,220	<5		6,930	516,000	182		471	<0.5	<2	
	03-Feb-09	а	N	58,400	9,600	<5.9 UB		8,570	488,000	187		530	<0.10	< 0.050	
	12-May-09	а	N	66,700	7,510	5.8		10,700	412,000	208		390	<0.10	0.050	
	03-Aug-09		N			5.6				178					5.8
	27-Oct-09		N			5.1				228					6.0
	11-Jan-10		N			5.6				192					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location Name:	Sample Date:	Notes	Sample Type:	Dissolved Calcium µg/L	Dissolved Magnesium µg/L	Dissolved Arsenic µg/L	Total Arsenic µg/L	Dissolved Potassium µg/L	Dissolved Sodium µg/L	Alkalinity bicarbonate mg/L	Alkalinity carbonate mg/L	Chloride mg/L	Orthophosphat e mg/L	Sulfide mg/L	Fluoride mg/L
MW-38D	17-Jul-07	а	N	352,000		7.9	7.5	45,600	4,710,000	35.0	<5	7,240	<0.5	<2	
	23-Jan-08	а	N	353,000	<20000	<100		43,100	4,560,000	40.0		7,690	<2.5	<2	
	04-Mar-08	а	N	343,000	7,150	8.6		44,500	5,070,000	31.0		7,390	<0.5	<2	
	11-Mar-08	а	N	363,000	7,580	<25		47,000	4,970,000	32.0		7,710	<0.5	<2	
	20-Mar-08	а	N	361,000	7,720			44,900	5,020,000	32.0	32.0		<2.5	<2	
	20-Mar-08	а	FD	359,000	7,720			45,100	4,920,000	33.0	33.0		<2.5	<2	
	26-Mar-08	а	N	362,000	7,580	<25		44,700	4,940,000	31.0		7,830	<1	<2	
	01-Apr-08	а	N	353,000	7,040			46,100	4,870,000	31.0	<5			<2	
	01-Apr-08	а	FD	335,000	6,680			44,000	4,900,000	32.0	<5			<2	
	15-Apr-08	а	N	38,500	7,440			45,200	5,010,000	31.0	<5			<2	
	15-Apr-08	а	FD	405,000	7,500			46,300	5,330,000	32.0	<5			<2	
	28-Apr-08	а	N	346,000	7,700	<25		43,700	4,740,000	32.0	<5		<0.5	<2	
	13-May-08		N	360,000	7,020			46,400	4,690,000	36.0	<5			2.00	
	27-May-08	а	N	337,000	6,670	7.7		44,500	4,600,000	32.0		7,580	<0.5	<2	
	10-Jun-08	а	N	352,000	6,960			44,900	4,860,000	32.5	<5			<2	
	24-Jun-08	а	N	377,000	6,610	9.0		45,200	5,000,000	32.5		7,420	<0.5	<2	
	22-Jul-08	а	N	369,000	7,300	8.5		45,100	4,900,000	32.5		7,490	<0.5	<2	
	20-Aug-08	а	N	364,000	6,950	8.9		43,200	3,200,000	31.3		7,230	<2.5	80.0	
	16-Sep-08		N	367,000	7,240	8.6		44,700	4,870,000	32.0		7,390	<0.5	<2	
	16-Sep-08		FD	339,000	7,750	<25		44,400	4,910,000	33.0		7,430	<0.5	<2	
	14-Oct-08		N	361,000	8,180	<25		45,100	5,080,000	33.3		7,360	<0.5	<2	
	11-Nov-08		N	365,000	6,670	8.1		42,400	487,000	32.4		7,210	<0.5	<2	
	03-Feb-09	а	N	388,000	8,450	<0.5		48,300	5,320,000	33.0		8,500	<0.50	< 0.050	
	12-May-09	а	N	355,000	3,380	<0.5		41,800	3,620,000	31.0		7,000	<1.0	< 0.050	
	12-May-09	а	FD	348,000	3,600	<0.5		41,400	3,710,000	32.0		7,000	<1.0	< 0.050	
	03-Aug-09	а	N			7.8				28.0					3.9
	03-Aug-09	а	FD			7.4				30.0					3.9
	27-Oct-09		N			<0.5				36.0					3.7
	11-Jan-10		N			9.0				34.0					
	11-Jan-10		FD			9.3				32.0					

Table 4
Summary of Secondary Analytical Parameters

Needles, California

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chloride	Orthophosphat	Sulfide	Fluoride
Name:	Sample Date:	Notes	Sample Type:	Calcium	Magnesium	μg/L	Arsenic	Potassium	Sodium	bicarbonate	carbonate	mg/L	e "	mg/L	mg/L
PTR-1	19-Jul-07	a	N	μg/L 254,000	μg/L 	<5	μ g/L 1.9	μg/L 21,500	μ g/L 1,500,000	mg/L 97.5	mg/L <5	1,940	mg/L <0.5	<2	
	25-Jan-08	a	N	206,000	37,500	<5		16,400	1,190,000	123		1,610	<0.5	<2	
	06-Mar-08	a	N	171,000	36,500	<25		12,800	882,000	208		1,360	<500	<2	
	11-Mar-08	a	N	166,000	36,100	<25		13,000	872,000	158		1,190	<5	<2	
	20-Mar-08	a	N	155,000	32,800			11,500	758,000	203	203		<50	<2	
	27-Mar-08	a	N	112,000	21,600	<25		6,680	461,000	185		608	<20	3.20	
	01-Apr-08	a	N	254,000	47,500			15,600	1,050,000	600	<5			<2	
	16-Apr-08	a	N	175,000	40,900			12,500	833,000	138	<5			<2	
	29-Apr-08	a	N	170,000	35,100	13		11,300	767,000	298	<5		<5	4.80	
	15-May-08	-	N	188,000	37,800			11,800	818,000	300	<5			3.60	
	29-May-08	а	N	157,000	35,700	<5		13,800	856,000	183		1,190	<0.5	4.00	
	12-Jun-08	a	N	171,000	38,900			14,200	965,000	148	<5			<2	
	26-Jun-08	a	N	173,000	36,100	7.5		13,600	942,000	150		1,290	<0.5	<2	
	24-Jul-08	a	N	163,000	37,700	<5		12,300	916,000	160		1,180	<0.5	16.0	
	19-Aug-08	a	N	170,000	37,500	6.0		14,200	979,000	140		1,330	<0.5	320	
	18-Sep-08		N	182,000	40,200	8.5		15,000	1,040,000	115		1,450	<0.5	<2	
	16-Oct-08		N	176,000	40,600	<5		16,300	992,000	106		1,440	<0.5	2.00	
	13-Nov-08		N	209,000	32,300	<5.00		11,900	686,000	330		967	<0.5	<2	
	04-Feb-09	а	N	323,000	53,800 J	<2.9 UB		12,500	925,000	592		1,300	2	0.30	
	14-May-09	а	N	227,000	56,600 J	1.4		11,700	936,000	764		1,000	<0.20	<0.050	
PTR-2	18-Jul-07	а	N	335,000		<5	1.99	23,200	1,610,000	92.5	<5	2,200	<0.5	<2	
	25-Jan-08	a	N	427,000	34,400	<10		25,000	1,450,000	103		2,060	<0.5	2.00	
	06-Mar-08	a	N	407,000	29,200	<25		26,800	1,780,000	92.5		2,460	<1	<2	
	11-Mar-08	a	N	393,000	27,200	<5		26,300	1,770,000	92.5		2,470	<0.5	<2	
	20-Mar-08	a	N	151,000	18,000			17,300	1,220,000	148	148		<250	<2	
	27-Mar-08	a	N	88,500	13,000	<25		11,100	830,000	120		1,090	<500	<2	
	01-Apr-08	a	N	404,000	28,900			28,500	2,120,000	145	<5			<2	
	15-Apr-08	a	N	241,000	23,900			13,900	919,000	143	<5			<2	
	29-Apr-08	a	N	410,000	25,300	5.6		26,200	1,920,000	120	<5		<1	<2	
	15-May-08		N	396,000	26,900			28,800	1,970,000	105	<5			<2	
	28-May-08	а	N	302,000	19,700	7.7		22,800	1,730,000	82.5		2,620	<1	<2	
	10-Jun-08	а	N	397,000	25,200			26,200	203,000	95.0	<5			<2	
	26-Jun-08	а	N	397,000	24,000	<5		26,700	1,910,000	82.5		2,650	<1	<2	
	24-Jul-08	а	N	396,000	26,400	<5		25,900	1,960,000	95.0		2,660	<2.5	4.00	
	19-Aug-08	а	N	254,000	26,100	<25		17,800	1,050,000	125		1,580	<0.5	80.0	
	18-Sep-08		N	281,000	23,400	7.8		21,000	1,520,000	75.0		1,380	<0.5	<2	
	16-Oct-08		N	354,000	26,600	<25		26,100	1,740,000	86.9		2,630	<0.5	<2	
	13-Nov-08		N	364,000	22,700	<25		28,300	2,060,000	92.5		2,770	<1	<2	
	05-Feb-09	а	N	330,000	24,800	<2.5 UB		27,800	2,370,000	94.0		3,700	<0.2	< 0.05	
	13-May-09	а	N	684,000	37,000	<0.5		26,100	1,940,000	60.0		4,300	<0.50	< 0.050	

Table 4

Summary of Secondary Analytical Parameters

PG&E Topock

Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location				Dissolved	Dissolved	Dissolved Arsenic	Total	Dissolved	Dissolved	Alkalinity	Alkalinity	Chlorido	Orthophosphat	Sulfide	Fluoride
Name:	Sample		Sample	Calcium	Magnesium		Arsenic	Potassium	Sodium	bicarbonate	carbonate	Chioride	е	mg/L	ma/L
ivaile.	Date:	Notes	Type:	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	mg/L	mg/L	mg/L	mg/L	ilig/L	IIIg/L

Notes:

Current quarter data indicated in BOLD

- a Samples were diluted in the laboratory
- ft bgs Feet below ground surface
- mg/L Milligrams per liter
- μg/L Micrograms per liter
- < Symbol indicates not detected at or above laboratory detection limit as noted.
- EB Equipment blank
- FB Field blank
- FD Field duplicate
- J Reported value is estimated.
- N Normal
- NA Not applicable

Dissolved Samples were field filtered with a 0.45 micron filter.

- --- Not analyzed/not sampled

 * PTR-1 Screen: 125-160 and
- * PTR-1 Screen: 125-160 and 175-220 ft bgs. PTR-2 Screen: 118-158 and 173-218 ft bgs.

Starting with the February 2009 results, Calscience Laboratories was used for analysis, not EMAX laboratories

Table 5
Summary of Supplementary Metals

PG&E Topock Needles, California

Location	Sample		Sample	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Name:	Date:	Notes	Type:	Antimony	Antimony	Barium	Barium		Cadmium	Cobalt	Cobalt	Lead	Lead	Silver	Silver	Thallium			Vanadium
PT-7S	18-Jul-07		N	μg/L 	μ g/L <1	μg/L 	μg/L 156	μg/L 	μ g/L <1	μg/L 	μ g/L 21.5	μg/L 	μ g/L 28.6	μg/L 	μ g/L <1	μg/L 	μ g/L <1	μg/L 	μg/L 51.5
1 1-73	04-Aug-09		N	<1		45.1		<1		<1		<1		<1		<1		5.48	
	29-Oct-09		N			43.7													
	13-Jan-10		N			46.2													
	08-Apr-10		N			45.2													
	14-Jul-10		N			43.7													
	14-Oct-10		N			38.7													
	18-Jan-11		N			45.4													
	14-Apr-11		N			41.7													
	12-Jul-11		N			44.1													
	16-Nov-11		N			41.2													
	14-Feb-12		N			39.9													
	31-Jul-12		N			41.8													
	29-Jan-13		N			38.2													
	09-Jul-13		N			36.9													
PT-7M	19-Jul-07		N		<1		94.8		<1		12.4		18.6		<1		<1		30.1
1 1 7101	04-Aug-09		N	<1		869		<1		<1		<1		<1		<1		<1	
	29-Oct-09		N			1,140													
	13-Jan-10		N			1,490													
	14-Jul-10		N			1,090													
	14-Oct-10		N			946													
	18-Jan-11		N			1,150													
	14-Apr-11		N			1,160													
	13-Jul-11		N			1,090													
	16-Nov-11		N			1,360													
	14-Feb-12		N			1,160													
	31-Jul-12		N			982													
	29-Jan-13		N			783													
	09-Jul-13		N			761													

Table 5
Summary of Supplementary Metals

Needles, California

1	01-		01-	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Location Name:	Sample Date:	Notes	Sample Type:	Antimony		Barium	Barium		Cadmium	Cobalt	Cobalt	Lead	Lead	Silver	Silver	Thallium	Thallium	Vanadium	
PT-7D	18-Jul-07		N N	μg/L 	μ g/L <1	μg/L 	μg/L 96.5	μg/L 	μ g/L <1	μg/L 	μ g/L 5.47								
P1-7D	04-Aug-09		N	 <1		2,800	96.5	<1	< I 	<1		<1	< I 	 <1	< I	 <1	< I 	1.07	5.47
	28-Oct-09		N			512													
	13-Jan-10		N			273													
	08-Apr-10		N			227													
	14-Jul-10		N			297													
	14-3di-10		N			245													
	18-Jan-11		N			264													
	14-Apr-11		N			450													
	13-Jul-11		N			1,060													
	16-Nov-11		N			1,120													
	15-Feb-12		N			854													
	31-Jul-12		N			299													
	29-Jan-13		N			311													
	09-Jul-13		N			246													
PT-8S	16-Jul-07		N		<1		86.9		<1		5.18		7.75		<1		<1		22.3
1 1-00	04-Aug-09		N	<1		393		<1		<1		<1		<1		<1		<1	
	28-Oct-09		N			82.4													
	12-Jan-10		N			248													
	07-Apr-10		N			176													
	13-Jul-10		N			121													
	13-Oct-10		N			97.6													
	17-Jan-11		N			85.3													
	14-Apr-11		N			71.0													
	12-Jul-11		N			68.1													
	15-Nov-11		N			63.8													
	14-Feb-12		N			59.6													
	31-Jul-12		N			54.1													
	29-Jan-13		N			46.5													
	09-Jul-13		N			43.4													

PG&E Topock Needles, California

Lagation	Commis		Commis	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Location Name:	Sample Date:	Notes	Sample Type:	Anumony	Antimony		Barium		Cadmium		Cobalt	Lead	Lead	Silver	Silver	Thallium	Thallium		Vanadium
				μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
PT-8M	18-Jul-07		N		<1		33.7		<1		<1		<1		<1		<1		5.73
	04-Aug-09		N	<1		78.7		<1		<1		<1		<1		<1		<1	
	28-Oct-09		N			327													
	12-Jan-10		N			96.8													
	07-Apr-10		N			98.3													
	13-Jul-10		N			92.7													
	13-Oct-10		N			92.2													
	17-Jan-11		N			76.7													
	14-Apr-11		N			70.8													
	14-Apr-11		FD			69.0													
	12-Jul-11		N			79.2													
	15-Nov-11		N			73.4													
	14-Feb-12		N			67.2													
	31-Jul-12		N			62.7													
	29-Jan-13		N			62.6													
	09-Jul-13		N			54.5													
PT-8D	16-Jul-07		N		<1		105		<1		6.03		9.13		<1		<1		13.1
	04-Aug-09		N	<1		45.4		<1		<1		<1		<1		<1		<1	
	28-Oct-09		N			48.3													
	28-Oct-09		FD			44.3													
	12-Jan-10		N			53.0													
	07-Apr-10		N			58.9													
	07-Apr-10		FD			60.2													
	13-Jul-10		N			46.4													
	13-Oct-10		N			52.0													
	17-Jan-11		N			48.6													
	14-Apr-11		N			54.2													
	12-Jul-11		N			49.7													
	15-Nov-11		N			50.4													
	14-Feb-12		N			51.0													
	31-Jul-12		N			45.8													
	31-Jul-12		FD			46.6													
	29-Jan-13		N			50.9													
	09-Jul-13		N			46.1													

PG&E Topock Needles, California

Lagation	Cample		Commis	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Location Name:	Sample Date:	Notes	Sample Type:	Antimony		Barium	Barium	Cadmium	Cadmium	Cobalt	Cobalt	Lead	Lead	Silver	Silver	Thallium	Thallium		Vanadium
				μg/L	μg/L	μg/L	µg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
PT-9S	17-Jul-07		N		<1		67.2		<1		2.86		2.57		<1		<1		20.0
	05-Aug-09		N	<1		128		<1		<1		<1		<1		<1		<1	
	29-Oct-09		N			122													
	12-Jan-10		N			99.5													
	08-Apr-10		N			97.2													
	13-Jul-10		N			83.0													
	13-Oct-10		N			86.7													
	18-Jan-11		N			92.3													
	14-Apr-11		N			74.8													
	12-Jul-11		N			81.4													
	15-Nov-11		N			67.0													
	15-Feb-12		N			60.1													
	01-Aug-12		N			64.7													
	30-Jan-13		N			55.5													
	10-Jul-13		N			57.2													
PT-9M	17-Jul-07		N		<1		46.8		<1		1.09		<1		<1		<1		5.92
	17-Jul-07		FD		<1		48.1		<1		1.00		<1		<1		<1		6.28
	05-Aug-09		N	<1		34.2		<1		<1		<1		<1		<1		<1	
	29-Oct-09		N			32.1													
	12-Jan-10		N			34.8													
	08-Apr-10		N			38.0													
	13-Jul-10		N			35.4													
	13-Oct-10		N			37.3													
	18-Jan-11		N			38.6													
	14-Apr-11		N			37.7													
	12-Jul-11		N			38.1													
	15-Nov-11		N			39.9													
	15-Feb-12		N			34.1													
	01-Aug-12		N			40.2													
	30-Jan-13		N			39.5													
	10-Jul-13		N			36.3													

PG&E Topock

Needles, California

Location	Camula		Camala	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Name:	Sample Date:	Notes	Sample Type:		Antimony		Barium	Cadmium		Cobalt	Cobalt	Lead	Lead	Silver	Silver	Thallium		Vanadium	
				μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
PT-9D	17-Jul-07		N		<1		79.5		<1		<1		<1		<1		<1		3.95
	05-Aug-09		N	<1		34.8		<1		<1		<1		<1		<1		<1	
	28-Oct-09		N			34.4													
	12-Jan-10		N			40.9													
	08-Apr-10		N			38.7													
	13-Jul-10		N			38.4													
	13-Oct-10		N			41.7													
	13-Oct-10		FD			40.5													
	18-Jan-11		N			35.6													
	14-Apr-11		N			37.5													
	12-Jul-11		N			37.8													
	15-Nov-11		N			40.4													
	15-Feb-12		N			43.5													
	01-Aug-12		N			37.4													
	30-Jan-13		N			38.9													
	10-Jul-13		N			37.2													
MW-11	17-Jul-07		N		<1		43.1		<1		<1		2.48		<1		<1		9.16
	06-Apr-10		N			43.5													
	12-Jul-10		N			43.6													
	12-Oct-10		N			43.0													
	17-Jan-11		N			40.4													
	17-Jan-11		N			41.5													
	14-Apr-11		N			38.2													
	11-Jul-11		N			43.3													
	14-Nov-11		N			50.2													
	14-Nov-11		FD			46.1													
	13-Feb-12		N			42.5													
	30-Jul-12		N			47.9													
	28-Jan-13		N			42.8													
	28-Jan-13		FD			44.0													
	08-Jul-13		N			45.0													
	08-Jul-13		FD			45.0													

PG&E Topock

Needles, California

	0		01-	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Location Name:	Sample Date:	Notes	Sample Type:	Antimony	Antimony	Barium	Barium	Cadmium	Cadmium	Cobalt	Cobalt	Lead	Lead	Silver	Silver	Thallium	Thallium	Vanadium	
MW-24A	18-Jul-07		N	μg/L 	μ g/L <1	μg/L 	μg/L 26.1	μg/L 	μ g/L <1	μg/L 	μ g/L <1	μg/L 	μ g/L 1.10	μg/L 	μ g/L <1	μg/L 	μ g/L <1	μg/L 	μ g/L 30.6
IVIVV-24A				 <5		183 D	20.1					<5						 <5	
	03-Aug-09	а	N					<5		<5				<5		<5			
	27-Oct-09		N			229 190													
	11-Jan-09		N																
	07-Apr-10		N			132													
	12-Jul-10		N			89.9													
	12-Jul-10		FD			99.0													
	12-Oct-10		N			105 150													
	17-Jan-11		N			78.1													
	14-Apr-11 11-Jul-11		N																
	11-Jul-11 14-Nov-11		N			60.4 89.1													
			N																
	13-Feb-12 13-Feb-12		N FD			74.9 73.2													
						73.2 51.1													
	30-Jul-12 28-Jan-13		N																
	28-Jan-13 08-Jul-13		N N			60.5 38.0													
						30.0													
MW-24B	18-Jul-07		N		<1		38.9		<1		<1		<1		<1		<1		7.20
	07-Apr-10		N			49.4													
	12-Jul-10		N			37.2													
	12-Oct-10		N			44.4													
	17-Jan-11		N			44.7													
	14-Apr-11		N			42.6													
	11-Jul-11		N			46.3													
	11-Jul-11		FD			47.0													
	14-Nov-11		N			52.5													
	13-Feb-12		N			45.9													
	30-Jul-12		N			46.9													
	28-Jan-13		N			49.7													
	08-Jul-13		N			46.4													

Table 5
Summary of Supplementary Metals

Needles, California

			I _	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Location Name:	Sample Date:	Notes	Sample Type:	Antimony µg/L		Barium µg/L	Barium µg/L		Cadmium µg/L	Cobalt µg/L	Cobalt µg/L	Lead µg/L	Lead µg/L	Silver µg/L	Silver µg/L	Thallium µg/L	Thallium µg/L		Vanadium µg/L
MW-38S	17-Jul-07	•	N		1.74		40.7		1.20		3.19		2.39		1.38		1.47		26.2
	03-Aug-09		N	<1		27.1		<1		<1		<1		<1		<1		17.5	
	27-Oct-09		N			24.4													
	11-Jan-09		N			24.1													
MW-38D	17-Jul-07		N		<1		45.7		<1		<1		<1		<1		1.46		6.92
	03-Aug-09	а	N	<5		47.6		<5		<5		<5		<5		<5		<5	
	03-Aug-09	а	FD	<5		47.7		<5		<5		<5		<5		<5		<5	
	27-Oct-09		Ν			39.5													
	11-Jan-10		Ν			46.0													
	11-Jan-10		FD			47.0													
PTR-01	19-Jul-07		N		<1		72.7		<1		1.10		<1		<1		<1		4.67
PTR-02	18-Jul-07		N		<1		39.7		<1		<1		<1		<1		<1		4.24
EB	17-Jul-07		EB		<1		<1		<1		<1		<1		<1		<1		<1
	03-Aug-09		EB	<1		<1		<1		<1		<1		<1		<1		<1	
	12-Jan-10		EB			<1													
	08-Apr-10		EB			<1													
	13-Jul-10		EB			<1													
	13-Oct-10		EB			<1													
	18-Jan-11		EB			<1													
	14-Apr-11		EB			<1	<1												
	11-Jul-01		EB			<1													
	15-Nov-11		EB			<1													
	14-Feb-12		EB			<1													
	29-Jan-13		EB			<1													
	08-Jul-13		EB			<1													
FB	17-Jul-07		FB		<1		<1		<1		<1		<1		<1		<1		<1
	03-Aug-09		FB	<1		<1		<1		<1		<1		<1		<1		<1	
	11-Jan-09		FB			<1													
	07-Apr-10		FB			<1													
	12-Jul-10		FB			<1													
	13-Oct-10		FB			<1													
	18-Jan-11		FB			<1													
	14-Apr-11		FB			<1													
	11-Jul-11		FB			<1													
	14-Nov-11		FB			<1													
	13-Feb-12		FB			<1													

Table 5

Summary of Supplementary Metals

PG&E Topock

Needles, California

Location	Sample		Sample	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Name:	Date:	Notes	Type:	Antimony	Antimony	Barium	Barium	Cadmium	Cadmium	Cobalt	Cobalt	Lead	Lead	Silver	Silver	Thallium	Thallium	Vanadium	Vanadium
Name.	Date.		Type.	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
	29-Jan-13		FB			<1													
	09-Jul-13		FB			<1													

Table 5

Summary of Supplementary Metals

PG&E Topock

Needles, California

2013 Annual Monitoring Report for the Upland Reductive Zone In-Situ Pilot Test

Location	Comple		Comple	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Location Name:		Notes	Sample Type:	Antimony	Antimony	Barium	Barium	Cadmium	Cadmium	Cobalt	Cobalt	Lead	Lead	Silver	Silver	Thallium	Thallium	Vanadium	Vanadium
ivallie.	Date.		Type.	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L


Notes:


Current quarter data indicated in BOLD


- a Samples were diluted in the laboratory
- μg/L Micrograms per liter
- < Symbol indicates not detected at or above laboratory detection limit as noted.
- EB Equipment blank
- FB Field blank
- FD Field duplicate
- J Reported value is estimated.
- N Normal
- NA Not applicable

Dissolved Samples were field filtered with a 0.45 micron filter.

--- Not analyzed/not sampled







Appendix A

Communications



Yvonne Meeks Manager

Environmental Remediation Gas T&D Department

Mailing Address 4325 South Higuera Sreet San Luis Obispo, CA 93401 Location 6588 Ontario Road San Luis Obispo, CA 93405 Tel: (805) 234-2257

Email: yjm1@pge.com

May 29, 2008

Mr. Robert Purdue Executive Officer California Regional Water Quality Control Board Colorado River Basin Region 73-720 Fred Waring Drive, Suite 100 Palm Desert, California 92260

Subject: Board Order R7-2007-0015

PG&E Topock Compressor Station, Needles, California

Upland In-Situ Pilot Test

Changes in Pilot Test Operations

Dear Mr. Purdue:

As we discussed yesterday, PG&E is submitting this letter is to notify the Regional Water Quality Control Board (RWQCB) that PG&E would like to temporarily discontinue injection of reagent for the Upland In-Situ Pilot Test (ISPT) operating under Board Order No. R7-2007-0015. Currently, the concentration of total dissolved carbon (TOC) within the aquifer is sufficient to sustain a viable in-situ reactive zone (IRZ). The plan is to withhold treatment discharge (reagent dosing via the recirculation wells) for approximately one month to monitor the recirculation systems ability to distribute the TOC sufficiently through the recirculation cell. There will be no change in the recirculation rate - the system will continue to circulate water during this time period.

To evaluate the TOC distribution, PG&E is recommending that weekly sampling of TOC be collected from eight wells: PT-7M, PT-7D, PT-8S, PT-8M, PT-8D, MW-24A, PTR-1, and PTR-2 during the one month evaluation period. After the evaluation period, PG&E will identify a path forward to continue the dosing of the Upland ISPT, potentially at a reduced rate, or will discuss other options with the RWQCB. All supplemental data collected and the plan for continued dosing the Upland ISPT will be communicated to the RWQCB.

From an engineering perspective, because of the continual evaluation inherent in any pilot test, the optimal approach to the Upland ISPT was anticipated to be conducted in a semi-continuous manner, with breaks as needed to assess progress or fine-tune approaches. PG&E discussed this type of phasing with the RWQCB during the preparation of the Waste Discharge Requirement (WDR), e.g. as described in Finding II.A.1, the pilot test "...is expected to take up to six months and will be conducted within a nine-month calendar period".

Based on our review of the Waste Discharge Requirements, it does not appear as though the proposed actions fall under the Effluent Limitations and Discharge Specifications IV.A.5 that states, "Any changes in the type of amount of treatment chemicals added to the process water, duration of the pilot test, or other specific design elements as described in this Board Order shall be made with prior written approval of the Regional Water Board's Executive Officer." or Provision V.A.1.e that states, "Prior to modifications in this facility, which would results in material change in the quality or quantity of wastewater treated or discharged, or any material change in the location of discharge, the Discharger shall report all pertinent information in writing to the RWQCB and obtain revised requirements before modifications are implemented."

We understand however that you will determine if the proposal to temporarily discontinue discharge, and subsequent restart requires a simple notification to the RWQCB or if the permit requires that Board or Executive Officer approval is necessary. If such approval is necessary, please consider this letter our request for approval.

We have a scheduled ethanol delivery on June 2nd that we may be able to reschedule if we are allowed to cease the dosing operation per the information provided above. We appreciate your timely consideration of this letter.

If you have any questions regarding this information, please call me at (805) 234-2257.

Sincerely,

Yvonne Meeks

Topock Project Manager

Monne Meeke

cc: Cliff Raley, Water Board

Tom Vandenberg, Water Board

Aaron Yue, DTSC



California Regional Water Quality Control Board

Colorado River Basin Region

Linda S. Adams
Secretary for
Environmental Protection

73-720 Fred Waring Drive, Suite 100, Palm Desert, California 92260 (760) 346-7491 • Fax (760) 341-6820 http://www.waterboards.ca.gov/coloradoriver



May 29, 2008

Yvonne J. Meeks, Project Manager Pacific Gas & Electric Company 4325 S. Higuera Street San Luis Obispo, CA 93401

SUBJECT: APPROVAL OF A CESSATION IN THE REAGENT INJECTION PROCESS, WASTE DISCHARGE REQUIREMENTS BOARD ORDER NO. R7-2007-0015 (WDRs). PG&E TOPOCK COMPRESSOR

STATION

We received your letter, dated May 29, 2008 (Letter), requesting approval to temporarily discontinue reagent injections while continuing to pump and monitor recirculation wells associated with the Upland In-situ Pilot Test (Upland ISPT) at the subject facility. You explain the reason for your request by stating: "Currently, the concentration of total dissolved carbon (TOC) within the aquifer is sufficient to sustain a viable in-situ reactive zone (IRZ)." You explain further that PG&E would like "to withhold treatment discharge for approximately one month to monitor the recirculation systems ability to distribute the TOC sufficiently through the recirculation cell." You add that no change in the recirculation rate will occur during this time period. Also, you indicate that to evaluate the TOC distribution, weekly sampling of TOC will be conducted from eight specified monitoring wells. Following this one-month evaluation period, you state that PG&E would continue the dosing of the Upland ISPT, potentially at a reduced rate, or would discuss other options with the Colorado River Basin Regional Water Quality Control Board (Board), and that the monitoring data and continued dosing plans would be communicated to the Board.

The latter part of your letter discusses your view that the proposed temporary cessation of reagent injection appears to be the type of testing approach to the Upland ISPT that was anticipated to be conducted in a semi-continuous manner, with breaks as needed to assess progress or fine-tune approaches. You point out that this type of phasing was discussed with Board staff during the drafting of the subject Board Order, as reflected in Finding II.A.1, which provides that the Upland ISPT "is expected to take up to six months and will be conducted within a nine-month calendar period." Based on this Finding, you conclude that the proposed temporary cessation and subsequent "fine-tuning" for determining the optimal dosing rate for the reagent injections do not appear to fall under Effluent Limitations and Discharge Specifications IV.A.5 to require

formal written approval by the Regional Board's Executive Officer. In the event that the Executive Officer does not share this conclusion, you requested that your letter be considered a request for the Executive Officer's approval.

I have concluded that the temporary cessation of reagent injection for one month in a testing protocol that envisions that the injection portion of the pilot test would take up to six months and be conducted within a nine-month calendar period (Finding II.A.1) is a significant enough delay to be considered a "change[] in the amount of treatment chemicals added to the process water" or, at a minimum, a "change[] in ... other specific design elements as described in [the Board Order]." (Specification IV.A.5.) Thus, the proposed temporary cessation of reagent injection is subject to Specification IV.A.5. As such, my written approval is required. Accordingly, I have treated your letter as requesting that approval, which is hereby granted.

As for the "fine-tuning" of the dosing rate, which is proposed to occur upon restart of the reagent injection process, I agree that the starts/stops and breaks involved for this fine-tuning work are of a short-term nature and thus, would not rise to the level of specific design element changes that would require my written approval. Therefore, with respect to the fine-tuning phase of the Upland ISPT, your notice regarding this phase of the work is sufficient.

Please keep in mind, however, that it is necessary that you keep the Regional Board and the Department of Toxic Substances Control staff apprised, at the earliest practicable time, of all design and operational parameters involved in the Upland ISPT.

The subject Board Order remains in full effect and is not modified by this letter. If you have any questions, or require additional information regarding this matter, please call Cliff Raley at (760) 776-8962.

ROBERT/PERDUE

CR/tab

¹ Specification IV.A.5 states: "Any changes in the type or amount of treatment chemicals added to the process water, duration of the pilot test, or other specific design elements as described in this Board Order shall be made with prior written approval of the Regional Water Board's Executive Officer."

Reagent Injection Process - 3
Upland ISPT, Topock Compressor Station

cc: Curt Russell, Onsite Project Manager, PG&E Topock

Julie Eakins, PE, CH2M HILL, Lisa Kellogg, PE, ARCADIS, Inc., Aaron Yue, Project Manager, DTSC

File: WDID No. 7B 36 2186 001, PG&E Topock Compressor Station,

Board Order No. R7-2007-0015

----Original Message----

From: Meeks, Yvonne J [mailto:YJM1@pge.com]

Sent: Monday, August 04, 2008 4:12 PM

To: Robert Perdue; Cliff Raley; Tom Vandenberg

Cc: Gilbert, David; Doss, Robert; Jayo, Juan (Law); Kellogg, Lisa; Robert Lucas

Subject: PGE Uplands ISPT Reagent Dosing

Robert and all -- Per the attached letter from the RWQCB, we are providing this notice that PG&E intends to re-start ethanol dosing in uplands pilot study well PTR-2 at a rate of between 15 and 45 gallons per day (a reduction from the 100 gallons per day specified in the WDR).

As you recall, with your approval, we temporarily discontinued reagent injection in both injection wells in late May. At that time, we proposed to evaluate the data results and make a recommendation for the restarting reagent dosing. PG&E has evaluated the recent monitoring data and intends to begin recirculation with ethanol dosing in PTR-2 within the next week. PG&E will continue to review the data and plans to make a recommendation regarding dosing in PTR-1 at the end of August.

We will continue to keep the RWQCB informed. Let me know if you have any questions.

Yvonne Meeks

From: Meeks, Yvonne J [mailto:YJM1@pge.com] Sent: Thursday, October 23, 2008 4:07 PM
To: Robert Perdue; Tom Vandenberg; Cliff Raley

Cc: Gilbert, David; Doss, Robert; Robert Lucas; Ayue@dtsc.ca.gov; Christopher Guerre

Subject: Topock - Notification request to the RWQCB regarding Uplands dosing

Robert --

In accordance with the attached letter from the RWQCB, we are providing this notice that tomorrow, October 24, PG&E intends to increase the ethanol dosing in uplands pilot study wells, PTR-1 and PTR-2, to a rate of 100 gallons per day for each well. We are essentially going back to the injection rate as was originally specified in Board Order No. R7-2007-0015. You will recall that we had decreased the rate back in August to 15-45 gallons per day.

Looking ahead, weplan to complete the ethanol dosing on November 6, the final day per the WDR permit. After that we will just be recirculating groundwater until December 3rd, also consistent with the WDR. Since these timeframes are consistent with the timeframes in the WDR permit, these completion activities didn't require notification, but I thought you might like to know that we are finishing up another (successful) pilot test.

Let me know if you have any questions, Yvonne

Preston, Kelli Jo

From: Meeks, Yvonne J [YJM1@pge.com]
Sent: Monday, November 24, 2008 8:57 PM
To: Robert Perdue; Tom Vandenberg; Cliff Raley

Cc: Aaron Yue; Kellogg, Lisa; Sullivan, Kevin M; Doss, Robert; Gilbert, David

Subject: Notification regarding PG&E Topock Uplands pilot test

Attachments: Appendix A-Communications.pdf

Robert --

In accordance with the attached letter from the RWQCB, we are providing this notice that PG&E intends to modify the flow pattern in uplands pilot study well PTR-2 to perform a hydraulic extraction test. PTR-1 will be brought off-line and the recirculation pattern in PTR-2 will be reversed. This reversal will be allowed to run for 4-6 hours to evaluate the extraction capacity of the well. Once the 4-6 hour test is complete, the downhole equipment will be removed. As specified within Board Order No. R7-2007-0015, the pilot will be concluded on December 3rd, after 9 months of operation.

Let me me know if you have any questions regarding this email or any other aspect of the uplands test.

Yvonne Meeks



Yvonne Meeks Manager

Environmental Remediation Gas T&D Department

Mailing Address 4325 South Higuera Sreet San Luis Obispo, CA 93401 Location 6588 Ontario Road San Luis Obispo, CA 93405 Tel: (805) 234-2257

Email: yim1@pge.com

March 20, 2009

Mr. Robert Perdue Executive Officer California Regional Water Quality Control Board Colorado River Basin Region 73-720 Fred Waring Drive, Suite 100 Palm Desert, California 92260

Subject: Request to Rescind the Waste Discharge Requirements under Board Order

R7-2007-0015

PG&E Topock Compressor Station, Needles, California

Dear Mr. Perdue:

Pacific Gas and Electric Company (PG&E) is requesting to rescind the Waste Discharge Requirements (WDRs) issued by the Colorado River Basin Regional Water Quality Control Board (Water Board) under Board Order R7-2007-0015 related to the PG&E Topock Compressor Station upland reductive zone in situ pilot test.

Reagent injections were completed in November 2008 followed by monitoring events as required in the Monitoring and Reporting Program (MRP) Attachment C. The in situ pilot test was deemed to be complete in December 2008 and the *Upland Reductive Zone In-Situ Pilot Test*, *Final Completion Report* was submitted on March 3, 2009. Since March 3, 2009, activity has consisted solely of quarterly sampling of sixteen upland pilot study wells. No additional injections are planned in this area. Therefore, it is PG&E's understanding that the WDR need not be renewed, and instead rescinded.

If you have any questions regarding this report, please call me at (805) 234-2257.

Sincerely,

Yvonne Meeks

Topock Project Manager

Spanne Meeke

cc: Cliff Raley, Water Board

Aaron Yue, DTSC

Appendix B

Calibration Logs for Field Monitoring Instruments

MULTIPARAMETER INSTRUMENT CALIBRATION RECORD

Project No.: RC000753.0011 00602

Location: TOPOCK

Instrument: YSI-556 MPS

Serial Number: 11 M100329

	1	T		1	
				Calibrated	
Date	Calibrated by	Parameter	Standards Used	Achieved (Y/N)	Remarks
1/28/13	NT	6.90,10.10,413	7.00,10.00	Υ ,	PH
	VE	3793	3900	*	conductivity
34 (36)	M	249.1mU	250m	ч	ORP Tamp : 10,990
	NC	112326	100%00	Ч	D.o.
1/29/13	K	6.91,1012,4.06	7.60, 10.00 4.00	Ч	p e4
	N7	3581	3900	٧	conductivity
	3	262 120	258.4m	4	ORP Temp = 4.6°C
•	~	92.736	100% 0.0.	7	D. D
1/30/13	MC	6.96,10.09,	7.00, 10.00 4.00	7	P14
ì	his	3834	3100	4	conductivity
	M	256,mV	256 mV	ч	ORP Temp = 6.0 °C
1	~	99.6%	100 % 0.00.	4	p.0.
			1 2		
			, The		
			*27		ī
	18				ı û
		<u></u>			

MULTIPARAMETER INSTRUMENT CALIBRATION RECORD

Project No.: RC000 753.0011.0000 Z

Location: TOPOCK, CA

Instrument: YSI-556

Serial Number: 10E(0)737

24 Bench

			}	1	
				Calibrated	
				Achieved	
Date	Calibrated by	Parameter	Standards Used	(Y/N)	Remarks
7-8-13	714	7.17, 4,38, 4.02	7,10,4	ч	pal
12	724	3844	3900	4	conductivity
	NT	221.2 mV	219.400	٧	ORP Temp = 34.8 °C
<u> </u>	2	896°%	100% P.0	٧	0.0.
7/9/13	147	7.04.9.92, 4.01	7, 10,4	7	PIL
	NT	3885	3.900	Y	conductivity ORP Temp = 31.7°C
2	N7	229.8 mJ	223.9 m	۲	ORP Temp 231,7°C
i i	NT	96.3%	100.6	Y	Ø. v ,
7/10/13	N7	7.03, 9.95, 4.05	7, 10,4	7	pit
	~~	3850	3900	4	conductivity ORP Temp = 31.1°C
	· MT	227.6 mU	224 mv	4	ORP Temp = 31.1 °C
J	~	94.5%	100.0%	Ч	0, 0.
	9				
38	,				
			4		
	* <u>\$</u>				16.

Appendix C

Groundwater Sampling Logs

Groun	dwate	r Sampl	ing Fo	rm							
Project N	lumber:	RC000	753.001	1. "	Task:		00002	Well	ID:	MW-11	
Date:		01 - 2	· 3 -1	3	Sample	ed By:	Gary Clift	-			
Weather:		Cley			Record	-	M				
					-	Duplicate No.:		30128	C121	2	
Instrume	nt Identific	ation				•					
	it identilie	PID					Water Quali	ty Meter(s)			
Model	-			-				56 MPS	5		-
Serial #:				-				0329			
Purging I	nformation	1									
Casing M	aterial:		PVC			Purge Technic Purge Equipm			1	·	
Casing D		4"				Screen Interva		63'			8'
Total Dep	oth:	88'				Pump Intake S	Setting:	2 900	~ MT	781	
Depth to '	Water:	67.	74			Volumes to be	Purged:	3 CAS	619		
Water Co	lumn:	20				Total Volume	•	13.2	x 3 =	39	6
Gailons/F	oot:	.65				Pump on:	1136	Off: 12	08	_	
Gallons in	n Well:	13	, 2								
	1/					Well Casing V	olumes (gal/ft	•		3" = 0.37	
Cr	+6152	ه_(ه	111	/	ug/L			3 ¹ / ₂ " =		4'' = 0.65)
	(1)	·/		A COLUMN TO A	•			6" = 1	.46	7	
Field Para	ameter Me	asurement	s Taken D	uring Purg	ing :						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO	
Time	Elapsed	(2 gpm)	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
1143	7	2	14	68.31	35	59.2	7.43	2174	29.3	6.07	
1146	10.5	2	21	68.31	i 9	63.2	7.44	2157	29.4	6,17	- 1/1
1150	14	2	28	69.31	21	65.0	7.44	2150	29.3	6.17	
1156	20	2	35 40	68.31	ر م	67.3	7.44	2139	29.3	6.18	
1128	22	2	44	68.31	8	13.5	7.44	2131	29.3	6.11	
1200	24	2	48	68.31	8	74.8	7.43	2124	29.3		
			=							0.00	-
											8
					~						
						 	<u></u>				
						-					
					· · · · · ·		X.		 		
										2	Î
-			-								
									I	<u> </u>	<u> </u>
	_	Sampling									
Well Cond	lition:	900			_	Purge Water D	•	FM-3			
Color:		non	<u> </u>			Turbidity(qualit		cle	w		
Odor:				 -	_	Other (OVA, H	NU,etc.):				
Sample in	. MW	-11B0	128		Samul	e Date & Time:	1-78-13	@ 12	02		
Campica A	halvzod E	or:	Soo the C	00	Janipi	e Date of Hille:	<u>ر، حين ،</u>			_	

Project N		r Samp	0753.001		Task:		00002	Well	ID:	NAV 04	٨
Date:	varriber.	01 -		13	- Sampi	ad Bv:	Gary Clift	vveii	ID:	MW-24	<u> </u>
Weather	•		oud of		_	ded By:		· · · · · · · · · · · · · · · · · · ·			
· · · · · · · · · · · · · · · · · · ·	•					Duplicate No.:	_ ~~				
Instrume	nt Identific	ation		8					_		
		PID	1/4	Bl			Water Qual			~	
Model		-	1 7				YSI-	556 N	185		
Serial #:	G G						ilMi	00329	\		
Purging I	nformation	ı									
Casing M	laterial:	ĵ	DVC			Purge Technic		`	Remove 3	_	
Casing D		4"			-	Purge Equipm Screen Interva			Centrifugal	Bladder P	
Total Dep		124'		·	-	Pump Intake S		104'	ī	12	:4'
Depth to			.34		-	Volumes to be	_		1		
Water Co		11.6			-	Total Volume I	_	3 CASV		22.	
Gallons/F		• 6			•		1344		<u> </u>	- 22	>
Gallons in		7.				Pump on:	1347	Off:	112	-	
\sim	\ _		004	1		Well Casing V	olumes (gal/ft	,		3" = 0.37	
(1	+6 (1560)		, 00	<u> </u>	My/L			3 ¹ / ₂ " =	0.50	4" = 0.65)
	(1560))			/			6" = 1.	.46		
			s Taken D	uring Purg	ina						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	ρН	Spec Cond	Temp	DO	
Time	Elapsed	(36 m)	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
1352	8	1	8	113.02	17	-204.1	7.95	2391	30.0	0.09	
1356	12	1	12	113.02	13	-214.0	7.98	2395	30.2	0.14	
1404	20	- (16	113.02	9	-221.5	8,00	2408	30.3	0.09	
1408	24	,	20	113.02	8	-224.4	8.01	2409	30.3	0.09	
			,	(120		- 22 3. (<i>D</i> .01	2110	70.5	5.04	-
			-								
							7				
			1								
						¥					
	ii je										
		<u> </u>									
	ons During	Sampling					_	P11 ~			
Vell Cond	ition:	3000				Purge Water Di	sposal:	FM-3)		
olor: dor:	-	ر درو		1 10	_	Turbidity(qualita	_	clea			
au.	h.	31.90	t oder	/ sulfin	_	Other (OVA, HN	iu,etc.):	-			
ample ID:		- 14A	1301		Sample	Date & Time: _	1/28	13 €	1410	_	
amples A	nalyzed F	nr: 5	See the Co	OC .						-	

I:\Active\Lompoc\QAPP\Field FormsWTR forms.xlsx 1/21/2013

		' Samp	0753.001		Tools		00000	147-11	10	1044.04	_
Project N Date:	umber.	01 - 3		<u>1.</u> 3	_ Task:	and Date	00002	Well	ID:	MW-24	<u>B</u>
Weather:		Nic		3	_ Sample Record	-	Gary Clift			·	
weather.		1 100			•	Duplicate No.:	NT				*****
Instrumer	nt Identific	ation							-		
	.01	PID					Water Qual	ity Meter(s)			
Model					Til.		YST-5	56 MAS	•		
Serial #:							UMIC	00329	<u> </u>		
Purging I	nformation										
		1	DUC			Purge Technic		_		Well Volumes	
Casing M Casing D		4"	<u> </u>		-	Purge Equipme Screen Interva		Submersible 193'	Centrifugal	Bladder P	
Total Dep		213'			•	Pump Intake S			ited	21	3
Depth to			44			Volumes to be	_	3 CASUN		7	
Water Co	lumn:		56			Total Volume I	Purged:	66.7		= 200	> <u></u> §°
Gallons/F		.6				Pump on:	1235	Off: 13	22	-	
Gallons in	Well:	66	/T	-		Well Casing Ve	olumno (gal/ft): 2" = 0.	16	2" 027	
CV+	-6	ĭ	110			vveil Casing vi	olumes (gal/II	$2^{n} = 0.$ $3^{1}/_{2}" =$		3" = 0.37 $4" = 0.65$	
C • 1	-b (1560)	-70	^	14/1			6" = 1.		0.03	
			s Taken D	uring Purg	ina		•				
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO	
Time	Elapsed	(gpm)	Purged ((ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
1249	14	5	70	114.55	5	-89.0	7.69	20524	30.8	0.16	
1256	21	5	140	114.55	4	~76.0	7,68	20497	30.7	0.12	ļ
1310	35	5	175	114.56	4	-57.1	7.67	20465	30.8	0.09	
1316	्भा	5	205	114.56	4	-55.4	7.67	20481	30,9	0.09	
								,			
					 -						
					······································	 	· ·				
			· · ·								
						ļ					
					-	"-					
								,			
	-	Sampling	_0			_		TM 2			
Vell Cond	ition: _	900			_	Purge Water Di		FM-3			
Color		clea	<u>~</u>		_	Turbidity(qualita		clea	_		
Color: Odor:		nov	V			Other (OVA, HN	U.etc)·				

 $I:\Active Lompoc \QAPP \Field\ Forms WTR\ forms.xlsx\\ 1/21/2013$

Project N	lumber:	RC000	0753.001°	1.	Task:		00002	Well	ID.	PT-7S	
Date:		01 -			Sample	ed Rv·	Gary Clift		ID.	11-73	
Veather:		Clou			-	ded By:			···		
					-	Duplicate No.:	NONE				
					00000	Dupilibate No.:		-	-		
nstrumer	nt Identific	· - · · · · · · · · · ·		 			lio			·	
/lodel		PID					Water Quali				
		 	Second Control			-		is6 Mps	···		
Serial #:							1/1/0	0329			
urging lı	nformation	1									
asing M	aterial:		PVC			Purge Techniq Purge Equipme					
asing Di		2"	·	·	•	Screen Interva		130'			
otal Dep		150'			•	Pump Intake S		130	_	:15	
epth to \		105	.81		•	Volumes to be	•	3 CAS			
Vater Co		44.			•	Total Volume F	•	7.1	¥ 2	= 21.	3
allons/F	oot:	.16)	·	•	Pump on:	1114	Off: IL			
allons in	Well:	ন,								- *	
~ ^						Well Casing Vo	olumes (gai/ft			3" = 0.37	
CI	+6		549		ng/L	\$ (i		3 ¹ / ₂ " =	0.50	4" = 0.65	}-
	(1560) <u> </u>	- , ,					6" = 1	.46		
eid Para	meter Me	asurement	s Taken D	uring Purg	ing						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	рН	Spec Cond	Temp	DO	
Time	Elapsed	(36 m)	Purged ((ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comment
1122	8	1	8	106.44	39	0.6	7.33	5446	29.8	0.06	
1126	12	\	12	106.44	18	6.4	7.33	5426	29.8	0.05	
130	16		16	106.44	11	9.7	7.33	5415	29.9	0,07	
133	19	1	22	106.45	10	(1.3	7.33	5421	29,9	0.07	
, ,,,		,		100. 43	10	11. 6	7.33	5425	29,9	0.08	
					_)					
			·			<u> </u>					
-											
78											 _
	_	Sampling						-			
ell Condi	ition:	900	sd			Purge Water Dis	•	IM-3	5		
lor:		dea	<u> </u>		_	Turbidity(qualita		clear	I, I		
lor:	_	none			_	Other (OVA, HN	U,etc.):				Jog
		51301	- 0			Date & Time: _					

I:\Active\Lompoc\QAPP\Field FormsWTR forms.xlsx 1/21/2013

-roiect iv	lumber:	RC000	0753.001	1.	Task:		00002	Well	iD.	PT-7M	
Date:		01 - 4		13	_ Sample	ed Rv·	Gary Clift		ID.	1-1-/ IVI	
Veather	:		oudy		_	ded By:	HT				
					_	Duplicate No.:	NONE				·
nstrume	nt Identific	ation				,					
		PID					Water Qual	ity Meter(s)			
/lodel							YSI-5	556 MPS	•		
Serial #:							11 M 10	0329			
Purging I	nformation	I									
			DVC			Purge Technic					3 .
asing M		2"	<u> </u>		-	Purge Equipm					/ 0
otal Dep	iameter:	185'			•	Screen Interva		165'	_ To	:18	35'
epth to		-	.86			Pump Intake S	_				
Vater Co		79			•	Volumes to be Total Volume i	_	3 (ASIV	- × 3	- 37	•
allons/F		16			•	Pump on:	1354			- 51	* 5
allons ir		12				rump on.	1321	_ 011	132	-	
_			. <u>-</u>		•	Well Casing Vo	olumes (gal/fi			3" = 0.37	
Cr	46	4	026		-1.7			31/2" =	= 0.50	4" = 0.65	
	(1560)			M	IGIL			6" = 1	.46		
ield Para			ts Taken D	uring Purg	ing						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	рН	Spec Cond	Temp	DO	
Time	Elapsed	(Jon)	Purged ((ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comme
407	13	1	13	106.60	15	-108.0	6.61	7736	26.4	3.24	ļ -
414	20	1	20	106.60	12	~109.8	6.59	7641	27.1	1.83	
1420	26 32	10	32	106.60	10	-111.9	6.57	7460	27.5	1.30	<u> </u>
1432	38	`	38	106.60	10	-111.7	6.58	7512	27.3	1.33	-
			8					}			
											7
	ı										
										Ve	
										11	
		-	14								
										11.0	
oservatio	ons During	Sampling									
	_	Sampling	ر م			Purge Water Di	sposal:	IM-3	3		
eservationell Condition:	_	Sampling	und re gree			Purge Water Di Turbidity(qualita		FM-3	3		

I:\Active\Lompoc\QAPP\Field FormsWTR forms.xlsx 1/21/2013

Project N	lumber:	_RC00	0753.001	1.	Task:		00002	Well	ID:	PT-7D	
Date:		01 -	29 -1	3	- Sample	ed By:	Gary Clift				
Weather	:	Cle	oudy		Record		NT				
			, , , ,		_	Duplicate No.:	None				
nstrume	nt Identific	ation							_		
		PID					Water Qual	ity Meter(s)		····	
Model								-556 N	P5		
Serial #:			_				1	00329	4		
ourging I	nformation	1									
Casing M	aterial:	. у	VC			Purge Technic Purge Equipm Screen Interva	que (circle one):	e): Low-Flow	Remove 3	Well Volumes	Bail Dr
asing D		2"			-	Screen Interva	al: From:	197'	To	: 21	7'
otal Dep	oth:	217'			-	Pump Intake S	Setting:	70	<u></u> ו		
Depth to	Water:		19.3			Volumes to be	Purged:	3 CASIN	ref		
Vater Co			.09		•	Total Volume I	Purged:	17.3	ХЗ	= 53.	4
allons/F		<u>,16</u>				Pump on:	1225	Off:	319		-
allons in		iT									
C_{0}	+6	, C	75		MIL	Well Casing V	olumes (gal/fl	$2'' = 0$ $3^{1}/_{2}'' =$		3'' = 0.37 4'' = 0.65	
(1	560) -							6" = 1	.46		
_		asurement	s Taken D	uring Purg	ing						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	рН	Spec Cond	Temp	DO	
Time	Elapsed	(9gm)	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Commer
1243	18	1	18	105.99	21	-127.5	6.82	19060	26.3	1.35	
1252	27	1	27	105 99	19	-120.4	6.82	19391	25.3	1.24	
1301	3k	1	36	105.99	22	-114.6	6-82	19451	24,9	1.21	
1319	54	1 1	54	105.99	22	-116:1	6.81	19398	24.8	1.25	
								1 (4)	- 11	V	-
						· (b)				_	
				Ð							
	H.							% ₂			
1.											
				-							
l.										1	
	ns During	Sampling				_		+210 3			
ell Condi olor:	tion:	300	<u> </u>		_	Purge Water Di		ZM-3			
olor: dor:	-	(100	300	ede-		Turbidity(qualita Other (OVA, HN		Kleav			
		9.3	provide (Other LOVA. MIN	10.ELG.);				

	luwate	-	ling Fo								
Project N	umber:		0753.001		_ Task:		00002	Well	ID:	PT-8S	
Date:		01 - 7		13	Sample	=	Gary Clift				
Weather:		C	oudy	-	_	ded By:	NT				
					Coded	Duplicate No.:	_ More		_		
Instrumer	nt Identific	ation IPID					lw-10				
Model		IFID	$\overline{}$				Water Qual	ity Meter(s) 556 MP	<		
Serial #:			_			-	 	00329			
Purging Ir	nformation)				·	1 1 7 7 11	<u> </u>			
			N. 4 c			Purge Technic	ue (circle on	e): Low-Flow	Remove 3	Well Volume	s Bail Dry
Casing M	aterial:		PVC		_	Purge Equipm	ent (circle one):	Subnereible	Centrifugal	Bladder F	Peristaltic E
Casing Di	ameter:	2"			_	Screen Interva	ıl: From:	127'	_ To	:14	1 7'
Total Dep	th:	147'				Pump Intake S	etting:	137			
Depth to \		107	.56			Volumes to be	Purged:	3 (AS	ha		
Water Ćo	lumn:	-	44			Total Volume I	Purged:		37=1	8.9	
Gallons/F	oot:	16				Pump on:	0931	Off: 6	155	_	
Gallons in	Well:	6.3	<u> </u>								
$\sim \sim$	16		_	•		Well Casing V	olumes (gal/f		-	3" = 0.37	
C/-	ΙΨ		001	_ m	611-			31/2" =		4" = 0.65	
(19	60) -				1,0			6" = 1	.46		
Field Para	meter Me	asurement	s Taken D	Ouring Purg	ing				12		
Time	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pΗ	Spec Cond	Temp	DO	
,,,,,,	Elapsed	(Shu)	Purged (%)	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Commen
0938	7	1	7	108.31	9	-138.6	7.29	5457	29.2	0.08	
1460	10	1	10	108.31	10	-135.5	7.29	5339	29.4	0.11	
0945	141	(14	108,32	9	-127.6	7.30	5201	29.4	0.08	
0948	17		19	108.32	8	-125.9	7.30	9184	29.4	0.08	
				101,5-		120.1	- 1, 50	3/100	47.9	0.08	
											<u> </u>
48											
			-								<u></u>
				200					(A)		
							······································				
										W.	
1											
						-				-	
					-					-	
Observatio	ns Durina	Sampling									
Vell Condi	_	good				Purge Water Di	sposal:	IM-3			
Color:	- -	alean				Turbidity(qualita	tive):	IM-3			
Odor:		non				Other (OVA, HN	IU,etc.):				
Sample ID:	DT	35131	0179			Date & Time: _	1-29-17	3 e 0 9	51		
			- : - /		- Sample	LIOTA Y L'IMA	;		- 1		

Project N	lumber:	RC00	0753.001	1.	Task:		00002	Well	ID:	PT-8M	
Date:		01 - '		13	Sample	ed Bv:	Gary Clift			. 1 OIVI	97
Weather			udy	-	_	ded By:	MT	·			*.
			 /	100	-	Duplicate No.:	None	The The			
Instrume	nt Identific	ation							-		
		PID					Water Qual				
Model		ļ					YSI-	556 MP	5		
Serial #:			_	<u></u>			11mi	00 329			
Purging I	nformation	ı									
0	-1		PVC			Purge Technic					
Casing M					-	Purge Equipm					
Casing D		2"			•	Screen Interva		162'		:18	2'
Total Dep		182'	71		-	Pump Intake S	-	173			
Depth to					•	Volumes to be	•	3 CASN			
Water Co			29			Total Volume	Purged:	11.9		- 35	. 7
Gallons/F Gallons ir		116	<u>,</u> ૧			Pump on:	1018	Off: 10	49	_	
					•	Well Casing V	olumes (gal/ft): (2" = 0	16	3" = 0.37	
CM	-6	, 20	1		11			31/2" =		4'' = 0.65	
G	560)_	, 20)	Mg	16			6" = 1		1 - 0.05	
	-				•	L			. 10		
Telu Fara	Minutes	Flow Rate	Volume	uring Purg	Turbidity	ORP			-		
Time	Elapsed	(Spr.)	Purged	(ft btoc)	(NTUs)	(mV)	pH (SI Units)	Spec Cond (µmhos/cm)	Temp (°C)	DO (mg/L)	Comment
	2	<u> </u>	(ga 1)					(,	``	(9'-)	
1024	6	2	12	108.93	457	- 7/5	6.74	9702	29.5	0.13	<u> </u>
1027	9	2.	18	109.93	167	-6.3	6.73	9665	29.6	0.20	
1033	12	2	2.4 30	108.93	138	-6.9	6.72	9686	29.9	0.81	
1036	(8	2	36	108.43	81	-4.8	6.72	9682	30.0	0.79	
1039	21	2_	42	108.93	43	-3.2	6.72	9549	30.0	0.36	
1042	24	2_	48	108.94	41	-2,2	6.71	9531	30.0	0.32	
1045	27	2	54	105.94	40	-1.8	6.71	4528	30.0	0.31	
]				3							
											
											
											
			Ü					_		1.0	
	1						i				
bservatio	ns During	Sampling									
ell Condi	tion:	900	ol	*10	_	Purge Water Di	sposal:	Im?	3		
olor:	_	cla	~~		_	Turbidity(qualita		IM?	,	1.4	
4.	_	~°~	e		_	Other (OVA, HI					
dor:	_				_		, , .				

, 10,	3.0							398			
Groun	dwate	r Samp	ling Fo	rm							
Project No	umber:		0753.001	1.	_ Task:		00002	Well	ID:	PT-8D	
Date:		01 -		13	Sample	ed By:	Gary Clift			14	
Weather:		Clou	idy_		Record	ded By:	NT.				
			,		Coded	Duplicate No.:	Nove	<u>'</u>			
Instrumen	t Identific										
Model	27	PID		8		170		lity Meter(s)	Α	-	
Serial #:		ļ						- 556-1			
Senai #.							11m	100329			<u>,</u>
Purging In	nformation	1									
			Λ,			Purge Technic	que (circle on	e): Low-Flow	Remove 3	Well Volume	S Bail Drv
Casing Ma	aterial:		PVC		_	Purge Equipm			Centrifugal		
Casing Dia	ameter:	2"			_	Screen Interva	al: From:	190'			10'
Total Dept	th:	210'			-	Pump Intake S	Setting:	200	7		
Depth to V	Vater:		.64			Volumes to be	Purged:	3 cA9	Ma		
Water Col	umn:	102	36		-	Total Volume	Purged:	16.4 ×	3 = 6	19.2	
Gallons/Fo	oot:	11/)			Pump on:	0836		105		
Gallons in	Well:	16	.પ							-	
~ ^	. /					Well Casing V	olumes (gal/f			3" = 0.37	
C/	16	- 1	42	/	nglL			31/2" =	: 0.50	4" = 0.65	
()	560)	1.	•					6" = 1	.46		
	_			Ouring Purg	ing						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	рН	Spec Cond	Temp	DO	
Time	Elapsed	(Shw)	Purged ((ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Commen
0844	8	2_	17	109.20	5	174.8	7,54	19964	30.3	0.14	
0849	13	2	26	109 20	4	163.5	7.71	19532	30.3	Call	1
0853	17	2	34	109.20	4	165.7	7.73	19 327	30.4	0.21	
0857	21	2	42 50	109.20	<u> 4</u>	166.3	7.73	19 301	30.4	0.21	
- 1	2.5		, ,	10-1, 20		160.7	7.71	19289	70.4	0.22	
										E.	
				10, 11,							<u> </u>
			1	' A' A	SH S						
			1 :	1. 1.2.1.2. A.	lu l						
				// -	9						
Observatio	_	Sampling						17.	•	4	W.
Vell Condit	tion:	900	d		_	Purge Water Di		IM-3			
olor:)dor:	-	clas	<u>~</u>		_	Turbidity(qualita	•	clear	· · · · · ·	61. 41	
ruur.		0.5	-		_	Other (OVA, HI		,			
ample ID:	pT-	8D13	30120	1	Sample	Date & Time: _	1-29-1	3 @ 00	202		
amples Ar	nalvzed Fo	or:	See the C	OC				L .		-455	

Project N	lumber:	RC000	0753.001	1.	Task:		00002	Well	ID:	PT-9S	
Date:		01 -		13	Sample	ed Bv:	Gary Clift		iD.	1 1-95	
Weather		CLE			•	ded By:	NT				
_					•	Duplicate No.:	None	·			
Instrume	nt Identific	ation				,			_		
		PID		·			Water Qual	ity Meter(s)			
Model								556 M	PS		
Serial #:			_				IIMIO				
Purging I	nformation	ŧ									-
·		0	VC			Purge Technic					
Casing M			<u> </u>			Purge Equipm					-/
Casing D Total Dep		2" 147'				Screen Interva		128'	_	:14	47' C
Depth to		104	. . 11			Pump Intake S Volumes to be	•		38'		
	r Column: 42.24 ns/Foot: ,16					Total Volume	•	3 CASH		20,4	
Gallons/F						Pump on:	0847		118		
Gallons in	Well:									-	
0 ~ .	1		,		.	Well Casing V	olumes (gal/ft): 2" = 0	.16	3" = 0.37	
しいけ	(1560) -424 A				19/2			3 72" =	0.50	4" = 0.65	
Q:	56°) -				,			6" = 1	.46		
ield Para	meter Me	asurement	s Taken [Ouring Purgi	ng						
Time	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO	
Time	Elapsed	(Shu)	Purged ((ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhós/cm)	(°C)	(mg/L)	Comment
0554	7	١	17	105.94	1-1	24.1	7.46	4434	28.1	1.58	
28 58	- 11	1	11	10594	15	-15.5	7.43	4482	27.8	1.78	
1000	1(8	- (14	105.94	12	-24.2	7.41	4465	27.9	1.75	
0905	21	1	21	105.94	11	-26 i	7.42	4460	27.9	1.74	
								1100	21.	1112	
				-				ļ			
											
							**				
				-							
									1746.7		
bservatio	ns During	Sampling									,
ell Cond	_	200	2			Purge Water Di	sposal:	IM-3			
olor:	-	CL	200			Turbidity(qualita		IM-3			
dor:			one			Other (OVA, HN		-1-2000			
					-						

 $I:\Active\Lompoc\QAPP\Field\ Forms\WTR\ forms.xlsx\\ 1/21/2013$

Project N	iumber:	RC000	753.001	1	Task:		00002	Well	iD:	PT-9M	
Date:		01 - 3		13	- Sample	ed By:	Gary Clift				-
Weather:			w		Record	•	NT				
					-	Duplicate No.:	HONE				
Instrumer	nt Identific	ation							7		
		PID					Water Qual	ity Meter(s)			
Model	0		_				YSI -	556 MP	5		
Serial #:	·						11m	100329			
ourging li	nformation										
·	_1_1		PVC	12		Purge Technic					
Casing M			1.0		•	Purge Equipm				Bladder F	
Casing Di		2"				Screen Interva		162'		:18	32'
otal Dep Depth to \		182'	<u> </u>			Pump Intake S	_	7140			
Vater Co		77			•	Volumes to be	-	3 CASO	_		
vater Co 3allons/F		-16	-7			Total Volume I	-	12.4		= 37	20
	ons in Well: 12.4		19	Pump on:	0748	Off: b	812				
CC+	1746				Well Casing V	olumes (gal/ft			3" = 0.37		
	(1560) 1.32 mg		11			3 ¹ / ₂ " =	0.50	4" = 0.65			
(150	(1560)							6" = 1.	46		
ield Para					ing						
Time	Minutes Elapsed	Flow Rate	Volume Purged	(ft btoc)	Turbidity (NTUs)	ORP (mV)	pH (SI Units)	Spec Cond (µmhos/cm)	Temp (°C)	DO (mg/L)	Comme
2-411			(gal)								
0754	6.5	2	13	106.03	20	(54.1	6.84	10609	30.0	0.19	
1080	13	2	26	106.03	10	133.9	6.84	10582	30.0	0.19	
0804	16	2	32	106 03	9	121.9	6 84	10533	30.1	0.27	
0807	19	2	38	(06.03	9	122.3	6.83	10530	30.1	0.28	
-										<u> </u>	

					in Land	140.					
	71										
					12		· · · · · · · · · · · · · · · · · · ·				
							· · · · · · · · · · · · · · · · · · ·				
										-	
			- A	474							
		1152/4					,				22
bservatio	ns During	Sampling						46.			
ell Cond	-	500	ad			Purge Water Di	sposal:	IM-	3		
olor:					nk tint	Turbidity(qualita	tive):	elear			
Odor:					_	Other (OVA, HN	-				
ior:	-				-	, ,					

Groun	dwate	r Sampl	ing Fo	rm							
Project N	umber:	RC000	753.001	1.	Task:		00002	Well l	D:	PT-9D	
Date:		01 - 5	3 <i>0</i> -1	3	Sample	ed By:	Gary Clift				
Weather:		Cle	w		Record	ed By:	NIT				
					Coded	Duplicate No.:	More				
Instrumer	nt Identific	ation									
		PID		-			Water Quali				
Model							YSI-	556 MV	95		
Serial #:							IIMIC	00329			
Purging Ir	nformation	1		_				-			
		0	11.			Purge Technic	que (circle one	e): Low-Flow	Remove 3 V	Vell Volumes	Bail Dry
Casing M	aterial:	<u></u>	VC			Purge Equipm	ent (circle one):	Supmerable	Centrifugal	Bladder Po	eristaltic Ba
Casing Di	iameter:	2"				Screen Interva	al: From:	190'	-	21	0'
Total Dep	oth:	210'			•	Pump Intake S	Setting:	200	t		
Depth to \		_	.74			Volumes to be		3 c AS1			
Water Co			.26			Total Volume	•	16.8	x 3	2 50.	4
Gallons/F Gallons in		.16				Pump on:	0940	Off: 10	09	-	
C r.	+10	1	0.0			Well Casing V	olumes (gal/ft		_	3" = 0.37	
Cr. (156) U	14.	32	ng	//_			$3^{1}/_{2}$ " =		4" = 0.65	
	-			77.91				6" = 1.	40		
Field Para		asurement									
Time	Minutes Elapsed	Flow Rate	Volume Purged (عد ()	(ft btoc)	Turbidity (NTUs)	ORP (mV)	pH (SI Units)	Spec Cond (µmhos/cm)	Temp (°C)	DO (mg/L)	Comments
0948	8.5	2	17	106.45	16	116.4	7.68	19253	30.3	0.90	
6953	13	2	26	166.45	11	84.6	7.69	19173	30.4	0.86	
1001	17	2	34	106.45	9	62.6	7.69	19123	35.4	0.89	
1005	25.5	2	<u>42</u> 51	106.45	8	59.3	7.69	19095	30.4	0,90	
					VI						
	ļ										Yes
			-								
Observatio	ons During	Sampling									
Well Cond	_		ol	51		Purge Water D	isposal:	IM- 3	3		
Color:		Oti	gnt g	rees	_	Turbidity(qualit	ative):	IM- 3			
Odor:		N	one			Other (OVA, H	NU,etc.):				
Comple ID	, DT-	90130	1130		0	e Date & Time:	1-30-1	2 0 10	006		
	nalyzed F		See the C		Sample	B Date & TIMe:	1 20 1			-	

Grour	ndwate	r Samp	ling Fo	rm						PT-	15
Project N	łumber:	RC000	0753.001	1.	Task:		00002	Well	ID:	PT-83	
Date:		07-	9 -1	3	Sample	ed By:	Gary Clift				
Weather	:	140-1			Record	led By:	70				
		,			Coded	Duplicate No.:	_			***	
Instrume	nt Identific			1							
		PID					Water Quali				
Model		ļ					YSI-	556 MF	25		
Serial #:							IDEID	(737			
Purging I	nformatior	1									
			prc			Purge Technic		1		Vell Volume	
Casing M			700		-	Purge Equipm			Centrifugal		
Casing D		2"	150			Screen Interva		427' 13	-	14	7 150
Total Dep						Pump Intake S		140			
Depth to		103				Volumes to be	_	7.4 8			gal
Nater Co			39	-		Total Volume I	•	2.			
Gallons/F Gallons ir		-16				Pump on:	1046	Off:	102	•	
			<u> </u>	_	•	Well Casing V	olumes (gal/ft): (2" = 0.	16	3" = 0.37	
CV	6	.4	RB		MULL			31/2" =		4" = 0.65	
(156	0) _		00		11191			6" = 1.			
ield Para	ameter Me	asurement	s Taken D	uring Purg	ing						
T	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	рН	Spec Cond	Temp	DO	
Time	Elapsed	(allem)	Purged ((ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Commen
1048	2	2	4	103.90	24	122.1	7.37	5105	28.6	[1.4]	-,.
1050	4	2_	8	103.90	13	123.9	7.35	5099	28.6	1.37	
1052	6	2	12	103.90	4	125.6	7.35	5098	28.6	1.35	
1056	8	2	20	103.90	5	125.0	7.35	5100	28.6	1.35	
1058	12	2	24	103.90	5	124.9	7.35 7.35	5104	28.6	1.33	
						1.					
			-					П			
								<u>N</u>			
							ST#				
	0			- /-							
			<u> </u>							12	,
bservatio	ons During	Sampling	-,								
ell Cond	_	2000	<u> </u>		_	Purge Water Di	sposal:	IM-3			
		 	~			Turbidity(qualita	tive):	clean			
olor: dor:	-					Other (OVA, HN	· -	-1.			

									- '	
Project Number:	RC000		1.	Task:		00002	Well	ID:	PT-8D	NT
Date:	07-	9 -1	3	Sample	ed By:	Gary Clift			95	
Weather:	140-1			Record	led By:	שר				
				Coded	Duplicate No.:		Ш	-		
Instrument Identifica	ition									
	PID					Water Quali	ty Meter(s)			
Model						YSI-9	36 MPS		7/	
Serial #:						10€10	1737	Jay 10		
Purging Information							ij		24	
Casing Material:	1	prc			Purge Technic Purge Equipm		,			
Casing Diameter:	2"				Screen Interva			47' To		0 21
Fotal Depth:	-210'	217 '	8:		Pump Intake S	etting:		207		
Depth to Water:	to Water: 103.88 r Column: 113.12			Volumes to be	Purged:	18,1x	3 =	54.3		
Water Column:	r Column: 113.12			Total Volume I	Purged:	5	5 ga	\s .	30	
Gallons/Foot:				Pump on:	1228		23			
Gallons in Well:	1.5	ord .			W-II 0					
Crt6	D ⁴	D.F		1.3	Well Casing Vo	olumes (gal/ft)			3" = 0.37	
(15/20) -	(1560) - 001 N		19/2			31/2" =		4" = 0.65		
_			8	_ -			6" = 1.	40		
ield Parameter Mea	Surement	s Taken D	1		000	r ::				
Time Elapsed	(%)	Purged (DTW (ft btoc)	Turbidity (NTUs)	ORP (mV)	pH (Si Units)	Spec Cond (µmhos/cm)	Temp (°C)	DO (mg/L)	Comme
1238 10	1	10	103.98	33	-165.1	6.82	18183	30.0	0.49	
1248 20	1	20	103.98	58	-168.4	6.81	18207	30.1	0.41	
1258 30	<u>'</u>	30	103.98	25	-(175.8	6.86	17771	30:1	0.55	
1318 50	1	50	103.98	24	~183.4	6.87	17495	30.3	0.58	
1323 55	ì	5 5	103:99	23	-185.6	6.87	17450	30.3	0.61	
				·						
										
bservations During	Sampling	0								ं
'ell Condition: olor:	ا مدو	d.	/ 1.5: -		Purge Water Dis Turbidity(qualita	sposal:	IM-	>	1.50	
dor:	gart	0	/ lime g	_	Other (OVA, HN		slight	y tur	bid	
	non			_ 						

Drainet M	umah awa	DC00	0750 001	4	T1-						M
Project N Date:	umber:		0753.001 9 -1		_ Task:		00002	Well	ID:	PT-8M	
Dale: Weather:				3	Sample	-	Gary Clift		· · · · · · · · · · · · · · · · · · ·		
vveamer.		140	1		-	ded By:	N			· · · · · · · · · · · · · · · · · · ·	
					Coded	Duplicate No.:			_		
Instrumer	t Identific										
Model		PID					Water Qual		·		
Serial #:		ļ						-556 M	PS_		
Jonar #.				V			IOEI	01737			
ourging Ir	formation	1								_	
.			PVC			Purge Technic					
Casing Ma			110			Purge Equipm					
Casing Dia Fotal Dept		2"	1851			Screen Interva		182 (- .	: <u>16</u>	18 F
•	n to Water: 103.75 er Column: \$1.25					Pump Intake S Volumes to be	-	13 ×		39	
100						Total Volume F	-	40		21	
allons/Fo						Pump on:	1415		455		
						p 0///			177	-	
						Well Casing Ve	olumes (gal/ft): 2" = 0	.16	3" = 0.37	
Cr	+6	.0	n 5	A4	1916			31/2" =	0.50	4" = 0.65	
(1	560).	, 0		///	19/			6" = 1	.46		
_	_			uring Purgi	ing						
	eld Parameter Me Minutes		Volume	DTW	Turbidity	ORP	ρН	Spec Cond	Temp	DO	
Time	Elapsed	(shu)	Purged (%	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comme
1422	7	r	7	103.90	28	-137,6	6.67	7240	30.1	0.55	
1429	14	1	14	103,40	21	-134.6	6.61	6921	29.9	0,67	
1436	21	1	21	103,90	15	-141.7	6.59	6862	29.8	0.51	
1443	28		28	103,90	12	-135.6	6.60	6885	29.9	6.57	
1455	40	1.4	40	103.90	12	-132.3	6.58	6847	30.0	0,59	
				17		7,1,1	0172		70.0	0,00	
						- '		10	_		
\longrightarrow $+$, ,			
										-	
		HI.									
607											
										,	
					-						
			a	27-10 10		70 so es					
hservation	ne Durina	Sampling		141							
ell Condit	-	oamping	d			Purge Water Dis	enocal:	In	₹		
olor:						Turbidity(qualita		4-//1-) cla	.0	
dor:					Other (OVA, HN		2119711	2	7		
	_				13070		_ ,				

Project N	umber:	RC000	753.001	1.	Task:		00002	Well	ın.	PT-%D	
Date:		07-	9 -1		- Sampl	ed Bv·	Gary Clift		ID.	F1-8D	
Weather:		1101			_	ded By:	NT				
					_	Duplicate No.:					
.0					00000	Daplicate No.:			_		
Instrumer	nt Identific					ø.	T				
Model		PID					Water Qual				
		<u> </u>					YSI	-556 M	P5		
Serial #:	L A	0)					IOE	101737			5635 65
Purging Ir	nformation	n									
			PVC			Purge Technic				Well Volume	S Bail Dry
Casing Ma			1	·	-	Purge Equipm			Centrifugal	Bladder F	Peristaltic Bai
Casing Di		2"			-	Screen Interva		197'	To	:2:	7 210
Total Dep		217			-	Pump Intake S	-	20			
Depth to V		105.			- Es	Volumes to be	•		x 3 =	53.4	
Water Col		10.02	78		-	Total Volume F	•	54	gals	/	
Gallons/Fo Gallons in		<u>.16</u>	8	<u></u>	•	Pump on:	0801	_Off:	824	_/	
0 04	/				•	Well Casing Ve	olumes (gal/ft): 2"=0	.16	3" = 0.37	
C 140		1.46)	N	411			3 ¹ / ₂ " =	0.50	4" = 0.65	
(156	0) -	, , ,		<u> </u>	3/-			6" = 1			0
Field Para	meter Me	asurement	s Taken D	urina Pura	ina				Color Color		
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	рН	Spec Cond	Temp	DO	1
Time	Elapsed	(&bm)	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
A 2 A 4	~		(301)	156.04				100			
0804	3	3	19	105.94	4	127.4	7.50	18915	29.0	1.57	 -
9810	9	3	27	105.94	4	128, 2	7.66	18574	29.1	1.61	
0813	12	3	36	105.94	3 11	124.8	7.67	18498	29.1	1.63	
0816	15	3	45	105,94	3	123.6	7.69	18444	29.1	1.64	
0819	18	3%	54	109 94	3	122.4	7,69	18417	29.1	1.67	
								(4)			
12							 				
											
					-					23	
							13				
X.											
					II _{sa}	134 1					
bservation	as Durina	Sampling		 -							
Vell Condit	_	Janiping %e-e	al			Purge Water Dis	anacal:	TM-3			
olor:	_	Clas				Turbidity(qualita	sposai. tivo):	IM-3			
dor:	-	non	<u>. </u>		_	Other (OVA, HN		ELEA			
	ν Ψ	ON 15	2 ム フ ハ・	<u>a</u>	_						
ample ID:		8013	טןטכ	7	Sample	Date & Time: _	1-9-13	€ 08	321		
amples Ar	alyzed E	or S	See the Co	nc.	•					-	

I:\Active\Lompoc\QAPP\Field FormsWTR forms.xlsx 6/24/2013

Project N		r Samp	0753.001		Task:		00000		10.	DT	
Date:	vuiliber.	07-		3		ad Du	00002	Well	ID:	PT-SS	
Weather	•	140.		3	_ Sample	=	Gary Clift				
***Oddire	•				_	ded By: Duplicate No.:	- 191				
Instrume	nt Identific	ation				,			_		
		PID			***		Water Qua	ity Meter(s)	- 4		
Model							YSI-	556 MP	5		
Serial #:	1 <u>22</u> 85				ř.		10E	101737	=		
Purging I	nformatior	ı									
		1	PVC			Purge Technic			Remove 3	Well Volume	Bail Dry
Casing M			VC			Purge Equipm				Bladder P	
Casing D		2" -150'	147'		-	Screen Interva		130'	To	:16	147
Total Dep Depth to		105			-	Pump Intake S	_	140			
Water Co			.59		-	Volumes to be	-	24	(3 =	21.3	
Gallons/F		16			-	Total Volume I		- 1	gals 904		·
Gallons in		7.			•	Pump on:	0848	_Off:	107	-	
COL	6		. 1			Well Casing V	olumes (gal/f			3" = 0.37	
Crt (15)	φ 	. 0	04		MULL			3 1/2" =		4" = 0.65	
(15)	60) -				. J1		·····	6" = 1	.46	<u> </u>	
Field Para	ameter Me	asurement	s Taken [Ouring Purg	ing						
Time	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO	
111116	Elapsed	(Show)	Purged ((ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
0850	2	- 2	4	105.98	٦	- 48.6	7.30	5077	28.5	0.33	
0852	4	2	8	105.98	6	- 99.6	7.31.	4909	28.5	0.31	
0856	8	2	12	105.98	5	-1014	7.31	4866	29.5	0.31	ļ
0228	10	2	20	105.98	4	~104.6	7.31	4754	28.51	0.30	ļ
0900	12	2	24	105.98	4	-105.3	7.31	4701	28 5	0.30	
N.											
					- 25						
	8Pag										
=.	2.3.7.										
	JA (Tim										
	200										
-											
	·										
					- n	20020					
Observatio	ns During	Sampling									
Well Cond	-	9000	×.			Purge Water Di	sposal:	IM-3			
Color:		ele			_	Turbidity(qualita	•	clear	·		111
Odor:	_	non	ne			Other (OVA, HN	IU,etc.):				
	DT.	2012	nna		_		7-0-12	e na	02		
Sample ID: Samples A		3513 0 or:	0709 See the C		Sample	Date & Time: _	7-9-13	e 09	02	_	

Project N	lumber:	RC00	0753.001	1.	Task:		00002	Well	ID.	PT- % M	
Date:		07-	9 -1		_ Sample	ed Rv·	Gary Clift		ID.	1 1-2JVI	
Weather	•	110		×	- Record	-	NT.	y,			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•					Duplicate No.:					
Instrume	nt Identific	eation							-		
matrume	nt identific	PID			-		Water Qual	ity Meter(s)			
Model			_	_				-556 M	05		
Serial #:				,	20		 	01737			
Purging I	nformation	1		- 5, 3,							
Oi 14	laka dala	į	PVC			Purge Technic				Well Volumes	•
Casing M		2"	V C		-	Purge Equipm				Bladder P	
_	ing Diameter: 2" Al Depth: 485 192 th to Water: 105.50					Screen Interva		165'	To	: -18	5- 182
					-	Pump Intake S Volumes to be	•			20 1	
Water Co			,50		-	Total Volume	-		x3 *		
Gallons/F		. 16			-	Pump on:	-urgea. 0934	Off: 10	_		
Gallons ir		12.			- -	rump on.	01,77	_On:	000	-	
	- 1 /			"	•	Well Casing V	olumes (gal/f			3" = 0.37	
C [+6		2003		MIL			31/2" =	0.50	4" = 0.65	
(15	560) .				19/			6" = 1	.46		
Field Para	ameter Me	asurement	ts Taken E	ouring Purg	ging						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO	
Time	Elapsed	(chhu)	Purged ((ft btoc)	(NTUs)	(mV)	(St Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
0937	3.25	2	6.5	105.91	432	-31.6	6.73	9350	28.9	0.43	
0940	6.5	2	13.0	105,91	284	-27.6	6.73	9305	28.8	0.46	
0947	13.0	2	19.5	105.91	185	-24,9	6.73	9278	28.8	5,49	
0950	16.25	2	32.5	105.91	69	~18.7 ~14.7	6.71	9231	78.9	0.54	
0953	19.5	2	39.0	105.41	47	-14.4	6.71	9190	28.9	0.55	
0955	21.0	2		105.91	45	-13.9	6.71	9164	28.9	52.0	
0957	23.0	2	46.0	105.91	4	-13,3	6.71	4160	28.9	0.52	
						·					
			`							2	
		~~~									
			'						-		
bservatio	ons During	Sampling								12	
Vell Cond	_	900	d			Purge Water Di	sposal:	IM-	3		
olor:	-	0	~			Turbidity(qualita		strong 1	+un 6.	20	<del></del>
dor:	-	no	ne			Other (OVA, HI		7,7,7	) · · · · · · · · · · · · · · · · · · ·		
	DT.	8m 13		1	_						
ample ID:	•		ישו טכ		Sample	Date & Time:_	1-9-13	e 099	2.8	_	
amples A	nalyzed Fo	or:	See the C	OC.							

Project N	lumber:	RC000	0753.001	1.	Task:		00002	Well	ID:	PT-9S	
Date:			10 -1		Sampl	ed Bv:	Gary Clift			1100	
Weather:		Ho			-	ded By:	M				
					_	Duplicate No.:	_				
Instrume	nt Identific	ation				·					
	.'	PID		- India to			Water Qual	ity Meter(s)			
Model ————							Y5#-	556 MP	5	· · ·	
Serial #: 							IOEL	דנדופ			
Purging li	nformation	l									
Casing M	aterial:	P	VC			Purge Technic Purge Equipm					
Casing Di		2"				Screen Interva		128'	То		47'
Fotal Dep	th:	147'				Pump Intake S	Setting:		38'		
Depth to V	Nater:		42			Volumes to be	Purged:	7.1 ×	3 = 1	21.3	
Water Co			1.58	·		Total Volume	Purged:	24	gals.		
Gallons/F Gallons in		<u>. 14</u>				Pump on:	0258	_Off:	921	-	
		,3		mg	.h ·	Well Casing V	olumes (gal/ft	$(2): \qquad 2'' = 0$ $3^1/_2'' = 0$		3" = 0.37 4" = 0.65	1
(15	60) -		<u> </u>	7019	1	W.		6" = 1.		7 - 0.03	
ield Para	meter Me	asurement	s Taken D	ouring Purg	ing						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	Temp	DO			
Time	Elapsed	( Abre)	Purged ( % )	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Commen
0900	2	2	100 14	102.71	33	137.8	7.55	4640	27.8	1.28	
0902	4	2	8	102.71	14	(०५.७	7.57	4391	27.8	1.30	
0906	8	2	12	(02.7)	10	97.4	7.61	4275	27.8	1.30	N N
0908	(o	2	20	102.71	9	74.9	7.5)	42.60	27.8	1.30	
0910	12	2	24	102.71	10	72.7	7.51	4255	27.8	1.28	8
			,								
		`	,								
										ē.	
=											
										···	
,											
							:			191	
					19 05			100			
bservatio	ns During	Sampling							•		
ell Condi	tion:	900	d		-	Purge Water Di	sposal:	IM-	5	€	
olor:						Turbidity(qualita		clan	٠		
dor:		-	non	e	200	Other (OVA, HN	IU,etc.):				

I:\Active\Lompoc\QAPP\Field FormsWTR forms.xlsx 6/24/2013

Project N	lumber:	RCoor	0753.001	1.	Task:		00002	Well	ID.	PT-9M	
Date:			10 -1		Sample	ed Rv.	Gary Clift		ID.	1 1-3101	
Weather	•	Hot	*		- Record	=	WT	<del></del>			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•		<del></del>		-	Duplicate No.:					
Instrumo	nt Identific	ation							_		
Institutie	nt identino	PID			- 10		Water Qual	ity Meter(s)			
Model			-		<del></del>			556 MP)	5		
Serial #:			_		·	<del></del>		01737		<del></del> ,	
Purging I	nformation										
		- 1	0.10			Purge Technic			Remove 3	Well Volumes	Bail Dry
Casing M			prc			Purge Equipm					eristaltic Ba
Casing D		2"		-	-	Screen Interva		162'		:18	32'
Total Dep		182'	444	<del></del>		Pump Intake S	•		72		
Depth to			56			Volumes to be	•	12.7			
Water Co		-1(				Total Volume	•		301		
Gallons in		12	***			Pump on:	0802	_Off:	325	_	17
GG., G. 10 11					•	Well Casing V	olumes (gal/f	t): 2" = 0	.16	3" = 0.37	
Cr.	t6	1-2	0	MAI	h			31/2" =	- The second sec	4" = 0.65	
(15	t6 60) —	100			_			6" = 1			İ
Field Para	ameter Me	asurement	s Taken D	uring Purg	ina	). Section 199					
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	рН	Spec Cond	Temp	DO	
Time	Elapsed	( Shu )	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
0805	3.25	2	6.5	102.86	41	132.8	6.94	10093	28.8	1.32	
0808	6.5	2	13.0	102.86	15	135.4	6.93	נססקק	28.8	1.31	
0811	9.75	2	19.5	102.86	10	138.1	693	10053	28.8	1.27	
0315	16.25	2	26.0 32.5	102.87	5	141.7	6.92	10055	289	1.31	
0821	19.5	2	39.0	102.87	5	143.4	692	10052	28.9	1.35	
										1,73	
		- 1									- 3
											· · · · · · · · · · · · · · · · · · ·
										35	
Obconvatio	ons During	Compline								Ve	
Well Cond		Sampling	٨			Purge Water Di	enocal:	IM-8	,		
Color:	_	القرا		e tint	-	Turbidity(qualita	•	chean		-	
Odor:	_	No	- C - C - C - C - C - C - C - C - C - C		-	Other (OVA, HI	•		·		
	.− .−				_				<del></del> -		
Sample ID	•	9M13		<del></del>	Sample	Date & Time: _	7-10-1=	3 6 01	322	_	
I A	nalyzed Fo	ייי (	See the Co	വ							

I:\Active\Lompoc\QAPP\Field FormsWTR forms.xlsx 6/24/2013

Project N	lumber:	RC000	0753.001	1.	Task:		00002	Well	ID:	PT-9	
Date:		07-	10 -1	3	- Sample	ed By:	Gary Clift				
Weather	:	140-	-		Record	-	NT				
					_	Duplicate No.:					
la atu un a	منائلة مسمله المس					,					
instrume	nt Identific	PID					14/-1				
Model		IFID			<del></del>		Water Quali				
Serial #:							751-	556 MP	3		
Geriai #.						*	IDEI	רצדוס			
Purging I	nformatio	า									
		,	Ove			Purge Technic	que (circle one	e): Low-Flow	Remove 3	Well Volume	Bail Dry
Casing M			PVC		_	Purge Equipm	ent (circle one):	Submersibe	Centrifugai	Bladder P	eristaltic B
Casing D		2"				Screen Interva	al: From:	162'	_ To	2	2'
Total Dep		<b>2</b> 2'				Pump Intake S	Setting:		02'		
Depth to			-60			Volumes to be	Purged:		×3 =	25.2	
Water Co			1.40			Total Volume	•	5"	gals	<u> </u>	
Galions/F		016				Pump on:	0953	Off: 10	15	_	
Gallons in	n Well:	17	-5		•						
			10		. 1.	Well Casing V	olumes (gal/ft			3" = 0.37	
C (15	16	13.	68		MIL			31/2" =	: 0.50	4" = 0.65	
(15	560) -				•			6" = 1	.46		
Field Para	ameter Me	asurement	s Taken D	ouring Purg	ing						
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO	
Time	Elapsed	( 3hm)	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comments
0956	-3	3	9	103.02	19	141,2	7,81	18405	29.0	1.05	
0959	6	3	18	103.02	9	139.0	7.82	18319	29.0	1.10	
1002	9	3	27	103.02	7	137.3	7.82	18246	29.0	1.12	
1005	12	3+2m	36	103.02	6	13.4.9	7.82	18201	29.0	1.10	
1011	18	3+8"	4 <i>5</i> 54	103.03	<u>6</u>	134.7	7.82	18170	29.0	1.08	<del> </del>
						123.0	1,82	(815)	29.0	1.06	
						<u> </u>					
					· · · · · · · · · · · · · · · · · · ·	<del> </del>					
											<u> </u>
)hac	na Dest	.0 "	1 80		211						
Observation Vell Cond	-	Sampling	_0			Duran Materia		TM-2			
veli Cona Color:		<del></del>	ellow		_	Purge Water Di	•	IM-3			
Odor:	•	Non				Turbidity(qualita Other (OVA, HI		alear			
-	D-						-			-	
ample ID:	: 11:	9 D 130	110		Sample	Date & Time: _	7-10-13	e 10	12		
										_	

Project N		r <b>Sampi</b> BC000	753.0011		Task:		00002	Well	ID.	MW-11		
-	Date: 07- \$ -13		Sampled By:			vveii	iD.	IVIVV-11				
Weather:		WARM, SUMM			Record	-	Gary Clift					
		VVINCITI, JUMM			•	Duplicate No.:	Dup 2130708 & 1200					
					Coded	Duplicate No	yar		-			
Instrume	nt Identific	<del>,</del>								<del> </del>		
No del		PID					Water Qualit					
Model				_			YSI -5	56 MPS				
Serial #:							IDEI	01737				
Purging I	nformation	l										
Casing Material:		PVC				Purge Technique (circle one): Low-Flow Remove 3 Well Volu Purge Equipment (circle one): Submersible Centrifugal Bladder						
Casing D	iameter:	4"				Screen Interva		63' 88'				
Total Dep	oth:	88'	88'			Pump Intake S	Setting:	77'				
Depth to	Water:	65	69.57			Volumes to be				43.8		
Water Co	lumn:	22.43				Total Volume						
Gallons/F	oot:	- 6	5			Pump on:	1122	Off: \	50	_		
Gallons in	n Well:	14	1,6									
C5+6		.153 m			9/2	Well Casing V	2" = 0.16 3" = 0.37 $3^{1}/_{2}$ " = 0.50 $4^{"}$ = 0.65 6" = 1.46					
(1560)	)							6" = 1.	46			
Field Para	ameter Me	asurement	s Taken D	uring Purg	ing						, ••	
Time	Minutes Elapsed	Flow Rate	Volume Purged ( 🐅 🕽 )	DTW (ft btoc)	Turbidity (NTUs)	ORP (mV)	pH (SI Units)	Spec Cond (µmhos/cm)	Temp (°C)	DO (mg/L)	Comments	
1126	4	2	8	66.02	27	139.1	7.05	2153	29.2	8.43		
1130	8	2	16	66.02	16	140.5	7.12	2138	29.1	8.31		
1134	12	2	24	46.02	12	151.6	7.17	2132	29.1	8,44		
1138	20	2	32	66.02	9	153.4	7.19	2119	29.1	8 46		
1144	22	2	44	66.03	9	1561	7.19	2113	29.0	8 49		
						191	74,					
							3					
							- 14				*	
						-						
					·					10		
Observati	ons Durino	Sampling										
Well Cond	_	9000	L Commonwealth of the common o			Purge Water D	isposal:	IM-3				
		clea			_	Turbidity(qualitative):			IM-3			
Odor:		<b>^1</b>	e		_ _	Other (OVA, HNU,etc.):						
	. in 14	41113	719		_		7-0-13	3 @ 114			<del></del>	
	): <u>/ / / / / /</u> Analyzed F		See the C		Sample	e Date & Time:	1-0-1-	, 6 114	•	_		
		2.21										

		r Samp	_									
Project Number: RC000753.0011.  Date: 07- 8 -13			_ Task:	•		00002 Well ID:			<u>A</u>			
			1 1		Sampled By:		Gary Clift					
Weather	:	וטרו	Hot, Suny			Recorded By:						
					Coded	Duplicate No.:						
Instrume	nt Identific	cation										
		PID					Water Quali	ty Meter(s)				
Model				W:			YSI-556 MPS					
Serial #:	Serial #:						108101737					
Purging I	informatio	n			· ·	· · · · · · · · · · · · · · · · · · ·						
Onnin w N	fatavial.	,	PVC			Purge Technic			Remove 3		_	
Casing Material: Casing Diameter:			700		•	Purge Equipm			Centrifugal			
_		404				Screen Interva		104'	<del>-</del> ,	12	24'	
Total Dep		124'	.15			Pump Intake S	•	11-	10			
Depth to				<del></del>		Volumes to be	•					
Water Co			.65			Total Volume	•	27 gals.				
Gallons/F				-		Pump on:	1412	Off:1	434	_		
Gallons ir	n well:		0,1		•							
Cal	1		, i			Well Casing V	olumes (gal/ft			3" = 0.37		
	CV+6		.004 Mg,			14			= 0.50	4'' = 0.65		
(156	50) -							6" = 1	.46			
Field Para	ameter Me	asurement	s Taken D	uring Purg	ing							
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO	T T	
Time	Elapsed	( Shur)	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comment	
1415	3	1.5	(341)	111.38	35	-57.9	8.09	- A( 1)	- 0 -			
1418	6	1.5	9.0	111.38	18	-90.5	8.08	2076	29.8	8.34	<del> </del>	
1421	9	1.5	13.5	111.39	13	-95.9	8.03	2065	29.7	0.31		
1424	12	1.5	18.0	111.39	٩	-98.8	8.04	2061	29.7	0.28		
1427	15	1.5	22.5	111.39	8	- 100.3	8.04	2055	29.7	0.27		
1430	18	1.5	27.0	111.39	8	-101,4	8.03	2053	29.9	0.27		
							<del></del> -					
				7								
											<del></del>	
- 11												
								-		-		
	WIND A											
Observatio	ons Durino	Sampling										
Well Cond	_	asto (	Q			Purge Water Di	sposal·	Im.	3			
Color:		cles	w		_	Turbidity(qualitative):						
Odor:	•	slight	sulfi	r odor	_	Purge Water Disposal:  Turbidity(qualitative):  Other (OVA, HNU,etc.):				<del></del>	<del></del>	
	ι// .				_		•					
	•	-24A			Sample	Date & Time: _	1-8-1	5 C 143	. (	_		
Samples A	nalyzed F	or:	See the Co	OC		_						

Project Number: RC000753.0011.			Task:		00002	Well	ID:	MW-24	В				
Date:	07- B -13		Sampled By:		Gary Clift								
<b>Neather</b>		Ho	- 54	MY	-	ied By:	דא וו		1., 1,				
					Coded Duplicate No.:						·		
nstrume	nt Identifica	ation											
		PID					Water Qual	ity Meter(s)					
/lodel							YSI-556 MPS						
Serial #:							10EIO1737						
Purging I	nformation												
			010			Purge Technic							
Casing M			VC_			Purge Equipment (circle one): Submersible Centrifugal Bladder Po							
asing D		4"				Screen Interva		193' 213'					
otal Dep Depth to		213'	74			Pump Intake S	•						
Vater Co		111.			•	Volumes to be	-	72.3 ×3 = 216.9 0					
valer od Sallons/F		.65			•	Total Volume f	•			15.			
iallons ir			3	3	•	Pump on:	1233	_Off:13	20	-			
_					'	Well Casing Vo	olumes (gal/fi	2" = 0	.16	3" = 0.37			
(1560) -		1.4	14	Δ	19/2			3 ¹ / ₂ " =	$3^{1}/_{2}$ " = 0.50 $4^{\circ} = 0.65$				
(156	0) -	- 6						6" = 1.	.46	Ø			
-		asurement	s Taken D	uring Purg	ing			SA STATE					
	Minutes	Flow Rate	Volume	DTW	Turbidity	ORP	pН	Spec Cond	Temp	DO			
Time	Elapsed	(dbur)	Purged	(ft btoc)	(NTUs)	(mV)	(SI Units)	(µmhos/cm)	(°C)	(mg/L)	Comme		
1240	7.4	5	37	102.06	3	63.4	7.36	19061	29.9	1.25	(11/		
247	14.8	5	74	102.06	. 3	60:1	7.63	19078	36.0	1.30			
302	22.2	2	111	102.66	3	54.8	7.63	19235	30.1	1.20			
1310	37.0	5	149	102.08	<u>2</u>	58.4	7.63	19130	30.2	1.23	ļ		
317	44.0	5	220	102.03	2	61.5	7.64	19118	30.1	1.25			
								(4112	30.1	1.26			
4	Zeal								- 1				
	7				· · · · · · · · · · · · · · · · · · ·								
	10										es es n		
•													
		3											
							· · · · · · · · · · · · · · · · · · ·		. 2	4			
servatio	ns Durinĝ	Samplina			-0								
ell Cond	_	9,00	d			Purge Water Di	sposal:	Im-	3				
	olor: clear				_	Turbidity(qualita	In-3						
	_												

 $I: Active \ Lompoc \ QAPP \ Field Forms \ WTR forms. x lsx \\ 6/24/2013$ 

## Appendix D

Analytical Reports and Chain-of-Custody Documentation (on Compact Disc)