PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Alkalinity, total as CaCO3 (mg/L)	Antimony (µg/L)	Antimony, dissolved (µg/L)	Arsenic (µg/L)	Arsenic, dissolved (µg/L)	Barium (µg/L)	Barium, dissolved (µg/L)	Beryllium (µg/L)	Beryllium, dissolved (µg/L)	Cadmium (µg/L)	Cadmium, dissolved (µg/L)	Calcium, dissolved (µg/L)	Chloride (mg/L)	Chromium, Hexavalent (µg/L)
IRL-04	IRL-04-20260712	7/12/2026	N	Y	--	--	--	--	2.2	--	--	--	--	--	--	--	--	0.93
IRL-04	IRL-04-SC-110-289	7/12/2026	N	Y	--	--	--	--	2.3	--	--	--	--	--	--	--	--	2.3
IRL-04	IRL-04-SC-244-289	7/15/2026	N	Y	--	--	--	--	3.8	--	--	--	--	--	--	--	--	0.55
IRL-04	IRL-04-SC-110-225	7/23/2026	N	Y	--	--	--	--	1.9	--	--	--	--	--	--	--	--	2
IRZ-23-143	IRZ-23-143-0726	7/9/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	240
MW-20-070	MW-20-070-0726	7/15/2026	N	Y	--	--	--	--	1.4	--	61	--	--	--	--	--	--	250
MW-20-100	MW-20-100-0726	7/16/2026	N	Y	--	--	--	--	6.2	--	10	--	--	--	--	--	--	93
MW-20-100	MW-901-Q326	7/16/2026	FD	Y	--	--	--	--	6.6	--	10	--	--	--	--	--	--	87
MW-20-130	MW-20-130-0726	7/15/2026	N	Y	--	--	--	--	2	--	27	--	--	--	--	--	--	190
MW-21	MW-21-0726	7/14/2026	N	Y	--	--	--	--	5.6	--	86	--	--	--	--	--	--	ND (1.0)
MW-26	MW-26-0726	7/15/2026	N	Y	--	--	--	--	3.8	--	94	--	--	--	--	--	--	ND (1.0)
MW-27-020	MW-27-020-Q326	7/21/2026	N	Y	--	--	--	--	0.97	--	55	--	--	--	--	--	--	ND (0.2)
MW-27-060	MW-27-060-Q326	7/21/2026	N	Y	--	--	--	--	11	--	170	--	--	--	--	--	--	ND (0.2)
MW-27-085	MW-27-085-Q326	7/21/2026	N	Y	--	--	--	--	ND (0.1)	--	46	--	--	--	--	--	--	ND (1.0)
MW-28-025	MW-28-025-Q326	7/15/2026	N	Y	--	--	--	--	1.6	--	85	--	--	--	--	--	--	ND (0.2)
MW-28-090	MW-28-090-Q326	7/15/2026	N	Y	--	--	--	--	2.1	--	38	--	--	--	--	--	--	ND (1.0)
MW-29	MW-29-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (0.2)
MW-31-060	MW-31-060-0726	7/16/2026	N	Y	--	--	--	--	0.38 J	--	200	--	--	--	--	--	--	ND (1.0)
MW-31-060	MW-902-Q326	7/16/2026	FD	Y	--	--	--	--	1.1 J	--	200	--	--	--	--	--	--	ND (1.0)
MW-31-135	MW-31-135-0726	7/16/2026	N	Y	--	--	--	--	2.4	--	49	--	--	--	--	--	--	5.1
MW-34-055	MW-34-055-Q326	7/16/2026	N	Y	--	--	--	--	4.1	--	36	--	--	--	--	--	--	ND (0.2)
MW-34-080	MW-34-080-Q326	7/16/2026	N	Y	--	--	--	--	1.4	--	45	--	--	--	--	--	--	ND (1.0)
MW-34-100	MW-34-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
MW-34-080	MW-34-080-Q326	7/16/2026	N	Y	--	--	--	--	1.4	--	45	--	--	--	--	--	--	ND (1.0)
MW-34-100	MW-34-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
MW-35-039	DUP-09-20260708	7/8/2026	FD	N	--	--	--	--	3.3	--	--	--	--	--	--	--	--	13
MW-35-039	MW-35-039-VAP-27-32	7/8/2026	N	N	--	--	--	--	3.3	--	--	--	--	--	--	--	--	13
MW-35-039	MW-35-039-VAP-37-42	7/9/2026	N	N	--	--	--	--	0.87	--	--	--	--	--	--	--	--	4.6
MW-36-100	MW-36-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
MW-39-070	MW-39-070-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (0.2)
MW-39-080	MW-39-080-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
MW-39-100	MW-39-100-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	120
MW-43-025	MW-43-025-0726	7/14/2026	N	Y	--	--	--	--	33	--	--	--	--	--	--	--	--	--
MW-44-115	MW-44-115-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	14
MW-44-125	MW-44-125-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
MW-45-095a	MW-45-095a-Q326	7/15/2026	N	Y	--	--	--	--	2.2	--	38	--	--	--	--	--	--	ND (1.0)
MW-46-175	MW-46-175-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	6.5
MW-49-135	MW-49-135-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	9.3
MW-49-275	MW-49-275-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (2.0)
MW-49-365	MW-49-365-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (2.0)
MW-51	MW-51-0726	7/14/2026	N	Y	--	--	--	--	2.6	--	55	--	--	--	--	--	--	ND (1.0)
MW-68-180	MW-68-180-Q326	7/23/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	1,700
MW-71-035	MW-71-035-0726	7/14/2026	N	Y	--	--	--	--	1.6	--	40	--	--	--	--	--	--	3.4
MW-76-039	MW-76-039-0726	7/13/2026	N	Y	--	--	--	--	1	--	78	--	--	--	--	--	--	ND (1.0)
MW-76-156	MW-76-156-Q326	7/13/2026	N	Y	--	--	--	--	1.5	--	57	--	--	--	--	--	--	ND (1.0)
MW-76-156	MW-903-Q326	7/13/2026	FD	Y	--	--	--	--	1.1	--	64	--	--	--	--	--	--	ND (1.0)
MW-76-181	MW-76-181-0726	7/14/2026	N	Y	--	--	--	--	2.1	--	33	--	--	--	--	--	--	ND (1.0)
MW-76-218	MW-76-218-0726	7/14/2026	N	Y	--	--	--	--	3.7	--	57	--	--	--	--	--	--	ND (1.0)
MW-77-187	MW-77-187-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
MW-78-070	MW-78-070-0726	7/14/2026	N	Y	--	--	--	--	1.1	--	110	--	--	--	--	--	--	ND (0.2)
MW-78-142	MW-78-142-0726	7/14/2026	N	Y	--	--	--	--	3.9	--	23	--	--	--	--	--	--	200

PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Chromium, total (µg/L)	Chromium, total dissolved (µg/L)	Cobalt (µg/L)	Cobalt, dissolved (µg/L)	Copper (µg/L)	Copper, dissolved (µg/L)	Fluoride (mg/L)	Iron (µg/L)	Iron, dissolved (µg/L)	Lead (µg/L)	Lead, dissolved (µg/L)	Magnesium, dissolved (µg/L)	Manganese, dissolved (µg/L)	Mercury (µg/L)
IRL-04	IRL-04-20260712	7/12/2026	N	Y	--	1.6	--	--	--	--	--	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-110-289	7/12/2026	N	Y	--	3.1	--	--	--	--	--	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-244-289	7/15/2026	N	Y	--	ND (1.0)	--	--	--	--	--	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-110-225	7/23/2026	N	Y	--	2.6	--	--	--	--	--	--	--	--	--	--	--	--
IRZ-23-143	IRZ-23-143-0726	7/9/2026	N	Y	--	--	--	--	--	--	--	ND (20)	ND (20)	--	--	--	ND (0.5)	--
MW-20-070	MW-20-070-0726	7/15/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	0.87	--
MW-20-100	MW-20-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	1.6 J	--
MW-20-100	MW-901-Q326	7/16/2026	FD	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	0.59 J	--
MW-20-130	MW-20-130-0726	7/15/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	31	--
MW-21	MW-21-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	2,400	--	--	--	920	--
MW-26	MW-26-0726	7/15/2026	N	Y	--	--	--	--	--	--	--	--	200	--	--	--	750	--
MW-27-020	MW-27-020-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	16	--
MW-27-060	MW-27-060-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	1,300	--	--	--	540	--
MW-27-085	MW-27-085-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	250	--	--	--	230	--
MW-28-025	MW-28-025-Q326	7/15/2026	N	Y	--	--	--	--	--	--	--	--	40	--	--	--	510	--
MW-28-090	MW-28-090-Q326	7/15/2026	N	Y	--	--	--	--	--	--	--	--	950	--	--	--	890	--
MW-29	MW-29-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-31-060	MW-31-060-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	240 J	--	--	--	460	--
MW-31-060	MW-902-Q326	7/16/2026	FD	Y	--	--	--	--	--	--	--	--	98 J	--	--	--	450	--
MW-31-135	MW-31-135-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	8	--
MW-34-055	MW-34-055-Q326	7/16/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	140	--
MW-34-080	MW-34-080-Q326	7/16/2026	N	Y	--	--	--	--	--	--	--	--	140	--	--	--	120	--
MW-34-100	MW-34-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-35-039	DUP-09-20260708	7/8/2026	FD	N	--	13	--	--	--	--	--	--	--	--	--	--	--	--
MW-35-039	MW-35-039-VAP-27-32	7/8/2026	N	N	--	14	--	--	--	--	--	--	--	--	--	--	--	--
MW-35-039	MW-35-039-VAP-37-42	7/9/2026	N	N	--	7.1	--	--	--	--	--	--	--	--	--	--	--	--
MW-36-100	MW-36-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-39-070	MW-39-070-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-39-080	MW-39-080-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-39-100	MW-39-100-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-43-025	MW-43-025-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	6,000	--	--	--	--	--
MW-44-115	MW-44-115-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-44-125	MW-44-125-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-45-095a	MW-45-095a-Q326	7/15/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	380	--
MW-46-175	MW-46-175-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-49-135	MW-49-135-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-49-275	MW-49-275-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-49-365	MW-49-365-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-51	MW-51-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	940	--
MW-68-180	MW-68-180-Q326	7/23/2026	N	Y	--	1,700	--	--	--	--	--	--	--	--	--	--	--	--
MW-71-035	MW-71-035-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	24	--	--	--	27	--
MW-76-039	MW-76-039-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	540	--
MW-76-156	MW-76-156-Q326	7/13/2026	N	Y	--	ND (1.0)	--	--	--	--	--	--	21	--	--	--	130 J	--
MW-76-156	MW-903-Q326	7/13/2026	FD	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	78	--
MW-76-181	MW-76-181-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	99	--	--	--	45	--
MW-76-218	MW-76-218-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	75	--
MW-77-187	MW-77-187-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-78-070	MW-78-070-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	280	--
MW-78-142	MW-78-142-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	4.3	--

PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Mercury, dissolved (µg/L)	Molybdenum (µg/L)	Molybdenum, dissolved (µg/L)	Nickel (µg/L)	Nickel, dissolved (µg/L)	Nitrate (as nitrogen) (mg/L)	Potassium, dissolved (µg/L)	Selenium (µg/L)	Selenium, dissolved (µg/L)	Silver (µg/L)	Silver, dissolved (µg/L)	Sodium, dissolved (µg/L)	Specific conductance (µS/cm)	Sulfate (mg/L)
IRL-04	IRL-04-20260712	7/12/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-110-289	7/12/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-244-289	7/15/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-110-225	7/23/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
IRZ-23-143	IRZ-23-143-0726	7/9/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-20-070	MW-20-070-0726	7/15/2026	N	Y	--	--	--	--	--	7.7	--	--	--	--	--	--	--	280
MW-20-100	MW-20-100-0726	7/16/2026	N	Y	--	--	--	--	--	0.64	--	--	--	--	--	--	--	260
MW-20-100	MW-901-Q326	7/16/2026	FD	Y	--	--	--	--	--	0.61	--	--	--	--	--	--	--	270
MW-20-130	MW-20-130-0726	7/15/2026	N	Y	--	--	--	--	--	3.1	--	--	--	--	--	--	--	1,700
MW-21	MW-21-0726	7/14/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	870
MW-26	MW-26-0726	7/15/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	310
MW-27-020	MW-27-020-Q326	7/21/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-27-060	MW-27-060-Q326	7/21/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-27-085	MW-27-085-Q326	7/21/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-28-025	MW-28-025-Q326	7/15/2026	N	Y	--	--	--	--	--	0.44	--	--	--	--	--	--	--	--
MW-28-090	MW-28-090-Q326	7/15/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-29	MW-29-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-31-060	MW-31-060-0726	7/16/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	290
MW-31-060	MW-902-Q326	7/16/2026	FD	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	270
MW-31-135	MW-31-135-0726	7/16/2026	N	Y	--	--	--	--	--	0.99	--	--	--	--	--	--	--	540
MW-34-055	MW-34-055-Q326	7/16/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-34-080	MW-34-080-Q326	7/16/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-34-100	MW-34-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-35-039	DUP-09-20260708	7/8/2026	FD	N	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-35-039	MW-35-039-VAP-27-32	7/8/2026	N	N	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-35-039	MW-35-039-VAP-27-32	7/8/2026	N	N	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-35-039	MW-35-039-VAP-37-42	7/9/2026	N	N	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-36-100	MW-36-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-39-070	MW-39-070-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-39-080	MW-39-080-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-39-100	MW-39-100-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-43-025	MW-43-025-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-44-115	MW-44-115-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-44-125	MW-44-125-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-45-095a	MW-45-095a-Q326	7/15/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-46-175	MW-46-175-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-49-135	MW-49-135-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-49-275	MW-49-275-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-49-365	MW-49-365-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-51	MW-51-0726	7/14/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	340
MW-68-180	MW-68-180-Q326	7/23/2026	N	Y	--	--	45	--	--	13	--	--	5	--	--	--	--	--
MW-71-035	MW-71-035-0726	7/14/2026	N	Y	--	--	--	--	--	9	--	--	--	--	--	--	--	660
MW-76-039	MW-76-039-0726	7/13/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	320
MW-76-156	MW-76-156-Q326	7/13/2026	N	Y	--	--	14	--	--	0.53	--	--	ND (0.5)	--	--	--	--	510
MW-76-156	MW-903-Q326	7/13/2026	FD	Y	--	--	--	--	--	0.55	--	--	--	--	--	--	--	440
MW-76-181	MW-76-181-0726	7/14/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	320
MW-76-218	MW-76-218-0726	7/14/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	330
MW-77-187	MW-77-187-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-78-070	MW-78-070-0726	7/14/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	250
MW-78-142	MW-78-142-0726	7/14/2026	N	Y	--	--	--	--	--	0.57	--	--	--	--	--	--	--	370

PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Thallium (µg/L)	Thallium, dissolved (µg/L)	Total dissolved solids (mg/L)	Total organic carbon (mg/L)	Total phosphorus as P (mg/L)	Total Suspended Solids (mg/L)	Vanadium (µg/L)	Vanadium, dissolved (µg/L)	Zinc (µg/L)	Zinc, dissolved (µg/L)
IRL-04	IRL-04-20260712	7/12/2026	N	Y	--	--	4,900	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-110-289	7/12/2026	N	Y	--	--	5,200	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-244-289	7/15/2026	N	Y	--	--	5,600	--	--	--	--	--	--	--
IRL-04	IRL-04-SC-110-225	7/23/2026	N	Y	--	--	5,900	--	--	--	--	--	--	--
IRZ-23-143	IRZ-23-143-0726	7/9/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-20-070	MW-20-070-0726	7/15/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-20-100	MW-20-100-0726	7/16/2026	N	Y	--	--	--	3.8	--	--	--	--	--	--
MW-20-100	MW-901-Q326	7/16/2026	FD	Y	--	--	--	2.4	--	--	--	--	--	--
MW-20-130	MW-20-130-0726	7/15/2026	N	Y	--	--	--	8.5	--	--	--	--	--	--
MW-21	MW-21-0726	7/14/2026	N	Y	--	--	--	3	--	--	--	--	--	--
MW-26	MW-26-0726	7/15/2026	N	Y	--	--	--	1.4	--	--	--	--	--	--
MW-27-020	MW-27-020-Q326	7/21/2026	N	Y	--	--	--	1.5	--	--	--	--	--	--
MW-27-060	MW-27-060-Q326	7/21/2026	N	Y	--	--	--	2.5	--	--	--	--	--	--
MW-27-085	MW-27-085-Q326	7/21/2026	N	Y	--	--	--	1.3	--	--	--	--	--	--
MW-28-025	MW-28-025-Q326	7/15/2026	N	Y	--	--	--	1.5	--	--	--	--	--	--
MW-28-090	MW-28-090-Q326	7/15/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-29	MW-29-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-31-060	MW-31-060-0726	7/16/2026	N	Y	--	--	--	1.4	--	--	--	--	--	--
MW-31-060	MW-902-Q326	7/16/2026	FD	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-31-135	MW-31-135-0726	7/16/2026	N	Y	--	--	--	1.5	--	--	--	--	--	--
MW-34-055	MW-34-055-Q326	7/16/2026	N	Y	--	--	--	1.4	--	--	--	--	--	--
MW-34-080	MW-34-080-Q326	7/16/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-34-100	MW-34-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-35-039	DUP-09-20260708	7/8/2026	FD	N	--	--	1,000	--	--	--	--	--	--	--
MW-35-039	MW-35-039-VAP-27-32	7/8/2026	N	N	--	--	1,000	--	--	--	--	--	--	--
MW-35-039	MW-35-039-VAP-37-42	7/9/2026	N	N	--	--	3,400	--	--	--	--	--	--	--
MW-36-100	MW-36-100-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-39-070	MW-39-070-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-39-080	MW-39-080-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-39-100	MW-39-100-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-43-025	MW-43-025-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-44-115	MW-44-115-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-44-125	MW-44-125-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-45-095a	MW-45-095a-Q326	7/15/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-46-175	MW-46-175-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-49-135	MW-49-135-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-49-275	MW-49-275-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-49-365	MW-49-365-Q326	7/21/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-51	MW-51-0726	7/14/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-68-180	MW-68-180-Q326	7/23/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-71-035	MW-71-035-0726	7/14/2026	N	Y	--	--	--	2.6	--	--	--	--	--	--
MW-76-039	MW-76-039-0726	7/13/2026	N	Y	--	--	--	1	--	--	--	--	--	--
MW-76-156	MW-76-156-Q326	7/13/2026	N	Y	--	--	--	2	--	--	--	--	--	--
MW-76-156	MW-903-Q326	7/13/2026	FD	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-76-181	MW-76-181-0726	7/14/2026	N	Y	--	--	--	1.7	--	--	--	--	--	--
MW-76-218	MW-76-218-0726	7/14/2026	N	Y	--	--	--	1.1	--	--	--	--	--	--
MW-77-187	MW-77-187-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-78-070	MW-78-070-0726	7/14/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-78-142	MW-78-142-0726	7/14/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--

PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Alkalinity, total as CaCO3 (mg/L)	Antimony (µg/L)	Antimony, dissolved (µg/L)	Arsenic (µg/L)	Arsenic, dissolved (µg/L)	Barium (µg/L)	Barium, dissolved (µg/L)	Beryllium (µg/L)	Beryllium, dissolved (µg/L)	Cadmium (µg/L)	Cadmium, dissolved (µg/L)	Calcium, dissolved (µg/L)	Chloride (mg/L)	Chromium, Hexavalent (µg/L)
MW-79-058	MW-79-058-0726	7/15/2026	N	Y	--	--	--	--	1.2	--	96	--	--	--	--	--	--	0.39
MW-79-102	MW-79-102-0726	7/15/2026	N	Y	--	--	--	--	3.4	--	130	--	--	--	--	--	--	ND (1.0)
MW-80-057	MW-80-057-0726	7/15/2026	N	Y	--	--	--	--	1.7	--	82	--	--	--	--	--	--	44
MW-80-082	MW-80-082-0726	7/15/2026	N	Y	--	--	--	--	3.3	--	73	--	--	--	--	--	--	ND (1.0)
MW-80-082	MW-904-Q326	7/15/2026	FD	Y	--	--	--	--	3.2	--	75	--	--	--	--	--	--	ND (1.0)
MW-81-043	MW-81-043-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (0.2)
MW-81-098	MW-81-098-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
MW-86-030	MW-86-030-Q326	7/15/2026	N	Y	--	--	--	--	4	--	200	--	--	--	--	--	--	ND (0.2)
MW-86-066	MW-86-066-Q326	7/15/2026	N	Y	--	--	--	--	1.4	--	61	--	--	--	--	--	--	ND (1.0)
MW-86-140	MW-86-140-Q326	7/15/2026	N	Y	--	--	--	--	0.89	--	47	--	--	--	--	--	--	ND (1.0)
MWP-08	MWP-08-Q326	7/20/2026	N	Y	72	--	ND (0.5)	--	1	--	80	--	ND (0.5)	--	ND (0.5)	1,000,000	3,000	160
PT5D	PT5D-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	12
PT6D	PT6D-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	2.9
PTI-1D	PTI-1D-0726	7/9/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_EFF	RPWC_EFF-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_EFF	RPWC_EFF-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_EFF	RPWC_EFF-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_EFF	RPWC_EFF-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_INF	RPWC_INF-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_INF	RPWC_INF-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_INF	RPWC_INF-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_INF	RPWC_INF-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_MID	RWPC_MID-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_MID	RPWC_MID-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_MID	RPWC_MID-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
RPWC_MID	RPWC_MID-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	ND (1.0)
TW-02D	TW-02D-0726	7/16/2026	N	Y	--	--	--	--	4.9	--	20	--	--	--	--	--	--	ND (0.2)
TW-02S	TW-02S-0726	7/16/2026	N	Y	--	--	--	--	1.4	--	100	--	--	--	--	--	--	1.2
TW-03D	TW-03D-0726	7/16/2026	N	Y	--	--	--	--	4.6	--	26	--	--	--	--	--	--	2.4

Acronyms and Abbreviations:
-- = not applicable or not available
µg/L = micrograms per liter
µS/cm - microsiemens per centimeter
0/00 = parts per thousand
CaCO3 = calcium carbonate
CFU/mL = colony forming unit per milliliter
DEGC = degrees celsius
FD = field duplicate
ID = identification
J = estimated value
mg/L = milligram per liter
N = Normal
ND = not detected (at laboratory limit shown)
PG&E = Pacific Gas & Electric Corporation

PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Chromium, total (µg/L)	Chromium, total dissolved (µg/L)	Cobalt (µg/L)	Cobalt, dissolved (µg/L)	Copper (µg/L)	Copper, dissolved (µg/L)	Fluoride (mg/L)	Iron (µg/L)	Iron, dissolved (µg/L)	Lead (µg/L)	Lead, dissolved (µg/L)	Magnesium, dissolved (µg/L)	Manganese, dissolved (µg/L)	Mercury (µg/L)
MW-79-058	MW-79-058-0726	7/15/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	140	--
MW-79-102	MW-79-102-0726	7/15/2026	N	Y	--	--	--	--	--	--	--	--	250	--	--	--	970	--
MW-80-057	MW-80-057-0726	7/15/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	260	--
MW-80-082	MW-80-082-0726	7/15/2026	N	Y	--	--	--	--	--	--	--	--	47	--	--	--	440	--
MW-80-082	MW-904-Q326	7/15/2026	FD	Y	--	--	--	--	--	--	--	--	35	--	--	--	450	--
MW-81-043	MW-81-043-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-81-098	MW-81-098-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-86-030	MW-86-030-Q326	7/15/2026	N	Y	--	--	--	--	--	--	--	--	150	--	--	--	120	--
MW-86-066	MW-86-066-Q326	7/15/2026	N	Y	--	--	--	--	--	--	--	--	62	--	--	--	280	--
MW-86-140	MW-86-140-Q326	7/15/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	420	--
MWP-08	MWP-08-Q326	7/20/2026	N	Y	--	160	--	ND (0.5)	--	ND (1.0)	ND (2.0)	--	ND (20)	--	ND (1.0)	280000	3.3	--
PT5D	PT5D-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PT6D	PT6D-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PTI-1D	PTI-1D-0726	7/9/2026	N	Y	--	--	--	--	--	--	--	360 J	ND (20)	--	--	--	950	--
RPWC_EFF	RPWC_EFF-20260706	7/6/2026	N	Y	3.9	--	--	--	--	--	--	--	250	--	--	--	180	--
RPWC_EFF	RPWC_EFF-20260713	7/13/2026	N	Y	4.9	--	--	--	--	--	--	--	580	--	--	--	130	--
RPWC_EFF	RPWC_EFF-20260720	7/20/2026	N	Y	1.6	--	--	--	--	--	--	--	ND (20)	--	--	--	76	--
RPWC_EFF	RPWC_EFF-20260727	7/27/2026	N	Y	ND (1.0)	--	--	--	--	--	--	--	29	--	--	--	100	--
RPWC_INF	RPWC_INF-20260706	7/6/2026	N	Y	25	--	--	--	--	--	--	--	45	--	--	--	240	--
RPWC_INF	RPWC_INF-20260713	7/13/2026	N	Y	19	--	--	--	--	--	--	--	ND (20)	--	--	--	98	--
RPWC_INF	RPWC_INF-20260720	7/20/2026	N	Y	11	--	--	--	--	--	--	--	260	--	--	--	93	--
RPWC_INF	RPWC_INF-20260727	7/27/2026	N	Y	2.7	--	--	--	--	--	--	--	ND (20)	--	--	--	89	--
RPWC_MID	RWPC_MID-20260706	7/6/2026	N	Y	25	--	--	--	--	--	--	--	38	--	--	--	220	--
RPWC_MID	RPWC_MID-20260713	7/13/2026	N	Y	9.9	--	--	--	--	--	--	--	44	--	--	--	100	--
RPWC_MID	RPWC_MID-20260720	7/20/2026	N	Y	8.7	--	--	--	--	--	--	--	260	--	--	--	110	--
RPWC_MID	RPWC_MID-20260727	7/27/2026	N	Y	2.5	--	--	--	--	--	--	--	ND (20)	--	--	--	82	--
TW-02D	TW-02D-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	83	--
TW-02S	TW-02S-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	1.1	--
TW-03D	TW-03D-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	ND (20)	--	--	--	62	--

Acronyms and Abbreviations:
-- = not applicable or not available
µg/L = micrograms per liter
µS/cm - microsiemens per centimeter
0/00 = parts per thousand
CaCO3 = calcium carbonate
CFU/mL = colony forming unit per milliliter
DEGC = degrees celsius
FD = field duplicate
ID = identification
J = estimated value
mg/L = milligram per liter
N = Normal
ND = not detected (at laboratory limit shown)
PG&E = Pacific Gas & Electric Corporation

PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Mercury, dissolved (µg/L)	Molybdenum (µg/L)	Molybdenum, dissolved (µg/L)	Nickel (µg/L)	Nickel, dissolved (µg/L)	Nitrate (as nitrogen) (mg/L)	Potassium, dissolved (µg/L)	Selenium (µg/L)	Selenium, dissolved (µg/L)	Silver (µg/L)	Silver, dissolved (µg/L)	Sodium, dissolved (µg/L)	Specific conductance (µS/cm)	Sulfate (mg/L)
MW-79-058	MW-79-058-0726	7/15/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	320
MW-79-102	MW-79-102-0726	7/15/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	280
MW-80-057	MW-80-057-0726	7/15/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	320
MW-80-082	MW-80-082-0726	7/15/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	290
MW-80-082	MW-904-Q326	7/15/2026	FD	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	290
MW-81-043	MW-81-043-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-81-098	MW-81-098-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-86-030	MW-86-030-Q326	7/15/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-86-066	MW-86-066-Q326	7/15/2026	N	Y	--	--	--	--	--	ND (0.25)	--	--	--	--	--	--	--	--
MW-86-140	MW-86-140-Q326	7/15/2026	N	Y	--	--	--	--	--	1.2	--	--	--	--	--	--	--	--
MWP-08	MWP-08-Q326	7/20/2026	N	Y	ND (0.2)	--	1.1	--	ND (1.0)	21	33000	--	16	--	ND (0.5)	500000	9,400	720
PT5D	PT5D-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PT6D	PT6D-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
PTI-1D	PTI-1D-0726	7/9/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RWPC_MID-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--	--	--	--	--
TW-02D	TW-02D-0726	7/16/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	340
TW-02S	TW-02S-0726	7/16/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	340
TW-03D	TW-03D-0726	7/16/2026	N	Y	--	--	--	--	--	ND (0.5)	--	--	--	--	--	--	--	360

Acronyms and Abbreviations:
-- = not applicable or not available
µg/L = micrograms per liter
µS/cm - microsiemens per centimeter
0/00 = parts per thousand
CaCO3 = calcium carbonate
CFU/mL = colony forming unit per milliliter
DEGC = degrees celsius
FD = field duplicate
ID = identification
J = estimated value
mg/L = milligram per liter
N = Normal
ND = not detected (at laboratory limit shown)
PG&E = Pacific Gas & Electric Corporation

PG&E Topock Sample Results Summary Between 07/01/2026 and 07/31/2026
Date/Time of Table Download:

Location ID	Sample ID	Sample Date	Sample Type	Validated	Thallium (µg/L)	Thallium, dissolved (µg/L)	Total dissolved solids (mg/L)	Total organic carbon (mg/L)	Total phosphorus as P (mg/L)	Total Suspended Solids (mg/L)	Vanadium (µg/L)	Vanadium, dissolved (µg/L)	Zinc (µg/L)	Zinc, dissolved (µg/L)
MW-79-058	MW-79-058-0726	7/15/2026	N	Y	--	--	--	1	--	--	--	--	--	--
MW-79-102	MW-79-102-0726	7/15/2026	N	Y	--	--	--	1.5	--	--	--	--	--	--
MW-80-057	MW-80-057-0726	7/15/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-80-082	MW-80-082-0726	7/15/2026	N	Y	--	--	--	2	--	--	--	--	--	--
MW-80-082	MW-904-Q326	7/15/2026	FD	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-81-043	MW-81-043-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-81-098	MW-81-098-0726	7/16/2026	N	Y	--	--	--	--	--	--	--	--	--	--
MW-86-030	MW-86-030-Q326	7/15/2026	N	Y	--	--	--	6	--	--	--	--	--	--
MW-86-066	MW-86-066-Q326	7/15/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MW-86-140	MW-86-140-Q326	7/15/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
MWP-08	MWP-08-Q326	7/20/2026	N	Y	--	ND (0.5)	8,600	--	ND (0.02)	--	--	8.4	--	ND (10)
PT5D	PT5D-0726	7/14/2026	N	Y	--	--	--	--	--	--	--	--	--	--
PT6D	PT6D-0726	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--
PTI-1D	PTI-1D-0726	7/9/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_EFF	RPWC_EFF-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_INF	RPWC_INF-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RWPC_MID-20260706	7/6/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260713	7/13/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260720	7/20/2026	N	Y	--	--	--	--	--	--	--	--	--	--
RPWC_MID	RPWC_MID-20260727	7/27/2026	N	Y	--	--	--	--	--	--	--	--	--	--
TW-02D	TW-02D-0726	7/16/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
TW-02S	TW-02S-0726	7/16/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--
TW-03D	TW-03D-0726	7/16/2026	N	Y	--	--	--	ND (1.0)	--	--	--	--	--	--

Acronyms and Abbreviations:
-- = not applicable or not available
µg/L = micrograms per liter
µS/cm - microsiemens per centimeter
0/00 = parts per thousand
CaCO3 = calcium carbonate
CFU/mL = colony forming unit per milliliter
DEGC = degrees celsius
FD = field duplicate
ID = identification
J = estimated value
mg/L = milligram per liter
N = Normal
ND = not detected (at laboratory limit shown)
PG&E = Pacific Gas & Electric Corporation