

Preliminary GMP 2021-04 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by Method SW 6020 (µg/L)	Chromium, Hexavalent by Method EPA 218.6 (µg/L)	Chromium, total dissolved by Method SW 6020 (µg/L)	Manganese, dissolved by Method SW 6020 (µg/L)	Molybdenum, dissolved by Method SW 6020 (µg/L)	Nitrate/Nitrite as Nitrogen by Method SM 4500-NO3 F (mg/L)	Selenium, dissolved by Method SW 6020 (µg/L)	Specific conductance by Method EPA 120.1 (uS/cm)
MW-09	MW-09-Q221	N	LF		GW	5/19/2021	0.86	120	110	< 0.50 U	3.9	11	5.2	2,900
MW-11	MW-11-Q221	N	LF		GW	5/19/2021	0.42	38	37	< 0.50 U	5.7	5	4.1	2,400
MW-22	MW-22-Q221	N	LF		GW	4/27/2021	8.2	< 1.0 U	< 1.0 U	1800				12,000
MW-23-060	MW-23-060-Q221	N	LF		GW	4/30/2021	< 0.10 U	41	38	0.73				16,000
MW-23-080	MW-23-080-Q221	N	LF		GW	4/30/2021	< 0.10 U	< 1.0 U	1.3	1.5				17,000
MW-25	MW-903-Q221	FD	LF	MW-25-Q221	GW	5/25/2021	1.2	55	56	0.51	4.7	12	8	2,100
MW-25	MW-25-Q221	N	LF		GW	5/25/2021	1.5	55	56	0.62	4.6	11	7.3	2,100
MW-26	MW-26-Q221	N	LF		GW	5/20/2021	0.48	2200	2300	< 0.50 U	31	19	33	3,700
MW-27-085	MW-27-085-Q221	N	LF		GW	4/27/2021	< 0.10 U	< 0.20 U	< 1.0 U	100	16	0.061	< 0.50 U	10,000
MW-28-025	MW-28-025-Q221	N	LF		GW	4/29/2021	0.7	< 0.20 U	< 1.0 U	240	5.5	< 0.050 U	< 0.50 U	940
MW-28-090	MW-28-090-Q221	N	LF		GW	4/29/2021	0.43	< 0.20 U	< 1.0 U	290	25	< 0.050 U	< 0.50 U	5,000
MW-29	MW-29-Q221	N	LF		GW	4/29/2021	8	< 0.20 U	< 1.0 U	390	13	0.15	1.7	2,400
MW-31-060	MW-31-060-Q221	N	LF		GW	4/30/2021	< 0.10 U	150	150	1.9				4,200
MW-32-035	MW-32-035-Q221	N	LF		GW	4/27/2021	24	< 0.20 U	1.1	660				8,500
MW-33-040	MW-33-040-Q221	N	LF		GW	4/29/2021	4.7	< 0.20 U	< 1.0 U	36	140	< 0.050 U	0.52	9,300
MW-33-090	MW-33-090-Q221	N	LF		GW	4/29/2021	< 0.10 U	3.4	3.9	4.1	8.4	1.1	< 0.50 U	9,100
MW-33-150	MW-33-150-Q221	N	LF		GW	4/29/2021	< 0.10 U	7	8.2	15	45	1.6	0.82	15,000
MW-33-210	MW-33-210-Q221	N	LF		GW	4/29/2021	< 0.10 U	7.5	8.9	7.8	24	1.6	< 0.50 U	19,000
MW-34-080	MW-34-080-Q221	N	LF		GW	4/28/2021	< 0.10 U	< 0.20 U	< 1.0 U	64		< 0.050 U		8,300
MW-34-100	MW-34-100-Q221	N	LF		GW	4/28/2021	< 0.10 U	< 0.20 U	< 1.0 U	110	63	< 0.050 U	< 0.50 U	10,000
MW-35-060	MW-35-060-Q221	N	LF		GW	4/30/2021	< 0.10 U	20	22	1	12	2.3	1.2	5,400
MW-35-135	MW-35-135-Q221	N	LF		GW	4/30/2021	< 0.10 U	24	24	2.5	20	2.4	1.1	11,000
MW-36-090	MW-36-090-Q221	N	LF		GW	4/28/2021	1.2	< 0.20 U	< 1.0 U	38				4,900
MW-36-100	MW-36-100-Q221	N	LF		GW	4/28/2021	< 0.10 U	5.5	7.1	160	21	< 0.050 U	< 0.50 U	6,300
MW-39-100	MW-39-100-Q221	N	LF		GW	4/28/2021	< 0.10 U	92	91	5.1	7.5	0.13	< 0.50 U	12,000
MW-40D	MW-40D-Q221	N	LF		GW	5/19/2021	< 0.10 U	110	98	< 0.50 U	49	2.1	1.8	15,000
MW-40S	MW-40S-Q221	N	LF		GW	5/19/2021	1.4	13	13	0.83	15	5.9	3.9	2,600
MW-42-055	MW-42-055-Q221	N	LF		GW	4/27/2021	11	< 0.20 U	< 1.0 U	220				950
MW-42-065	MW-42-065-Q221	N	LF		GW	4/27/2021	3.5	< 0.20 U	< 1.0 U	920				2,900
MW-44-070	MW-44-070-Q221	N	LF		GW	4/28/2021	1.3	< 0.20 U	< 1.0 U	280				2,300
MW-44-115	MW-44-115-Q221	N	LF		GW	4/28/2021	< 0.10 U	2.3	2.2	5.2	75	0.05	< 0.50 U	10,000
MW-44-125	MW-44-125-Q221	N	LF		GW	4/28/2021	1.7	< 0.20 U	< 1.0 U	310	10	< 0.050 U	< 0.50 U	2,300
MW-46-175	MW-46-175-Q221	N	LF		GW	4/29/2021		6.6	7		210	1	0.56	18,000
MW-46-205	MW-46-205-Q221	N	LF		GW	4/29/2021		1.6	1.8					20,000
MW-47-055	MW-47-055-Q221	N	LF		GW	4/28/2021	< 0.10 U	14	15	1.4				4,600
MW-47-115	MW-47-115-Q221	N	LF		GW	4/28/2021		24	23					12,000
MW-51	MW-51-Q221	N	LF		GW	5/20/2021	< 0.10 U	2600	2600	< 0.50 U	46	6.4	12	13,000
MW-52D	MW-52D-Q221	N	LF		GW	4/27/2021	< 0.10 U	< 1.0 U	< 1.0 U	240				20,000
MW-52M	MW-52M-Q221	N	LF		GW	4/27/2021	< 0.10 U	< 1.0 U	< 1.0 U	220				16,000
MW-52S	MW-52S-Q221	N	LF		GW	4/27/2021	< 0.10 U	< 0.20 U	< 1.0 U	1300				10,000
MW-53D	MW-53D-Q221	N	LF		GW	4/27/2021	< 0.10 U	< 1.0 U	< 1.0 U	890				24,000
MW-53M	MW-53M-Q221	N	LF		GW	4/27/2021	< 0.10 U	< 1.0 U	< 1.0 U	630				16,000
MW-57-070	MW-57-070-Q221	N	LF		GW	4/30/2021	1.1	490	540	3.4	3.5	9.3	3.6	2,300
MW-57-185	MW-57-185-Q221	N	LF		GW	4/30/2021	< 0.10 U	4.2	4.3	1.1	83	0.25	< 0.50 U	17,000
MW-58BR	MW-905-Q221	FD	LF	MW-58BR-Q221	GW	5/17/2021	< 0.10 U	2.3	2.2	280	27	0.95	1.7	7,400
MW-58BR	MW-58BR-Q221	N	LF		GW	5/17/2021	< 0.10 U	2.7	2.8	310	28	0.46	1.7	7,400
MW-70-105	MW-70-105-Q221	N	LF		GW	5/17/2021	2.7	150	140	35	86	3.3	3.3	3,200
MW-70BR-225	MW-70BR-225-Q221	N	LF		GW	5/17/2021	< 0.10 U	1200	1200	14	21	3.2	2.3	12,000

Preliminary GMP 2021-04 Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by Method SW 6020 (µg/L)	Chromium, Hexavalent by Method EPA 218.6 (µg/L)	Chromium, total dissolved by Method SW 6020 (µg/L)	Manganese, dissolved by Method SW 6020 (µg/L)	Molybdenum, dissolved by Method SW 6020 (µg/L)	Nitrate/Nitrite as Nitrogen by Method SM 4500-NO3 F (mg/L)	Selenium, dissolved by Method SW 6020 (µg/L)	Specific conductance by Method EPA 120.1 (uS/cm)
-------------	-----------	-------------	---------------	--------------------	--------	-------------	---	---	--	---	--	--	--	--

Notes:

Analyses were performed by Asset Laboratory except Nitrate/Nitrite as Nitrogen by method SM 4500-NO3 F (analyzed at BC Labs).

< = analyte not detected at the reporting limit shown

-- = data not anlayzed or data not reportable

Acronyms and Abbreviations:

µg/L = micrograms per liter

µS/cm = microsiemens per centimeter

EPA = Environmental Protection Agency

FD = field duplicate

GW = groundwater

LF = low flow

mg/L = milligrams per liter

N = Normal

SM = standard method

U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Alkalinity, total as CaCO3 by Method SM 2320 B (mg/L)	Aluminum by Method SW 6010B (µg/L)	Aluminum, dissolved by Method SW 6010B (µg/L)	Ammonia as nitrogen by Method A4500NH3G (mg/L)	Antimony by Method SW 6020 (µg/L)	Antimony, dissolved by Method SW 6020 (µg/L)	Arsenic by Method SW 6020 (µg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	200	650	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	51	< 250 U	< 250 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	82	200	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	1.2
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	89	150	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	1.4
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	81	56	< 50 U	0.56	< 0.50 U	< 0.50 U	< 0.10 U
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	110	210	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	1.7
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	77	260	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by Method SW 6020 (µg/L)	Barium by Method SW 6020 (µg/L)	Barium, dissolved by Method SW 6020 (µg/L)	Beryllium by Method SW 6020 (µg/L)	Beryllium, dissolved by Method SW 6020 (µg/L)	Boron by Method SW 6010B (µg/L)	Boron, dissolved by Method SW 6010B (mg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	< 0.10 U	63	56	< 0.50 U	< 0.50 U	1,500	1.4
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	< 0.10 U	62	63	< 0.50 U	< 0.50 U	1,700	1.7
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	1.4	100	95	< 0.50 U	< 0.50 U	550	0.51
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	1.5	100	96	< 0.50 U	< 0.50 U	480	0.46
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	< 0.10 U	140	130	< 0.50 U	< 0.50 U	1,200	1.1
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	1.4	79	72	< 0.50 U	< 0.50 U	600	0.58
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	< 0.10 U	89	83	< 0.50 U	< 0.50 U	1,500	1.5

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Bromide by Method EPA 300.0 (mg/L)	Cadmium by Method SW 6020 (µg/L)	Cadmium, dissolved by Method SW 6020 (µg/L)	Calcium by Method SW 6010B (µg/L)	Calcium, dissolved by Method SW 6010B (mg/L)	Chloride by Method EPA 300.0 (mg/L)	Chromium, Hexavalent by Method EPA 218.6 (µg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	< 5.0 U	< 0.50 U	< 0.50 U	160,000	150	2,400	< 0.20 U
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	< 5.0 U	< 0.50 U	< 0.50 U	580,000	610	6,100	< 1.0 U
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	< 2.5 U	< 0.50 U	< 0.50 U	170,000	170	1,100	1.4
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	< 2.5 U	< 0.50 U	< 0.50 U	170,000	170	1,100	1.4
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	< 5.0 U	< 0.50 U	< 0.50 U	650,000	630	6,500	< 1.0 U
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	< 2.5 U	< 0.50 U	< 0.50 U	130,000	140	850	50
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	< 5.0 U	< 0.50 U	< 0.50 U	350,000	350	3,300	480

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Chromium, total by Method SW 6020 (µg/L)	Chromium, total dissolved by Method SW 6020 (µg/L)	Cobalt by Method SW 6020 (µg/L)	Cobalt, dissolved by Method SW 6020 (µg/L)	Copper by Method SW 6020 (µg/L)	Copper, dissolved by Method SW 6020 (µg/L)	Fluoride by Method EPA 300.0 (mg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	25	< 1.0 U	1.2	0.78	< 1.0 U	< 1.0 U	6.3
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	15	< 1.0 U	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	3.5
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	4.1	1.8	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	1.9
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	3.6	1.6	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	2
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	2.3	< 1.0 U	< 0.50 U	< 0.50 U	< 1.0 U	47	3.3
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	70	53	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	1.5
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	480	480	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	2.3

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Iron by Method SW 6010B (µg/L)	Iron, dissolved by Method SW 6010B (µg/L)	Lead by Method SW 6020 (µg/L)	Lead, dissolved by Method SW 6020 (µg/L)	Magnesium by Method SW 6010B (µg/L)	Magnesium, dissolved by Method SW 6010B (mg/L)	Manganese by Method SW 6020 (µg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	840	100	< 1.0 U	< 1.0 U	36,000	34	1,200
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	130	< 100 U	< 1.0 U	< 1.0 U	61,000	62	680
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	260	130	< 1.0 U	< 1.0 U	29,000	28	340
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	190	22	< 1.0 U	< 1.0 U	28,000	31	340
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	480	530	< 1.0 U	< 1.0 U	92,000	87	1,500
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	460	40	< 1.0 U	< 1.0 U	26,000	25	100
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	410	< 20 U	< 1.0 U	< 1.0 U	9,500	8.9	85

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Manganese, dissolved by Method SW 6020 (µg/L)	Mercury by Method EPA 7470A (µg/L)	Mercury, dissolved by Method EPA 7470A (µg/L)	Molybdenum by Method SW 6020 (µg/L)	Molybdenum, dissolved by Method SW 6020 (µg/L)	Nickel by Method SW 6020 (µg/L)	Nickel, dissolved by Method SW 6020 (µg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	1,200	< 0.20 U	< 0.20 U	80	79	< 1.0 U	< 1.0 U
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	690	< 0.20 U	< 0.20 U	61	64	< 1.0 U	< 1.0 U
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	330	< 0.20 U	< 0.20 U	9.9	9.6	< 1.0 U	< 1.0 U
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	330	< 0.20 U	< 0.20 U	9.8	9.9	< 1.0 U	< 1.0 U
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	1,400	< 0.20 U	< 0.20 U	36	35	< 1.0 U	< 1.0 U
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	94	< 0.20 U	< 0.20 U	16	16	< 1.0 U	< 1.0 U
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	65	< 0.20 U	< 0.20 U	15	16	< 1.0 U	< 1.0 U

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Nitrate/Nitrite as Nitrogen by Method SM 4500-NO3 F (mg/L)	Potassium, dissolved by Method SW 6010B (mg/L)	Selenium by Method SW 6020 (µg/L)	Selenium, dissolved by Method SW 6020 (µg/L)	Silver by Method SW 6020 (µg/L)	Silver, dissolved by Method SW 6020 (µg/L)	Sodium, dissolved by Method SW 6010B (mg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	0.83	7.4	0.62	0.71	< 0.50 U	< 0.50 U	1,800
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	0.67	27	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	4,600
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	0.62	10	0.82	0.72	< 0.50 U	< 0.50 U	620
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	0.63	11	0.75	0.8	< 0.50 U	< 0.50 U	620
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	0.21	28	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	4,200
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	4.9	10	4.9	4.8	< 0.50 U	< 0.50 U	650
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	5.5	32	20	21	< 0.50 U	< 0.50 U	2,100

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Sulfate by Method EPA 300.0 (mg/L)	Thallium by Method SW 6020 (µg/L)	Thallium, dissolved by Method SW 6020 (µg/L)	Total dissolved solids by Method SM 2540 C (mg/L)	Total organic carbon by Method SM 5310 C (mg/L)	Vanadium by Method SW 6020 (µg/L)	Vanadium, dissolved by Method SW 6020 (µg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	620	< 0.50 U	< 0.50 U	5,200	< 1.0 U	8.8	7.2
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	1,200	< 0.50 U	< 0.50 U	12,000	< 1.0 U	1.3	1.2
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	220	< 0.50 U	< 0.50 U	2,200	< 1.0 U	1.5	1.1
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	220	< 0.50 U	< 0.50 U	2,300	< 1.0 U	1.6	1.1
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	990	< 0.50 U	< 0.50 U	12,000	< 1.0 U	< 1.0 U	< 1.0 U
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	500	< 0.50 U	< 0.50 U	2,200	< 10 U	4.4	3.6
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	590	< 0.50 U	< 0.50 U	6,800	< 1.0 U	4.9	4.2

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary TMP 2021-04 Baseline Sampling

Location ID	Sample ID	Sample Type	Sample Method	Parent Sample Code	Matrix	Sample Date	Zinc by Method SW 6020 (µg/L)	Zinc, dissolved by Method SW 6020 (µg/L)
MW-96-045	MW-96-045-0421	N	LF		GW	4/26/2021	< 10 U	< 10 U
MW-96-217	MW-96-217-0421	N	LF		GW	4/26/2021	< 10 U	< 10 U
MW-97-042	MW-916-Q221	FD	LF	MW-97-042-0421	GW	4/26/2021	< 10 U	< 10 U
MW-97-042	MW-97-042-0421	N	LF		GW	4/26/2021	< 10 U	< 10 U
MW-97-202	MW-97-202-0421	N	LF		GW	4/26/2021	< 10 U	< 10 U
MW-98-055	MW-98-055-0421	N	LF		GW	4/26/2021	< 10 U	< 10 U
MW-98-077	MW-98-077-0421	N	LF		GW	4/26/2021	< 10 U	< 10 U

Notes:

All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- EPA = Environmental Protection Agency
- FD = field duplicate
- G = grab sample
- GW = groundwater
- J = estimated value
- LF = low flow
- mg/L = milligrams per liter
- N = Normal
- SW = solid waste
- SM = standard method
- U = analyte not detected

Preliminary Baseline TW-01 and MW-68-180

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by Method SW 6020 (µg/L)	Calcium, dissolved by Method SW 6010B (mg/L)	Caprolactam by Method SW 8270C (µg/L)	Chloride by Method EPA 300.0 (mg/L)	Chromium, Hexavalent by Method EPA 218.6 (µg/L)	Chromium, total dissolved by Method SW 6020 (µg/L)	Cobalt, dissolved by Method SW 6020 (µg/L)	Eosine by Method Dye Test (µg/L)
MW-10	MW-10-0521	N		GW	5/5/2021	1.5	160	< 10 U	670	130	130		< 0.015
MW-10D	MW-10D-0521	N		GW	5/5/2021	< 0.10 U	200	< 10 U	990	400	370		< 0.015
MW-24A	MW-24A-0521	N		GW	5/5/2021	< 0.10 U	11	< 10 U	300	< 0.20 U	< 1.0 U		< 0.015
MW-24B	MW-24B-0521	N		GW	5/5/2021	< 0.10 U	97	< 10 U	6,700	48	45		< 0.015
MW-38D	MW-38D-0521	N		GW	5/5/2021	< 0.10 U	96	< 10 U	7,500	23	22		< 0.015
MW-38S	MW-38S-0521	N		GW	5/5/2021	5.5	34	< 10 U	350	11	11		< 0.015
MW-66-165	MW-66-165-0521	N		GW	5/5/2021	< 0.10 U	240	< 10 U	940	520	500		< 0.015
MW-66-230	MW-66-230-0521	N		GW	5/5/2021	< 0.10 U	96	< 10 U	6,600	6,000	6,200		< 0.015
MW-66BR-270	MW-66BR-270-0521	N		GW	5/5/2021	< 0.10 U	370	< 10 U	6,200	< 1.0 U	< 1.0 U		< 0.015
MW-67-185	MW-918-Q221	FD	MW-67-185-0521	GW	5/4/2021	< 0.10		< 10					< 0.015
MW-67-185	MW-67-185-0521	N		GW	5/4/2021	< 0.10		< 10					< 0.015
MW-67-185	MW-67-185-RE-0521	N		GW	5/19/2021								< 0.015 U
MW-67-225	MW-67-225-0521	N		GW	5/4/2021			< 10					< 0.015
MW-67-260	MW-67-260-0521	N		GW	5/4/2021	< 0.10		< 10					< 0.015
MW-68-180	MW-68-180-0521	N		GW	5/4/2021			< 10					< 0.015
MW-68-180	MW-68-180-RE-0521	N		GW	5/19/2021								0.116
MW-68-240	MW-68-240-0521	N		GW	5/4/2021	< 0.10		< 10					< 0.015
MW-68BR-280	MW-68BR-280-0521	N		GW	5/4/2021	< 0.10		< 10		< 1.0			< 0.015
PT7D	PT7D-0521	N		GW	5/4/2021	< 0.10		< 10		< 1.0	< 1.0		< 0.015
PT7M	PT7M-0521	N		GW	5/4/2021	< 0.10		< 10		< 1.0			< 0.015
PT7S	PT7S-0521	N		GW	5/4/2021			< 10					< 0.015
PT8D	PT8D-0521	N		GW	5/4/2021	< 0.10		< 10					< 0.015
PT8M	PT8M-0521	N		GW	5/4/2021			< 10		< 0.20			< 0.015
PT8S	PT8S-0521	N		GW	5/4/2021			< 10		< 0.20	< 1.0		< 0.015
PT9D	PT9D-0521	N		GW	5/5/2021	< 0.10 U	100	< 10 U	6,700	4,900	5,100		0.202
PT9M	PT9M-0521	N		GW	5/5/2021	< 0.10 U	160	< 10 U	3,600	570	580		< 0.015
PT9S	PT9S-0521	N		GW	5/5/2021	0.77	160	< 10 U	860	28	29		< 0.015

Notes:
Analyses were performed by Asset Laboratory with the exception of the tracer dye analysis (Eosine, Fluorescein, and Rhodamine). The tracer dye analysis was performed by Ozark Underground Laboratory.
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
µS/cm = microsiemens per centimeter
EPA = Environmental Protection Agency
FD = field duplicate
GW = groundwater
mg/L = milligrams per liter
N = Normal
SM = standard method
SW = solid waste
U = analyte not detected

Preliminary Baseline TW-01 and MW-68-180

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Fluorescein by Method Dye Test (µg/L)	Manganese, dissolved by Method SW 6020 (µg/L)	Molybdenum, dissolved by Method SW 6020 (µg/L)	Nitrate/Nitrite as Nitrogen by Method SM 4500- NO3 F (mg/L)	Potassium, dissolved by Method SW 6010B (mg/L)	Rhodamine-clc by Method Dye Test (µg/L)	Selenium, dissolved by Method SW 6020 (µg/L)	Sodium, dissolved by Method SW 6010B (mg/L)
MW-10	MW-10-0521	N		GW	5/5/2021	< 0.0020	0.57	17	8.8	13	< 0.015	6.3	420
MW-10D	MW-10D-0521	N		GW	5/5/2021	< 0.0020	< 0.50 U	1.6	12	16	< 0.015	6.9	630
MW-24A	MW-24A-0521	N		GW	5/5/2021	0.017	15	96	< 0.050 U	3.6	21.7	< 0.50 U	400
MW-24B	MW-24B-0521	N		GW	5/5/2021	< 0.0020	110	59	0.48	51	< 0.015	1.4	5,600
MW-38D	MW-38D-0521	N		GW	5/5/2021	< 0.0020	20	87	0.075	50	< 0.015	< 0.50 U	5,700
MW-38S	MW-38S-0521	N		GW	5/5/2021	< 0.0020	53	15	5.9	6.4	< 0.015	4	320
MW-66-165	MW-66-165-0521	N		GW	5/5/2021	< 0.0020	2.2	5.8	24	20	< 0.015	24	530
MW-66-230	MW-66-230-0521	N		GW	5/5/2021	< 0.0020	12	74	11	57	< 0.015	7.6	5,300
MW-66BR-270	MW-66BR-270-0521	N		GW	5/5/2021	< 0.0020	1000	1.9	< 0.050 U	52	< 0.015	< 0.50 U	4,700
MW-67-185	MW-918-Q221	FD	MW-67-185-0521	GW	5/4/2021	0.056	< 0.50				< 0.015		
MW-67-185	MW-67-185-0521	N		GW	5/4/2021	0.061	< 0.50				< 0.015		
MW-67-185	MW-67-185-RE-0521	N		GW	5/19/2021	< 0.0020 U					< 0.015 U		
MW-67-225	MW-67-225-0521	N		GW	5/4/2021	< 0.0020					< 0.015		
MW-67-260	MW-67-260-0521	N		GW	5/4/2021	< 0.0020					< 0.015		
MW-68-180	MW-68-180-0521	N		GW	5/4/2021	1.1	< 0.50				< 0.015		
MW-68-180	MW-68-180-RE-0521	N		GW	5/19/2021	< 0.0020 U					< 0.015 U		
MW-68-240	MW-68-240-0521	N		GW	5/4/2021	< 0.0020					< 0.015		
MW-68BR-280	MW-68BR-280-0521	N		GW	5/4/2021	< 0.0020			< 0.050		< 0.015	< 0.50	
PT7D	PT7D-0521	N		GW	5/4/2021	16.2			< 0.050		< 0.015	< 0.50	
PT7M	PT7M-0521	N		GW	5/4/2021	299					< 0.015	< 0.50	
PT7S	PT7S-0521	N		GW	5/4/2021	0.028					< 0.015		
PT8D	PT8D-0521	N		GW	5/4/2021	< 0.0020					< 0.015		
PT8M	PT8M-0521	N		GW	5/4/2021	0.849					< 0.015	< 0.50	
PT8S	PT8S-0521	N		GW	5/4/2021	< 0.0020					< 0.015		
PT9D	PT9D-0521	N		GW	5/5/2021	< 0.0020	2.3	88	3.5	44	< 0.015	3.3	5,200
PT9M	PT9M-0521	N		GW	5/5/2021	55.1	30	5.1	2.4	38	< 0.015	2.6	2,500
PT9S	PT9S-0521	N		GW	5/5/2021	0.248	970	18	2.6	9.5	< 0.015	1.8	550

Notes:

Analyses were performed by Asset Laboratory with the exception of the tracer dye analysis (Eosine, Fluorescein, an
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- µS/cm = microsiemens per centimeter
- EPA = Environmental Protection Agency
- FD = field duplicate
- GW = groundwater
- mg/L = milligrams per liter
- N = Normal
- SM = standard method
- SW = solid waste
- U = analyte not detected

Preliminary Baseline TW-01 and MW-68-180

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Specific conductance by Method EPA 120.1 (uS/cm)	Sulfate by Method EPA 300.0 (mg/L)	Total dissolved solids by Method SM 2540 C (mg/L)
MW-10	MW-10-0521	N		GW	5/5/2021	2,800	270	1,700
MW-10D	MW-10D-0521	N		GW	5/5/2021	3,800	370	2,300
MW-24A	MW-24A-0521	N		GW	5/5/2021	1,700	180	990
MW-24B	MW-24B-0521	N		GW	5/5/2021	19,000	760	13,000
MW-38D	MW-38D-0521	N		GW	5/5/2021	21,000	720	12,000
MW-38S	MW-38S-0521	N		GW	5/5/2021	1,700	150	920
MW-66-165	MW-66-165-0521	N		GW	5/5/2021	3,900	450	2,300
MW-66-230	MW-66-230-0521	N		GW	5/5/2021	19,000	1,000	12,000
MW-66BR-270	MW-66BR-270-0521	N		GW	5/5/2021	17,000	290	10,000
MW-67-185	MW-918-Q221	FD	MW-67-185-0521	GW	5/4/2021			
MW-67-185	MW-67-185-0521	N		GW	5/4/2021			
MW-67-185	MW-67-185-RE-0521	N		GW	5/19/2021			
MW-67-225	MW-67-225-0521	N		GW	5/4/2021			
MW-67-260	MW-67-260-0521	N		GW	5/4/2021			
MW-68-180	MW-68-180-0521	N		GW	5/4/2021			
MW-68-180	MW-68-180-RE-0521	N		GW	5/19/2021			
MW-68-240	MW-68-240-0521	N		GW	5/4/2021			
MW-68BR-280	MW-68BR-280-0521	N		GW	5/4/2021			
PT7D	PT7D-0521	N		GW	5/4/2021			
PT7M	PT7M-0521	N		GW	5/4/2021			
PT7S	PT7S-0521	N		GW	5/4/2021			
PT8D	PT8D-0521	N		GW	5/4/2021			
PT8M	PT8M-0521	N		GW	5/4/2021			
PT8S	PT8S-0521	N		GW	5/4/2021			
PT9D	PT9D-0521	N		GW	5/5/2021	19,000	960	13,000
PT9M	PT9M-0521	N		GW	5/5/2021	11,000	690	8,700
PT9S	PT9S-0521	N		GW	5/5/2021	3,200	270	1,900

Notes:

Analyses were performed by Asset Laboratory with the exception of the tracer dye analysis (Eosine, Fluorescein, an
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

- µg/L = micrograms per liter
- µS/cm = microsiemens per centimeter
- EPA = Environmental Protection Agency
- FD = field duplicate
- GW = groundwater
- mg/L = milligrams per liter
- N = Normal
- SM = standard method
- SW = solid waste
- U = analyte not detected

Preliminary PMP 2021-05 Sampling

Location ID	Sample ID	Sample Type	Matrix	Sample Date	Alkalinity, total as CaCO3 by Method SM 2320 B (mg/L)	Calcium, dissolved by Method EPA 200.7 (mg/L)	Chloride by Method EPA 300.0 (mg/L)	Chromium, Hexavalent by Method EPA 218.6 (µg/L)	Chromium, total dissolved by Method EPA 200.8 (µg/L)	Iron, dissolved by Method EPA 200.7 (µg/L)	Magnesium, dissolved by Method EPA 200.7 (mg/L)	Manganese, dissolved by Method EPA 200.8 (µg/L)	Nitrate/Nitrite as Nitrogen by Method SM 4500-NO3 F (mg/L)	pH by Method SM 4500-H+ B (PHUNITS)	Sodium, dissolved by Method EPA 200.7 (mg/L)	Specific conductance by Method EPA 120.1 (uS/cm)	Sulfate by Method EPA 300.0 (mg/L)	Total dissolved solids by Method SM 2540 C (mg/L)
TW-03D	TW-03D-0521	N	GW	5/5/2021	160	200	2100	390	360	180	24	19	2.6	7.4	1400	7100	470	4400

Notes:
Analyses were performed by Asset Laboratory.
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
µS/cm = microsiemens per centimeter
EPA = Environmental Protection Agency
GW = groundwater
mg/L = milligrams per liter
N = Normal
SM = standard method

Preliminary RMP 2021-05 Surface Water Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Arsenic, dissolved by Method SW 6020 (µg/L)	Barium, dissolved by Method SW 6020 (µg/L)	Chromium, Hexavalent by Method EPA 218.6 (µg/L)	Chromium, total dissolved by Method SW 6020 (µg/L)	Iron by Method SW 6010B (µg/L)	Iron, dissolved by Method SW 6010B (µg/L)	Manganese, dissolved by Method SW 6020 (µg/L)
C-BNS	C-BNS-Q221	N		Surface water	5/19/2021	2.2	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-CON-D	C-CON-D-Q221	N		Surface water	5/20/2021	1.9	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-CON-S	C-CON-S-Q221	N		Surface water	5/20/2021	2.1	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-I-3-D	C-I-3-D-Q221	N		Surface water	5/19/2021	2.3	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-I-3-S	C-I-3-S-Q221	N		Surface water	5/19/2021	2	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-MAR-D	C-MAR-D-Q221	N		Surface water	5/20/2021	1.9	100	< 0.20 U	< 1.0 U	42	< 20 U	1.4
C-MAR-S	C-MAR-S-Q221	N		Surface water	5/20/2021	1.9	100	< 0.20 U	< 1.0 U	29	< 20 U	3.4
C-NR1-D	C-NR1-D-Q221	N		Surface water	5/20/2021	2	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-NR1-S	C-NR1-S-Q221	N		Surface water	5/20/2021	1.9	110	< 0.20 U	< 1.0 U	20	< 20 U	< 0.50 U
C-NR3-D	C-NR3-D-Q221	N		Surface water	5/20/2021	2.1	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-NR3-S	C-NR3-S-Q221	N		Surface water	5/20/2021	2.1	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-NR4-D	MW-912-Q221	FD	C-NR4-D-Q221	Surface water	5/20/2021	2.1	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-NR4-D	C-NR4-D-Q221	N		Surface water	5/20/2021	1.9	100	< 0.20 U	< 1.0 U	27	< 20 U	< 0.50 U
C-NR4-S	C-NR4-S-Q221	N		Surface water	5/20/2021	2.1	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-R22A-D	C-R22A-D-Q221	N		Surface water	5/19/2021	2	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	0.88
C-R22A-S	C-R22A-S-Q221	N		Surface water	5/19/2021	2	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	1.7
C-R27-D	C-R27-D-Q221	N		Surface water	5/19/2021	2.1	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-R27-S	C-R27-S-Q221	N		Surface water	5/19/2021	2.1	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-TAZ-D	C-TAZ-D-Q221	N		Surface water	5/19/2021	2	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
C-TAZ-S	C-TAZ-S-Q221	N		Surface water	5/19/2021	2	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
R-19	R-19-Q221	N		Surface water	5/20/2021	2	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	< 0.50 U
R-28	R-28-Q221	N		Surface water	5/19/2021	1.9	100	< 0.20 U	< 1.0 U	< 20 U	< 20 U	0.85
R63	MW-913-Q221	FD	R63-Q221	Surface water	5/19/2021	2.2	110	< 0.20 U	< 1.0 U	97	< 20 U	3.6
R63	R63-Q221	N		Surface water	5/19/2021	2.1	100	< 0.20 U	< 1.0 U	130	< 20 U	3.6
RRB	RRB-Q221	N		Surface water	5/20/2021	2.2	110	< 0.20 U	< 1.0 U	< 20 U	< 20 U	16
SW1	SW1-Q221	N		Surface water	5/19/2021			< 0.20 U	< 1.0 U			
SW2	SW2-Q221	N		Surface water	5/19/2021			< 0.20 U	< 1.0 U			

Notes:

Analyses were performed by Asset Laboratory.
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter
µS/cm = microsiemens per centimeter
EPA = Environmental Protection Agency
FD = field duplicate
GW = groundwater
J = estimated value
mg/L = milligrams per liter
N = Normal
SM = standard method
SW = solid waste
U = analyte not detected

Preliminary RMP 2021-05 Surface Water Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Molybdenum, dissolved by Method SW 6020 (µg/L)	Nitrate/Nitrite as Nitrogen by Method SM 4500-NO3 F (mg/L)	pH by Method SM 4500-H+ B (PHUNITS)	Selenium, dissolved by Method SW 6020 (µg/L)	Specific conductance by Method EPA 120.1 (uS/cm)	Total Suspended Solids (TSS) by Method SM 2540 D (mg/L)
C-BNS	C-BNS-Q221	N		Surface water	5/19/2021	4.4	0.36	8.1	1.4	860	< 5.0 U
C-CON-D	C-CON-D-Q221	N		Surface water	5/20/2021	4.3	0.46	8.1	1.3	880	5
C-CON-S	C-CON-S-Q221	N		Surface water	5/20/2021	4.4	0.39	8.1	1.3	880	< 5.0 U
C-I-3-D	C-I-3-D-Q221	N		Surface water	5/19/2021	4.5	0.37	8.1	1.4	860	5
C-I-3-S	C-I-3-S-Q221	N		Surface water	5/19/2021	4.4	0.41	8.1	1.5	860	< 5.0 U
C-MAR-D	C-MAR-D-Q221	N		Surface water	5/20/2021	4.4	0.42	8.1	1.3	880	7
C-MAR-S	C-MAR-S-Q221	N		Surface water	5/20/2021	4.4	0.38	8.1	1.4	880	8
C-NR1-D	C-NR1-D-Q221	N		Surface water	5/20/2021	4.3	0.39	8.1	1.1	890	< 5.0 U
C-NR1-S	C-NR1-S-Q221	N		Surface water	5/20/2021	4.4	0.41	8.1	1.4	890	< 5.0 U
C-NR3-D	C-NR3-D-Q221	N		Surface water	5/20/2021	4.4	0.57	8.1	1.4	890	< 5.0 U
C-NR3-S	C-NR3-S-Q221	N		Surface water	5/20/2021	4.5	0.42	8.1	1.3	880	< 5.0 U
C-NR4-D	MW-912-Q221	FD	C-NR4-D-Q221	Surface water	5/20/2021	4.3	0.38	8.1	1.2	880	< 5.0 U
C-NR4-D	C-NR4-D-Q221	N		Surface water	5/20/2021	4.4	0.42	8.1	1.3	880	< 5.0 U
C-NR4-S	C-NR4-S-Q221	N		Surface water	5/20/2021	4.5	0.39	8.1	1.3	870	< 5.0 U
C-R22A-D	C-R22A-D-Q221	N		Surface water	5/19/2021	4.7	0.39	8.1	1.5	850	< 5.0 U
C-R22A-S	C-R22A-S-Q221	N		Surface water	5/19/2021	4.5	0.4	8.1	1.5	850	< 5.0 U
C-R27-D	C-R27-D-Q221	N		Surface water	5/19/2021	4.4	0.38	8.1	1.3	850	< 5.0 U
C-R27-S	C-R27-S-Q221	N		Surface water	5/19/2021	4.4	0.43	8.1	1.4	850	5.5
C-TAZ-D	C-TAZ-D-Q221	N		Surface water	5/19/2021	4.4	0.54	8.1	1.4	840	< 5.0 U
C-TAZ-S	C-TAZ-S-Q221	N		Surface water	5/19/2021	4.3	0.38	8.2	1.5	850	< 5.0 U
R-19	R-19-Q221	N		Surface water	5/20/2021	4.3	0.42	8.2	1.3	880	< 5.0 U
R-28	R-28-Q221	N		Surface water	5/19/2021	4.3	0.36	8.1	1.4	850	< 5.0 U
R63	MW-913-Q221	FD	R63-Q221	Surface water	5/19/2021	4.7	0.35	8	1.4	850	12
R63	R63-Q221	N		Surface water	5/19/2021	4.4	0.37	8.1	1.3	860	7.5
RRB	RRB-Q221	N		Surface water	5/20/2021	4.4	0.32	7.5	1.2	890	5
SW1	SW1-Q221	N		Surface water	5/19/2021			7.2		940	
SW2	SW2-Q221	N		Surface water	5/19/2021			7.2		910	

Notes:

Analyses were performed by Asset Laboratory.
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:

µg/L = micrograms per liter
µS/cm = microsiemens per centimeter
EPA = Environmental Protection Agency
FD = field duplicate
GW = groundwater
J = estimated value
mg/L = milligrams per liter
N = Normal
SM = standard method
SW = solid waste
U = analyte not detected

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Alkalinity, total as CaCO3 by Method SM 2320 B (mg/L)	Aluminum by Method SW 6010B (µg/L)	Aluminum, dissolved by Method SW 6010B (µg/L)	Ammonia as nitrogen by Method A4500NH3G (mg/L)	Antimony by Method SW 6020 (µg/L)	Antimony, dissolved by Method SW 6020 (µg/L)	Arsenic by Method SW 6020 (µg/L)	Arsenic, dissolved by Method SW 6020 (µg/L)	Barium by Method SW 6020 (µg/L)	Barium, dissolved by Method SW 6020 (µg/L)
MW-10D	MW-10D-Q221	N		GW	5/19/2021										
MW-11D	MW-11D-0521	N		GW	5/19/2021										
MW-70BR-287	MW-70BR-287-0521	N		GW	5/17/2021	71	< 50 U	< 50 U		1.5	1.3	< 0.10 U	< 0.10 U	87	80
MW-75-033	MW-75-033-0521	N		GW	5/17/2021	81	320	< 50 U		< 0.50 U	< 0.50 U	0.72	0.7	94	89
MW-75-117	MW-75-117-0521	N		GW	5/17/2021	74	< 50 U	< 50 U		< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	64	60
MW-75-202	MW-75-202-0521	N		GW	5/17/2021	62	< 50 U	< 50 U		< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	68	64
MW-75-267	MW-919-Q221	FD	MW-75-267-0521	GW	5/17/2021	43	< 50 U	< 50 U		< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	72	68
MW-75-267	MW-75-267-0521	N		GW	5/17/2021	43	< 50 U	< 50 U		< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	69	68
MW-75-337	MW-75-337-0521	N		GW	5/17/2021	44	130	< 50 U		< 0.50 U	< 0.50 U	4.4	3.9	60	55
MW-76-039	MW-76-039-0521	N		GW	5/21/2021										
MW-76-156	MW-76-156-0521	N		GW	5/21/2021										
MW-76-181	MW-76-181-0521	N		GW	5/21/2021										
MW-76-218	MW-76-218-0521	N		GW	5/21/2021										
MW-77-046	MW-920-Q221	FD	MW-77-046-0521	GW	5/18/2021	280	440	< 50 U	0.4	< 0.50 U	< 0.50 U	12	2.1	68	49
MW-77-046	MW-77-046-0521	N		GW	5/18/2021	280	300	< 50 U	0.41	< 0.50 U	< 0.50 U	12	2.1	68	49
MW-77-102	MW-77-102-0521	N		GW	5/18/2021	150	92	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	47	40
MW-77-158	MW-77-158-0521	N		GW	5/18/2021	54	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	48	44
MW-77-187	MW-77-187-0521	N		GW	5/18/2021	48	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	46	43
MW-78-070	MW-78-070-0521	N		GW	5/20/2021										
MW-78-142	MW-921-Q221	FD	MW-78-142-0521	GW	5/20/2021										
MW-78-142	MW-78-142-0521	N		GW	5/20/2021										
MW-79-058	MW-79-058-0521	N		GW	5/20/2021										
MW-79-102	MW-79-102-0521	N		GW	5/20/2021										
MW-80-057	MW-80-057-0521	N		GW	5/20/2021										
MW-80-082	MW-80-082-0521	N		GW	5/20/2021										
MW-81-043	MW-81-043-0521	N		GW	5/18/2021	170	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	0.74	1.1	100	95
MW-81-098	MW-81-098-0521	N		GW	5/18/2021	180	< 50 U	< 50 U	< 0.22 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	73	67
MW-82-046	MW-82-046-0521	N		GW	5/18/2021	1200	240	< 50 U	5.4	< 0.50 U	< 0.50 U	23	21	76	64
MW-82-112	MW-82-112-0521	N		GW	5/18/2021	130	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	33	30
MW-82-168	MW-82-168-0521	N		GW	5/18/2021	67	< 50 U	< 50 U	< 0.20 U	0.83	< 0.50 U	< 0.10 U	< 0.10 U	53	49
MW-82-198	MW-82-198-0521	N		GW	5/18/2021	34	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	40	36
MW-83-090	MW-922-Q221	FD	MW-83-090-0521	GW	5/25/2021										
MW-83-090	MW-83-090-0521	N		GW	5/25/2021										
MW-83-180	MW-83-180-0521	N		GW	5/25/2021										
MW-83-225	MW-83-225-0521	N		GW	5/25/2021										
MW-83-245	MW-83-245-0521	N		GW	5/25/2021										
MW-84-057	MW-84-057-0521	N		GW	5/24/2021										
MW-84-095	MW-84-095-0521	N		GW	5/24/2021										
MW-84-132	MW-84-132-0521	N		GW	5/24/2021										
MW-84-193	MW-84-193-0521	N		GW	5/24/2021										
MW-85-129	MW-85-129-0521	N		GW	5/21/2021										
MW-85-217	MW-85-217-0521	N		GW	5/21/2021										
MW-85-237	MW-85-237-0521	N		GW	5/21/2021										
MW-86-030	MW-86-030-0521	N		GW	5/18/2021	300	< 50 U	< 50 U	0.59	< 0.50 U	< 0.50 U	5.1	5.1	110	99
MW-86-066	MW-923-Q221	FD	MW-86-066-0521	GW	5/18/2021	160	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	76	67
MW-86-066	MW-86-066-0521	N		GW	5/18/2021	150	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	73	67
MW-86-120	MW-86-120-0521	N		GW	5/18/2021	90	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	43	39
MW-86-140	MW-86-140-0521	N		GW	5/18/2021	83	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	53	51
MW-87-109	MW-87-109-0521	N		GW	5/20/2021										
MW-87-139	MW-87-139-0521	N		GW	5/20/2021										
MW-87-192	MW-87-192-0521	N		GW	5/20/2021										
MW-87-275	MW-87-275-0521	N		GW	5/20/2021										
MW-88-107	MW-88-107-0521	N		GW	5/19/2021										
MW-89-183	MW-89-183-0521	N		GW	5/19/2021										

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Chromium, Hexavalent by Method EPA 218.6 (µg/L)	Chromium, total by Method SW 6020 (µg/L)	Chromium, total dissolved by Method SW 6020 (µg/L)	Cobalt by Method SW 6020 (µg/L)	Cobalt, dissolved by Method SW 6020 (µg/L)	Copper by Method SW 6020 (µg/L)	Copper, dissolved by Method SW 6020 (µg/L)	Fluoride by Method EPA 300.0 (mg/L)	Iron by Method SW 6010B (µg/L)	Iron, dissolved by Method SW 6010B (µg/L)
MW-10D	MW-10D-Q221	N		GW	5/19/2021	400									
MW-11D	MW-11D-0521	N		GW	5/19/2021	510									
MW-70BR-287	MW-70BR-287-0521	N		GW	5/17/2021	220	230	200	< 0.50 U	< 0.50 U	3.3	5.8	4.5	80	< 20 U
MW-75-033	MW-75-033-0521	N		GW	5/17/2021	33	33	32	< 0.50 U	< 0.50 U	2.6	< 1.0 U	2.7	390	< 20 U
MW-75-117	MW-75-117-0521	N		GW	5/17/2021	13	15	13	< 0.50 U	< 0.50 U	1.5	1.2	3.6	98	< 20 U
MW-75-202	MW-75-202-0521	N		GW	5/17/2021	< 1.0 U	1.1	< 1.0 U	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	3.6	38	43
MW-75-267	MW-919-Q221	FD	MW-75-267-0521	GW	5/17/2021	< 1.0 U	< 1.0 U	< 1.0 U	< 0.50 U	< 0.50 U	3.8	2.3	4.4	190	180
MW-75-267	MW-75-267-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	< 1.0 U	< 0.50 U	< 0.50 U	5.2	1.4	3.9	270	190
MW-75-337	MW-75-337-0521	N		GW	5/17/2021	< 1.0 U	2.4	< 1.0 U	< 0.50 U	< 0.50 U	31	12	5.9	420	260
MW-76-039	MW-76-039-0521	N		GW	5/21/2021	27									
MW-76-156	MW-76-156-0521	N		GW	5/21/2021	< 1.0 U									
MW-76-181	MW-76-181-0521	N		GW	5/21/2021	1500									
MW-76-218	MW-76-218-0521	N		GW	5/21/2021	27									
MW-77-046	MW-920-Q221	FD	MW-77-046-0521	GW	5/18/2021	< 0.20 U	1.1	< 1.0 U	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	6.7	6700	430
MW-77-046	MW-77-046-0521	N		GW	5/18/2021	< 0.20 U	< 1.0 U	< 1.0 U	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	6.7	6100	330
MW-77-102	MW-77-102-0521	N		GW	5/18/2021	1.1	2.7	1.9	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	3.5	160	33
MW-77-158	MW-77-158-0521	N		GW	5/18/2021	10	12	9.8	< 0.50 U	< 0.50 U	14	11	3.2	110	44
MW-77-187	MW-77-187-0521	N		GW	5/18/2021	< 1.0 U	2.1	< 1.0 U	< 0.50 U	< 0.50 U	1.1	1.8	7.7	44	37
MW-78-070	MW-78-070-0521	N		GW	5/20/2021	1700									
MW-78-142	MW-921-Q221	FD	MW-78-142-0521	GW	5/20/2021	5600									
MW-78-142	MW-78-142-0521	N		GW	5/20/2021	5600									
MW-79-058	MW-79-058-0521	N		GW	5/20/2021	2600									
MW-79-102	MW-79-102-0521	N		GW	5/20/2021	3500									
MW-80-057	MW-80-057-0521	N		GW	5/20/2021	840									
MW-80-082	MW-80-082-0521	N		GW	5/20/2021	2100									
MW-81-043	MW-81-043-0521	N		GW	5/18/2021	8.8	11	9.5	< 0.50 U	< 0.50 U	1.7	4	4.1	160	160
MW-81-098	MW-81-098-0521	N		GW	5/18/2021	2	4.8	2.3	< 0.50 U	< 0.50 U	2.2	< 1.0 U	2.5	86	92
MW-82-046	MW-82-046-0521	N		GW	5/18/2021	< 1.0 U	8.5	< 1.0 U	0.98	0.73	3.3	2.2	4.1	6400	5400

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Lead by Method SW 6020 (µg/L)	Lead, dissolved by Method SW/ 6020 (µg/L)	Magnesium by Method SW 6010B (µg/L)	Magnesium, dissolved by Method SW 6010B (mg/L)	Manganese by Method SW 6020 (µg/L)	Manganese, dissolved by Method SW 6020 (µg/L)	Mercury by Method EPA 7470A (µg/L)	Mercury, dissolved by Method EPA 7470A (µg/L)	Molybdenum by Method SW 6020 (µg/L)	Molybdenum, dissolved by Method SW 6020 (µg/L)
MW-10D	MW-10D-Q221	N		GW	5/19/2021										
MW-11D	MW-11D-0521	N		GW	5/19/2021										
MW-70BR-287	MW-70BR-287-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	630	0.56	3.9	2.4	< 0.20 U	< 0.20 U	55	52
MW-75-033	MW-75-033-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	37,000	38	37	17	< 0.20 U	< 0.20 U	9.4	9.4
MW-75-117	MW-75-117-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	41,000	42	110	59	< 0.20 U	< 0.20 U	42	42
MW-75-202	MW-75-202-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	53,000	49	1500	1500	< 0.20 U	< 0.20 U	55	52
MW-75-267	MW-919-Q221	FD	MW-75-267-0521	GW	5/17/2021	< 1.0 U	< 1.0 U	14,000	13	1500	1400	< 0.20 U	< 0.20 U	110	100
MW-75-267	MW-75-267-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	14,000	13	1300	1400	< 0.20 U	< 0.20 U	100	100
MW-75-337	MW-75-337-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	4,400	4.4	490	460	< 0.20 U	< 0.20 U	240	240
MW-76-039	MW-76-039-0521	N		GW	5/21/2021										
MW-76-156	MW-76-156-0521	N		GW	5/21/2021										
MW-76-181	MW-76-181-0521	N		GW	5/21/2021										
MW-76-218	MW-76-218-0521	N		GW	5/21/2021										
MW-77-046	MW-920-Q221	FD	MW-77-046-0521	GW	5/18/2021	1.2	< 1.0 U	49,000	44	440	380	< 0.20 U	< 0.20 U	140	140
MW-77-046	MW-77-046-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	47,000	45	430	390	< 0.20 U	< 0.20 U	140	140
MW-77-102	MW-77-102-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	32,000	29	33	22	< 0.20 U	< 0.20 U	4.9	4.4
MW-77-158	MW-77-158-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	49,000	47	40	29	< 0.20 U	< 0.20 U	33	28
MW-77-187	MW-77-187-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	3,100	3	63	62	< 0.20 U	< 0.20 U	270	260
MW-78-070	MW-78-070-0521	N		GW	5/20/2021										
MW-78-142	MW-921-Q221	FD	MW-78-142-0521	GW	5/20/2021										
MW-78-142	MW-78-142-0521	N		GW	5/20/2021										
MW-79-058	MW-79-058-0521	N		GW	5/20/2021										
MW-79-102	MW-79-102-0521	N		GW	5/20/2021										
MW-80-057	MW-80-057-0521	N		GW	5/20/2021										
MW-80-082	MW-80-082-0521	N		GW	5/20/2021										
MW-81-043	MW-81-043-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	52,000	49	150	140	< 0.20 U	< 0.20 U	27	26
MW-81-098	MW-81-098-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	40,000	33	110	100	< 0.20 U	< 0.20 U	3.9	3.6
MW-82-046	MW-82-046-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	210,000	200	300	270	< 0.20 U	< 0.20 U	58	55
MW-82-112	MW-82-112-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	16,000	15	34	31	< 0.20 U	< 0.20 U	7.6	6.7
MW-82-168	MW-82-168-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	74,000	68	200	160	< 0.20 U	< 0.20 U	20	19
MW-82-198	MW-82-198-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	3,100	2.7	140	110	< 0.20 U	< 0.20 U	72	74
MW-83-090	MW-922-Q221	FD	MW-83-090-0521	GW	5/25/2021										
MW-83-090	MW-83-090-0521	N		GW	5/25/2021										
MW-83-180	MW-83-180-0521	N		GW	5/25/2021										
MW-83-225	MW-83-225-0521	N		GW	5/25/2021										
MW-83-245	MW-83-245-0521	N		GW	5/25/2021										
MW-84-057	MW-84-057-0521	N		GW	5/24/2021										
MW-84-095	MW-84-095-0521	N		GW	5/24/2021										
MW-84-132	MW-84-132-0521	N		GW	5/24/2021										
MW-84-193	MW-84-193-0521	N		GW	5/24/2021										
MW-85-129	MW-85-129-0521	N		GW	5/21/2021										
MW-85-217	MW-85-217-0521	N		GW	5/21/2021										
MW-85-237	MW-85-237-0521	N		GW	5/21/2021										
MW-86-030	MW-86-030-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	31,000	29	340	320	< 0.20 U	< 0.20 U	13	12
MW-86-066	MW-923-Q221	FD	MW-86-066-0521	GW	5/18/2021	< 1.0 U	< 1.0 U	38,000	41	680	640	< 0.20 U	< 0.20 U	30	28
MW-86-066	MW-86-066-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	44,000	41	680	640	< 0.20 U	< 0.20 U	30	28
MW-86-120	MW-86-120-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	56,000	57	270	250	< 0.20 U	< 0.20 U	36	35
MW-86-140	MW-86-140-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	50,000	50	700	690	< 0.20 U	< 0.20 U	39	39
MW-87-109	MW-87-109-0521	N		GW	5/20/2021										
MW-87-139	MW-87-139-0521	N		GW	5/20/2021										
MW-87-192	MW-87-192-0521	N		GW	5/20/2021										
MW-87-275	MW-87-275-0521	N		GW	5/20/2021										
MW-88-107	MW-88-107-0521	N		GW	5/19/2021										
MW-89-183	MW-89-183-0521	N		GW	5/19/2021										

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Nickel by Method SW 6020 (µg/L)	Nickel, dissolved by Method SW 6020 (µg/L)	Nitrate/Nitrite as Nitrogen by Method SM 4500- NO3 F (mg/L)	Potassium, dissolved by Method SW 6010B (mg/L)	Selenium by Method SW 6020 (µg/L)	Selenium, dissolved by Method SW 6020 (µg/L)	Silver by Method SW 6020 (µg/L)	Silver, dissolved by Method SW 6020 (µg/L)	Sodium, dissolved by Method SW 6010B (mg/L)	Sulfate by Method EPA 300.0 (mg/L)
MW-10D	MW-10D-Q221	N		GW	5/19/2021										
MW-11D	MW-11D-0521	N		GW	5/19/2021										
MW-70BR-287	MW-70BR-287-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	0.99	42	1.1	1.1	< 0.50 U	< 0.50 U	4,000	800
MW-75-033	MW-75-033-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	2.2	9.2	1.9	1.8	< 0.50 U	< 0.50 U	560	250
MW-75-117	MW-75-117-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	2.6	14	1.5	1.2	< 0.50 U	< 0.50 U	2,100	530
MW-75-202	MW-75-202-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	0.81	20	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	4,300	1,100
MW-75-267	MW-919-Q221	FD	MW-75-267-0521	GW	5/17/2021	< 1.0 U	< 1.0 U	0.12	53	0.52	< 0.50 U	< 0.50 U	< 0.50 U	6,000	1,200
MW-75-267	MW-75-267-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	0.18	53	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	6,600	1,200
MW-75-337	MW-75-337-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	< 0.050 U	58	0.73	0.6	< 0.50 U	< 0.50 U	8,600	1,600
MW-76-039	MW-76-039-0521	N		GW	5/21/2021										
MW-76-156	MW-76-156-0521	N		GW	5/21/2021										
MW-76-181	MW-76-181-0521	N		GW	5/21/2021										
MW-76-218	MW-76-218-0521	N		GW	5/21/2021										
MW-77-046	MW-920-Q221	FD	MW-77-046-0521	GW	5/18/2021	< 1.0 U	< 1.0 U	< 0.050 U	11	0.79	< 0.50 U	< 0.50 U	< 0.50 U	1,100	370
MW-77-046	MW-77-046-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	< 0.050 U	11	0.77	< 0.50 U	< 0.50 U	< 0.50 U	1,100	370
MW-77-102	MW-77-102-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.5	14	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	1,400	540
MW-77-158	MW-77-158-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	1.4	40	0.7	0.62	< 0.50 U	< 0.50 U	4,100	1,200
MW-77-187	MW-77-187-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	1.1	41	0.76	0.87	< 0.50 U	< 0.50 U	5,400	930
MW-78-070	MW-78-070-0521	N		GW	5/20/2021										
MW-78-142	MW-921-Q221	FD	MW-78-142-0521	GW	5/20/2021										
MW-78-142	MW-78-142-0521	N		GW	5/20/2021										
MW-79-058	MW-79-058-0521	N		GW	5/20/2021										
MW-79-102	MW-79-102-0521	N		GW	5/20/2021										
MW-80-057	MW-80-057-0521	N		GW	5/20/2021										
MW-80-082	MW-80-082-0521	N		GW	5/20/2021										
MW-81-043	MW-81-043-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.57	11	1.2	1.2	< 0.50 U	< 0.50 U	1,100	450
MW-81-098	MW-81-098-0521	N		GW	5/18/2021	< 5.0 U	< 5.0 U	0.53	11	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	1,600	570
MW-82-046	MW-82-046-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.15	17	2.1	1.9	< 0.50 U	< 0.50 U	2,700	1,500
MW-82-112	MW-82-112-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.51	12	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	1,300	530
MW-82-168	MW-82-168-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	1.4	32	0.65	0.65	< 0.50 U	< 0.50 U	4,000	1,100
MW-82-198	MW-82-198-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	1.4	45	0.88	0.77	< 0.50 U	< 0.50 U	5,300	1,100
MW-83-090	MW-922-Q221	FD	MW-83-090-0521	GW	5/25/2021										
MW-83-090	MW-83-090-0521	N		GW	5/25/2021										
MW-83-180	MW-83-180-0521	N		GW	5/25/2021										
MW-83-225	MW-83-225-0521	N		GW	5/25/2021										
MW-83-245	MW-83-245-0521	N		GW	5/25/2021										
MW-84-057	MW-84-057-0521	N		GW	5/24/2021										
MW-84-095	MW-84-095-0521	N		GW	5/24/2021										
MW-84-132	MW-84-132-0521	N		GW	5/24/2021										
MW-84-193	MW-84-193-0521	N		GW	5/24/2021										
MW-85-129	MW-85-129-0521	N		GW	5/21/2021										
MW-85-217	MW-85-217-0521	N		GW	5/21/2021										
MW-85-237	MW-85-237-0521	N		GW	5/21/2021										
MW-86-030	MW-86-030-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	< 0.050 U	3.6	1.1	1.1	< 0.50 U	< 0.50 U	170	280
MW-86-066	MW-923-Q221	FD	MW-86-066-0521	GW	5/18/2021	< 1.0 U	< 1.0 U	0.29	11	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	1,100	400
MW-86-066	MW-86-066-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.25	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	1,200	410
MW-86-120	MW-86-120-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	1.1	22	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	2,400	1,000
MW-86-140	MW-86-140-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.82	22	0.65	< 0.50 U	< 0.50 U	< 0.50 U	3,900	920
MW-87-109	MW-87-109-0521	N		GW	5/20/2021										
MW-87-139	MW-87-139-0521	N		GW	5/20/2021										
MW-87-192	MW-87-192-0521	N		GW	5/20/2021										
MW-87-275	MW-87-275-0521	N		GW	5/20/2021										
MW-88-107	MW-88-107-0521	N		GW	5/19/2021										
MW-89-183	MW-89-183-0521	N		GW	5/19/2021										

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Thallium by Method SW 6020 (µg/L)	Thallium, dissolved by Method SW 6020 (µg/L)	Total dissolved solids by Method SM 2540 C (mg/L)	Total organic carbon by Method SM 5310 C (mg/L)	Vanadium by Method SW 6020 (µg/L)	Vanadium, dissolved by Method SW 6020 (µg/L)	Zinc by Method SW 6020 (µg/L)	Zinc, dissolved by Method SW 6020 (µg/L)
MW-10D	MW-10D-Q221	N		GW	5/19/2021								
MW-11D	MW-11D-0521	N		GW	5/19/2021								
MW-70BR-287	MW-70BR-287-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	11,000	< 1.0 U	2.7	2.5	< 10 U	< 10 U
MW-75-033	MW-75-033-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	3,000	< 1.0 U	3.9	3.1	< 10 U	< 10 U
MW-75-117	MW-75-117-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	7,000	< 1.0 U	2.1	1.9	< 10 U	< 10 U
MW-75-202	MW-75-202-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	12,000	< 1.0 U	1.1	< 1.0 U	< 10 U	< 10 U
MW-75-267	MW-919-Q221	FD	MW-75-267-0521	GW	5/17/2021	< 0.50 U	< 0.50 U	14,000	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U	< 10 U
MW-75-267	MW-75-267-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	14,000	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U	< 10 U
MW-75-337	MW-75-337-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	18,000	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U	< 10 U
MW-76-039	MW-76-039-0521	N		GW	5/21/2021								
MW-76-156	MW-76-156-0521	N		GW	5/21/2021								
MW-76-181	MW-76-181-0521	N		GW	5/21/2021								
MW-76-218	MW-76-218-0521	N		GW	5/21/2021								
MW-77-046	MW-920-Q221	FD	MW-77-046-0521	GW	5/18/2021	< 0.50 U	< 0.50 U	3,400	< 1.0 U	10	6.3	< 10 U	< 10 U
MW-77-046	MW-77-046-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	3,500	< 1.0 U	9.8	6	< 10 U	< 10 U
MW-77-102	MW-77-102-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	4,700	< 1.0 U	6.6	5.7	< 10 U	< 10 U
MW-77-158	MW-77-158-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	13,000	< 1.0 U	3.3	2.8	< 10 U	< 10 U
MW-77-187	MW-77-187-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	12,000	< 1.0 U	3.3	3.2	< 10 U	< 10 U
MW-78-070	MW-78-070-0521	N		GW	5/20/2021								
MW-78-142	MW-921-Q221	FD	MW-78-142-0521	GW	5/20/2021								
MW-78-142	MW-78-142-0521	N		GW	5/20/2021								
MW-79-058	MW-79-058-0521	N		GW	5/20/2021								
MW-79-102	MW-79-102-0521	N		GW	5/20/2021								
MW-80-057	MW-80-057-0521	N		GW	5/20/2021								
MW-80-082	MW-80-082-0521	N		GW	5/20/2021								
MW-81-043	MW-81-043-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	4,000	< 1.0 U	12	12	< 10 U	< 10 U
MW-81-098	MW-81-098-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	5,000	< 20 U	4.9	4.5	< 10 U	< 10 U
MW-82-046	MW-82-046-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	8,400	2	2.7	1.9	< 10 U	< 10 U
MW-82-112	MW-82-112-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	4,500	< 1.0 U	7.7	6.3	< 10 U	< 10 U
MW-82-168	MW-82-168-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	14,000	< 1.0 U	2.2	1.9	< 10 U	< 10 U
MW-82-198	MW-82-198-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	13,000	< 1.0 U	2.9	2.9	< 10 U	< 10 U
MW-83-090	MW-922-Q221	FD	MW-83-090-0521	GW	5/25/2021								
MW-83-090	MW-83-090-0521	N		GW	5/25/2021								
MW-83-180	MW-83-180-0521	N		GW	5/25/2021								
MW-83-225	MW-83-225-0521	N		GW	5/25/2021								
MW-83-245	MW-83-245-0521	N		GW	5/25/2021								
MW-84-057	MW-84-057-0521	N		GW	5/24/2021								
MW-84-095	MW-84-095-0521	N		GW	5/24/2021								
MW-84-132	MW-84-132-0521	N		GW	5/24/2021								
MW-84-193	MW-84-193-0521	N		GW	5/24/2021								
MW-85-129	MW-85-129-0521	N		GW	5/21/2021								
MW-85-217	MW-85-217-0521	N		GW	5/21/2021								
MW-85-237	MW-85-237-0521	N		GW	5/21/2021								
MW-86-030	MW-86-030-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	910	1.1	< 1.0 U	< 1.0 U	< 10 U	< 10 U
MW-86-066	MW-923-Q221	FD	MW-86-066-0521	GW	5/18/2021	< 0.50 U	< 0.50 U	4,000	< 1.0 U	1.1	1	< 10 U	< 10 U
MW-86-066	MW-86-066-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	4,100	< 1.0 U	1.2	1	< 10 U	< 10 U
MW-86-120	MW-86-120-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	8,100	< 1.0 U	1.3	1.2	< 10 U	< 10 U
MW-86-140	MW-86-140-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	10,000	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U	< 10 U
MW-87-109	MW-87-109-0521	N		GW	5/20/2021								
MW-87-139	MW-87-139-0521	N		GW	5/20/2021								
MW-87-192	MW-87-192-0521	N		GW	5/20/2021								
MW-87-275	MW-87-275-0521	N		GW	5/20/2021								
MW-88-107	MW-88-107-0521	N		GW	5/19/2021								
MW-89-183	MW-89-183-0521	N		GW	5/19/2021								

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Alkalinity, total as CaCO3 by Method SM 2320 B (mg/L)	Aluminum by Method SW 6010B (µg/L)	Aluminum, dissolved by Method SW 6010B (µg/L)	Ammonia as nitrogen by Method A4500NH3G (mg/L)	Antimony by Method SW 6020 (µg/L)	Antimony, dissolved by Method SW 6020 (µg/L)	Arsenic by Method SW 6020 (µg/L)	Arsenic, dissolved by Method SW 6020 (µg/L)	Barium by Method SW 6020 (µg/L)	Barium, dissolved by Method SW 6020 (µg/L)
MW-89-273	MW-89-273-0521	N		GW	5/19/2021										
MW-90-031	MW-90-031-0521	N		GW	5/24/2021										
MW-91-045	MW-91-045-0521	N		GW	5/26/2021										
MW-91-120	MW-91-120-0521	N		GW	5/26/2021										
MW-91-170	MW-91-170-0521	N		GW	5/26/2021										
MW-91-320	MW-91-320-0521	N		GW	5/26/2021										
MW-92-037	MW-924-Q221	FD	MW-92-037-0521	GW	5/26/2021										
MW-92-037	MW-92-037-0521	N		GW	5/26/2021										
MW-92-072	MW-92-072-0521	N		GW	5/26/2021										
MW-92-102	MW-92-102-0521	N		GW	5/26/2021										
MW-92-122	MW-92-122-0521	N		GW	5/26/2021										
MW-93-050	MW-93-050-0521	N		GW	5/18/2021	110	200	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	60	54
MW-93-213	MW-93-213-0521	N		GW	5/18/2021	61	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	62	55
MW-94-030	MW-94-030-0521	N		GW	5/21/2021										
MW-94-100	MW-94-100-0521	N		GW	5/21/2021										
MW-94-175	MW-94-175-0521	N		GW	5/21/2021										
MW-95-113	MW-95-113-0521	N		GW	5/19/2021										
MW-95-157	MW-95-157-0521	N		GW	5/19/2021										
MW-96-045	MW-96-045-0521	N		GW	5/18/2021	220	2600	54	< 0.20 U	< 0.50 U	< 0.50 U	0.94	< 0.10 U	120	56
MW-96-217	MW-96-217-0521	N		GW	5/18/2021	53	< 50 U	< 50 U	< 0.20 U	< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	61	56
MW-97-042	MW-97-042-0521	N		GW	5/17/2021	85	660	< 50 U		< 0.50 U	< 0.50 U	1.2	0.84	110	100
MW-97-202	MW-97-202-0521	N		GW	5/17/2021	81	< 50 U	< 50 U		< 0.50 U	< 0.50 U	< 0.10 U	< 0.10 U	140	130
MW-98-055	MW-98-055-0521	N		GW	5/20/2021										
MW-98-077	MW-98-077-0521	N		GW	5/20/2021										

Notes:
All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
EPA = Environmental Protection Agency
FD = field duplicate
G = grab sample
GW = groundwater
J = estimated value
LF = low flow
mg/L = milligrams per liter
N = Normal
SW = solid waste
SM = standard method
U = analyte not detected

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Beryllium by Method SW 6020 (µg/L)	Beryllium, dissolved by Method SW 6020 (µg/L)	Boron by Method SW 6010B (µg/L)	Boron, dissolved by Method SW 6010B (mg/L)	Bromide by Method EPA 300.0 (mg/L)	Cadmium by Method SW 6020 (µg/L)	Cadmium, dissolved by Method SW 6020 (µg/L)	Calcium by Method SW 6010B (µg/L)	Calcium, dissolved by Method SW 6010B (mg/L)	Chloride by Method EPA 300.0 (mg/L)
MW-89-273	MW-89-273-0521	N		GW	5/19/2021										
MW-90-031	MW-90-031-0521	N		GW	5/24/2021										
MW-91-045	MW-91-045-0521	N		GW	5/26/2021										
MW-91-120	MW-91-120-0521	N		GW	5/26/2021										
MW-91-170	MW-91-170-0521	N		GW	5/26/2021										
MW-91-320	MW-91-320-0521	N		GW	5/26/2021										
MW-92-037	MW-924-Q221	FD	MW-92-037-0521	GW	5/26/2021										
MW-92-037	MW-92-037-0521	N		GW	5/26/2021										
MW-92-072	MW-92-072-0521	N		GW	5/26/2021										
MW-92-102	MW-92-102-0521	N		GW	5/26/2021										
MW-92-122	MW-92-122-0521	N		GW	5/26/2021										
MW-93-050	MW-93-050-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	590	0.49	< 5.0 U	< 0.50 U	< 0.50 U	140,000	120	1,100
MW-93-213	MW-93-213-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	920	0.92	< 5.0 U	< 0.50 U	< 0.50 U	260,000	260	4,200
MW-94-030	MW-94-030-0521	N		GW	5/21/2021										
MW-94-100	MW-94-100-0521	N		GW	5/21/2021										
MW-94-175	MW-94-175-0521	N		GW	5/21/2021										
MW-95-113	MW-95-113-0521	N		GW	5/19/2021										
MW-95-157	MW-95-157-0521	N		GW	5/19/2021										
MW-96-045	MW-96-045-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	1,500	1.3	< 5.0 U	< 0.50 U	< 0.50 U	170,000	150	2,400
MW-96-217	MW-96-217-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	1,100	1	< 5.0 U	< 0.50 U	< 0.50 U	640,000	670	6,000
MW-97-042	MW-97-042-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	560	0.51	< 2.5 U	< 0.50 U	< 0.50 U	180,000	180	1,100
MW-97-202	MW-97-202-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	1,200	1	< 5.0 U	< 0.50 U	< 0.50 U	600,000	590	6,200
MW-98-055	MW-98-055-0521	N		GW	5/20/2021										
MW-98-077	MW-98-077-0521	N		GW	5/20/2021										

Notes:
All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
EPA = Environmental Protection Agency
FD = field duplicate
G = grab sample
GW = groundwater
J = estimated value
LF = low flow
mg/L = milligrams per liter
N = Normal
SW = solid waste
SM = standard method
U = analyte not detected

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Chromium, Hexavalent by Method EPA 218.6 (µg/L)	Chromium, total by Method SW 6020 (µg/L)	Chromium, total dissolved by Method SW 6020 (µg/L)	Cobalt by Method SW 6020 (µg/L)	Cobalt, dissolved by Method SW 6020 (µg/L)	Copper by Method SW 6020 (µg/L)	Copper, dissolved by Method SW 6020 (µg/L)	Fluoride by Method EPA 300.0 (mg/L)	Iron by Method SW 6010B (µg/L)	Iron, dissolved by Method SW 6010B (µg/L)
MW-89-273	MW-89-273-0521	N		GW	5/19/2021	0.58									
MW-90-031	MW-90-031-0521	N		GW	5/24/2021	< 1.0 U									
MW-91-045	MW-91-045-0521	N		GW	5/26/2021	< 0.20 U									
MW-91-120	MW-91-120-0521	N		GW	5/26/2021	< 0.20 U									
MW-91-170	MW-91-170-0521	N		GW	5/26/2021	< 1.0 U									
MW-91-320	MW-91-320-0521	N		GW	5/26/2021	< 1.0 U									
MW-92-037	MW-924-Q221	FD	MW-92-037-0521	GW	5/26/2021	0.49									
MW-92-037	MW-92-037-0521	N		GW	5/26/2021	0.5									
MW-92-072	MW-92-072-0521	N		GW	5/26/2021	< 0.20 U									
MW-92-102	MW-92-102-0521	N		GW	5/26/2021	0.3									
MW-92-122	MW-92-122-0521	N		GW	5/26/2021	< 1.0 U									
MW-93-050	MW-93-050-0521	N		GW	5/18/2021	12	11	11	< 0.50 U	< 0.50 U	1.2	2.6	3.1	240	< 20 U
MW-93-213	MW-93-213-0521	N		GW	5/18/2021	< 1.0 U	2.8	< 1.0 U	< 0.50 U	< 0.50 U	1.3	1.6	3.8	110	25
MW-94-030	MW-94-030-0521	N		GW	5/21/2021	22									
MW-94-100	MW-94-100-0521	N		GW	5/21/2021	10									
MW-94-175	MW-94-175-0521	N		GW	5/21/2021	15									
MW-95-113	MW-95-113-0521	N		GW	5/19/2021	0.82									
MW-95-157	MW-95-157-0521	N		GW	5/19/2021	9.9									
MW-96-045	MW-96-045-0521	N		GW	5/18/2021	< 0.20 U	24	< 1.0 U	2	0.68	3.3	1.2	6.2	3100	91
MW-96-217	MW-96-217-0521	N		GW	5/18/2021	< 1.0 U	10	< 1.0 U	< 0.50 U	< 0.50 U	1.1	2.1	3.8	61	79
MW-97-042	MW-97-042-0521	N		GW	5/17/2021	3.1	8	3.4	< 0.50 U	< 0.50 U	1.6	< 1.0 U	1.9	560	38
MW-97-202	MW-97-202-0521	N		GW	5/17/2021	< 1.0 U	1.4	< 1.0 U	< 0.50 U	< 0.50 U	< 1.0 U	< 1.0 U	3.2	460	420
MW-98-055	MW-98-055-0521	N		GW	5/20/2021	69									
MW-98-077	MW-98-077-0521	N		GW	5/20/2021	490									

Notes:
All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
EPA = Environmental Protection Agency
FD = field duplicate
G = grab sample
GW = groundwater
J = estimated value
LF = low flow
mg/L = milligrams per liter
N = Normal
SW = solid waste
SM = standard method
U = analyte not detected

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Lead by Method SW 6020 (µg/L)	Lead, dissolved by Method SW 6020 (µg/L)	Magnesium by Method SW 6010B (µg/L)	Magnesium, dissolved by Method SW 6010B (mg/L)	Manganese by Method SW 6020 (µg/L)	Manganese, dissolved by Method SW 6020 (µg/L)	Mercury by Method EPA 7470A (µg/L)	Mercury, dissolved by Method EPA 7470A (µg/L)	Molybdenum by Method SW 6020 (µg/L)	Molybdenum, dissolved by Method SW 6020 (µg/L)
MW-89-273	MW-89-273-0521	N		GW	5/19/2021										
MW-90-031	MW-90-031-0521	N		GW	5/24/2021										
MW-91-045	MW-91-045-0521	N		GW	5/26/2021										
MW-91-120	MW-91-120-0521	N		GW	5/26/2021										
MW-91-170	MW-91-170-0521	N		GW	5/26/2021										
MW-91-320	MW-91-320-0521	N		GW	5/26/2021										
MW-92-037	MW-924-Q221	FD	MW-92-037-0521	GW	5/26/2021										
MW-92-037	MW-92-037-0521	N		GW	5/26/2021										
MW-92-072	MW-92-072-0521	N		GW	5/26/2021										
MW-92-102	MW-92-102-0521	N		GW	5/26/2021										
MW-92-122	MW-92-122-0521	N		GW	5/26/2021										
MW-93-050	MW-93-050-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	33,000	28	19	< 0.50 U	< 0.20 U	< 0.20 U	31	30
MW-93-213	MW-93-213-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	41,000	40	370	330	< 0.20 U	< 0.20 U	78	71
MW-94-030	MW-94-030-0521	N		GW	5/21/2021										
MW-94-100	MW-94-100-0521	N		GW	5/21/2021										
MW-94-175	MW-94-175-0521	N		GW	5/21/2021										
MW-95-113	MW-95-113-0521	N		GW	5/19/2021										
MW-95-157	MW-95-157-0521	N		GW	5/19/2021										
MW-96-045	MW-96-045-0521	N		GW	5/18/2021	2.7	< 1.0 U	37,000	31	1400	1200	< 0.20 U	< 0.20 U	80	72
MW-96-217	MW-96-217-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	44,000	42	650	610	< 0.20 U	< 0.20 U	66	62
MW-97-042	MW-97-042-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	31,000	27	270	240	< 0.20 U	< 0.20 U	10	9
MW-97-202	MW-97-202-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	92,000	83	1500	1400	< 0.20 U	< 0.20 U	37	34
MW-98-055	MW-98-055-0521	N		GW	5/20/2021										
MW-98-077	MW-98-077-0521	N		GW	5/20/2021										

Notes:
All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
EPA = Environmental Protection Agency
FD = field duplicate
G = grab sample
GW = groundwater
J = estimated value
LF = low flow
mg/L = milligrams per liter
N = Normal
SW = solid waste
SM = standard method
U = analyte not detected

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Nickel by Method SW 6020 (µg/L)	Nickel, dissolved by Method SW 6020 (µg/L)	Nitrate/Nitrite as Nitrogen by Method SM 4500- NO3 F (mg/L)	Potassium, dissolved by Method SW 6010B (mg/L)	Selenium by Method SW 6020 (µg/L)	Selenium, dissolved by Method SW 6020 (µg/L)	Silver by Method SW 6020 (µg/L)	Silver, dissolved by Method SW 6020 (µg/L)	Sodium, dissolved by Method SW 6010B (mg/L)	Sulfate by Method EPA 300.0 (mg/L)
MW-89-273	MW-89-273-0521	N		GW	5/19/2021										
MW-90-031	MW-90-031-0521	N		GW	5/24/2021										
MW-91-045	MW-91-045-0521	N		GW	5/26/2021										
MW-91-120	MW-91-120-0521	N		GW	5/26/2021										
MW-91-170	MW-91-170-0521	N		GW	5/26/2021										
MW-91-320	MW-91-320-0521	N		GW	5/26/2021										
MW-92-037	MW-924-Q221	FD	MW-92-037-0521	GW	5/26/2021										
MW-92-037	MW-92-037-0521	N		GW	5/26/2021										
MW-92-072	MW-92-072-0521	N		GW	5/26/2021										
MW-92-102	MW-92-102-0521	N		GW	5/26/2021										
MW-92-122	MW-92-122-0521	N		GW	5/26/2021										
MW-93-050	MW-93-050-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	2.6	8.2	1.9	1.6	< 0.50 U	< 0.50 U	500	200
MW-93-213	MW-93-213-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	1.7	19	1.4	1.3	< 0.50 U	< 0.50 U	3,000	710
MW-94-030	MW-94-030-0521	N		GW	5/21/2021										
MW-94-100	MW-94-100-0521	N		GW	5/21/2021										
MW-94-175	MW-94-175-0521	N		GW	5/21/2021										
MW-95-113	MW-95-113-0521	N		GW	5/19/2021										
MW-95-157	MW-95-157-0521	N		GW	5/19/2021										
MW-96-045	MW-96-045-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.84	6.1	0.81	0.67	< 0.50 U	< 0.50 U	1,700	610
MW-96-217	MW-96-217-0521	N		GW	5/18/2021	< 1.0 U	< 1.0 U	0.72	26	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	4,700	1,200
MW-97-042	MW-97-042-0521	N		GW	5/17/2021	< 5.0 U	< 5.0 U	0.99	9.3	1	0.87	< 0.50 U	< 0.50 U	590	220
MW-97-202	MW-97-202-0521	N		GW	5/17/2021	< 1.0 U	< 1.0 U	0.32	24	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	4,300	960
MW-98-055	MW-98-055-0521	N		GW	5/20/2021										
MW-98-077	MW-98-077-0521	N		GW	5/20/2021										

Notes:
All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
EPA = Environmental Protection Agency
FD = field duplicate
G = grab sample
GW = groundwater
J = estimated value
LF = low flow
mg/L = milligrams per liter
N = Normal
SW = solid waste
SM = standard method
U = analyte not detected

Preliminary TMP 2021-05 Baseline Sampling

Location ID	Sample ID	Sample Type	Parent Sample Code	Matrix	Sample Date	Thallium by Method SW 6020 (µg/L)	Thallium, dissolved by Method SW 6020 (µg/L)	Total dissolved solids by Method SM 2540 C (mg/L)	Total organic carbon by Method SM 5310 C (mg/L)	Vanadium by Method SW 6020 (µg/L)	Vanadium, dissolved by Method SW 6020 (µg/L)	Zinc by Method SW 6020 (µg/L)	Zinc, dissolved by Method SW 6020 (µg/L)
MW-89-273	MW-89-273-0521	N		GW	5/19/2021								
MW-90-031	MW-90-031-0521	N		GW	5/24/2021								
MW-91-045	MW-91-045-0521	N		GW	5/26/2021								
MW-91-120	MW-91-120-0521	N		GW	5/26/2021								
MW-91-170	MW-91-170-0521	N		GW	5/26/2021								
MW-91-320	MW-91-320-0521	N		GW	5/26/2021								
MW-92-037	MW-924-Q221	FD	MW-92-037-0521	GW	5/26/2021								
MW-92-037	MW-92-037-0521	N		GW	5/26/2021								
MW-92-072	MW-92-072-0521	N		GW	5/26/2021								
MW-92-102	MW-92-102-0521	N		GW	5/26/2021								
MW-92-122	MW-92-122-0521	N		GW	5/26/2021								
MW-93-050	MW-93-050-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	2,400	< 1.0 U	3	2.8	< 10 U	< 10 U
MW-93-213	MW-93-213-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	8,800	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U	< 10 U
MW-94-030	MW-94-030-0521	N		GW	5/21/2021								
MW-94-100	MW-94-100-0521	N		GW	5/21/2021								
MW-94-175	MW-94-175-0521	N		GW	5/21/2021								
MW-95-113	MW-95-113-0521	N		GW	5/19/2021								
MW-95-157	MW-95-157-0521	N		GW	5/19/2021								
MW-96-045	MW-96-045-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	5,400	< 1.0 U	13	6.7	< 10 U	< 10 U
MW-96-217	MW-96-217-0521	N		GW	5/18/2021	< 0.50 U	< 0.50 U	12,000	< 1.0 U	1.1	< 1.0 U	< 10 U	< 10 U
MW-97-042	MW-97-042-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	2,400	< 10 U	2.2	1.3	< 10 U	< 10 U
MW-97-202	MW-97-202-0521	N		GW	5/17/2021	< 0.50 U	< 0.50 U	13,000	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U	< 10 U
MW-98-055	MW-98-055-0521	N		GW	5/20/2021								
MW-98-077	MW-98-077-0521	N		GW	5/20/2021								

Notes:
All analyses were performed by Asset Laboratory except for Ammonia (analyzed by BC Laboratories, Inc.).
< = analyte not detected at the reporting limit shown

Acronyms and Abbreviations:
µg/L = micrograms per liter
EPA = Environmental Protection Agency
FD = field duplicate
G = grab sample
GW = groundwater
J = estimated value
LF = low flow
mg/L = milligrams per liter
N = Normal
SW = solid waste
SM = standard method
U = analyte not detected